POLYHEDRON

SUBJECT INDEX FOR VOLUME 11, 1992

PERGAMON PRESS

OXFORD · NEW YORK · SEOUL · TOKYO

POLYHEDRON

The International Journal for Inorganic and Organometallic Chemistry

Editor-in-Chief:
Sir Geoffrey Wilkinson, *Imperial College of Science and Technology*

Executive Editors:
Rest of the World
D C Bradley, *Queen Mary and Westfield College, University of London, Mile End Road, London E1 4NS, U.K. Fax:* (081) 983 0625

U.S.A. and Canada
M H Chisholm, *Department of Chemistry, Indiana University, Bloomington, IN 47405, U.S.A. Fax:* (812) 855 7148

Editorial Board:
E W Abel, *University of Exeter*
R D Adams, *University of South Carolina*
E C Constable, *University of Cambridge*
F A Cotton, *Texas A & M University*
D Coucouvanis, *University of Michigan*
A H Cowley, *University of Texas at Austin*
I G Dance, *University of New South Wales*
W J Evans, *University of California at Irvine*
R D Gillard, *University of Wales, Cardiff*
M L H Green, *University of Oxford*
N N Greenwood, *University of Leeds*
W A Herrmann, *Technische Universität München*
R H Holm, *Harvard University*
M B Hursthouse, *University of Wales, Cardiff*
S F Mason, *King's College, University of London*
F Mathey, *Equipe CNRS-SNPE*
W McFarlane, *University of Newcastle upon Tyne*
J A Osborn, *Université Louis Pasteur*
R J Puddephatt, *University of Western Ontario*
F G A Stone, *Baylor University*
P Stoppioni, *Università Degli Studi di Firenze*
A G Sykes, *University of Newcastle upon Tyne*
K Vrieze, *Universiteit van Amsterdam*
K Wade, *University of Durham*
A Yamamoto, *Waseda University*

Polyhedron Reports and Polyhedron Symposia-in-Print
Editors:
M H Chisholm, *Indiana University*
E C Constable, *University of Cambridge*

Production Editor:
J K Stoddard, *Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K. Fax:* (0865) 743948

Publishing, Subscription and Advertising Offices: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.; or Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Twenty-four issues per year—published 2 issues per month

Annual Subscription Rates (1993)
Annual institutional subscription rate (1993) £1205.00 (US $2290.00). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Personal subscription rates for those whose library subscribes at the regular rate are available on request. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan include despatch by air and prices are available on application.

Second class postage paid at RAHWAY NJ and additional mailing offices. Postmaster send address corrections to Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Copyright © 1993 Pergamon Press Ltd

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appears in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

VOLUME 11

SUBJECT INDEX

(Compiled by Peter Thornton)

A

Acetamide complexes
  platinum(II,III), 917
Acetates
  cobalt(III), 1443,2929
  copper(II), 923,1471,2631
  manganese(II), 1909
  molybdenum(II), 2115
  rhodium(III), 1501
  ruthenium(II,III), 13,2327
  ruthenium(III), 335
  thallium(III), 3025
  thorium, 501
  uranium(IV), 501
Acetohydroxamate resin complexes
  copper(II), 551
Acetonitrile complexes
  cobalt(II), 1801,1809
  cobalt(III), 1269
  magnesium, 1929
  molybdenum(II), 205
  molybdenum(IV), 541
  platinum(II), 2415
  ruthenium(III), 335
  tungsten(II), 1043
N-Acetylcysteine, reaction with
  copper(II) complexes, 735
1-Acetylferrocenylthiosemicarbazone complexes
  Cd, Co, Cu, Ni, Zn, 447
4-Acetylpyridine complexes
  cobalt(III), 829
Adenosine complexes
  chromium(V), 1
  zinc, 3147
Alanine complexes
  cobalt(III), 773,1169
  platinum(II), 1359
Alaninedithiocarbamates
  molybdenum(V), 1387
Alcohol complexes
  cobalt(II), 2657
  copper(II), 879,1973
  indium, 1067
  lanthanides, 2245
  molybdenum(II,III), 251
  molybdenum(VI), 1659
  silicon, 1789
  uranium(VI), 871
  yttrium, 2245
Alcohol oxidation, catalysis by Ru complex, 523
Alkene complexes
  rhodium(I), 401
Alkene isomerisation, oligomerisation catalysed by Al and Ni complexes, 1285
Alkene oxidation, catalysis by Ru complex, 463
Alkenyl complexes
  Co, Fe, Os, Rh, 1075
  ruthenium, 781,1075
Alkenylidyne complexes
  iron(III), 1429
Alkenyloxides, oxygen abstraction by W(III) complex, 2813
Alkoxides
  aluminium, 341,1093
  cadmium, 1331,2525
  cerium(IV), 59
  cobalt(II), 2525
  copper(II), 177,879
  gallium, 477
  iron(III), 1923
  lanthanides, 375,2673
  lanthanum, 375
  lithium, 1093
  molybdenum, 655
  molybdenum(II), 3007
  nickel(II), 2525
  platinum(II), 27
  praseodymium, 375
  scandium, 375
  thorium, 909
  tin(IV), 341,1647
  tungsten, 655
  tungsten(III), 2813
  uranium(IV), 1481,1601
  yttrium, 375
  zinc, 2525
  zirconium, 341
Alkoxycarbamoyl complexes
  manganese(I), rhenium(I), 2055
Alkyls
  aluminium, 967,1285
  barium, 745
  cadmium, 507
  cobalt(III), 1637
  gallium, 477,839,967,3013
  mercury, 507
  molybdenum, 1587
  molybdenum(III), 2825
  niobium, 1023
  rhodium(III), 2679
  silicon, 2805
  tantalum, 1023
  tellurium(II),(IV), 3155
  thallium(III), 2231,2889
  thorium, 909
  tin(IV), 331,1861,2351,2747,2805
  zinc, 507
Alkylamides
  aluminium, 1295
  iron, 851
  molybdenum, 217
  phosphorus(III), 2759
  technetium(V), 1145
  tungsten, 217
  tungsten(III), 3197

tungsten(VI), 1575
zinc, 1697
Alkylammonium halides, 371
Alkylidene complexes
iron, 1075
niobium, 1023
osmium, ruthenium, 1075
tantalum, 1023
tungsten, 1607
Alkylidyne complexes
molybdenum, 1587
tantalum(V), 1559
tungsten, 1607,2841
Alkylperoxide complexes
gallium, 477
Alkyne complexes
osmium, 1075
tungsten, 1419
tungsten(II), 1043
Alkynyl complexes
copper(I), gold(I), 951
platinum(II), 1983
ruthenium(II), 781
silver(I), 951
Allyls
tungsten(III), 3197
Allylic alcohols, oxygen abstraction by W(III) complex, 2813
Aluminium
alkoxide chloride lithium complex, 1093
alkoxide heterometallic complexes, 341,2421
alkyl arylamides, 967
alkylamide hydride, 1295
chloride complex, 1177,2065
chloride ethyls, 1285
siloxide copper(II) compound, 177
Aluminosilicates, 1901
Amide complexes
copper(II), 1701,1855
lanthanides, 1653
platinum(II,III), 917
samarium, 1581,1653
thorium, 1765
Amidinate complexes
Ir(III), Os(II), Ru(II), 993
2-Amidopyridine complexes
ruthenium(II,III), 13
Amine complexes
cobalt(III), 1679
copper(I), 805
copper(II), 623,1037,1383,2217
lanthanides, 2273
lead(II), 1205
molybdenum(IV), 2083,2321
nickel(II), 617
palladium(II), 3191
platinum(II), 2187,2363
rhodium(III), 3165
ruthenium(IV), 1821
silver, 617
tantalum(V), 1177
technetium(V), 1145
titanium(IV), 2065
Aminoacids, sulfur containing, reactions with Fe^{2+} and NO_2^-, 591
Aminoacid complexes
cadmium, 563
chromium(III), 1687,2549
cobalt(II), 563
cobalt(III), 773,1169,1443
copper(II), 563,3069
mercury, 563
molybdenum(VI), 1517
nickel(II), 563,1235,3069
palladium(II), 2109
platinum(II), 1359,2109
vanadium(IV), 1449
zinc, 563,1235,3069
Aminoalkoxides
cerium(IV), 59
Aminoalkyls
tin(IV), 2747
Aminoalkylamide complexes
copper(II), 941
Aminobutyrate complexes
cobalt(III), 773
platinum(II), 1359
2-Aminobutyratedithiocarbamates
molybdenum(V), 1387
γ-Aminobutyrohydroxamate resin complexes
copper(II), 551
Aminodimethylnitrosouracil complexes, copper(II), 2217
Aminoethanethiolates
molybdenum(IV), 2321
Aminooxime complexes
rhodium(III), 2447
Aminophosphine complexes
ruthenium(IV), 2961
Aminopolycarboxylates
Cd, Cu, Ni, Zn, 257
Aminopyrazole complexes
nickel(II), 2341
2-[&3-]Aminopyridine complexes
rhodium, 2575
4-Aminopyridine complexes
cobalt(III), 829
ruthenium(III), 2335
Aminotellurophenoxides
Ni, Pd, Pt, 1755
4-Aminothiophenoxides
rhenium(V), 1085
5-Aminouracil complexes
palladium(II), platinum(II), 2109
Ammonia complexes
chromium(III), 71,2069
cobalt(III), 773,1269,1679,2069
copper(II), 691
platinum(II), 901,1359,2363
platinum(IV), 901
praseodymium, 375
rhodium(III),.2757
ruthenium(II), 2335,2375,3109
ruthenium(III), 2335,3109
scandium, 375
yttrium, 375
Ampicillin complexes
copper(III), 1049
Angular overlap calculations
chromium(III) peptide triamine complex, 2399
Aniline complexes
molybdenum(IV), 2083
Aniline Schiff base complexes
cobalt(II), 1569
hydrogen ion, 2351
Mo(VI), Ru(III), U(VI), 523
Antimony(III)
chloride complexes, 1177,2065

citrate copper(II) complex, 631
Antimony(V)
chloride complex, 2065
fluoride, doped in Pt complex, 1099
Antitumor activity
tin(IV) alkyl carboxylate oxo compounds, 1861
Antiviral activity
gallium azole chloride complexes, 487
Arene complexes
chromium(0), 323
ruthenium, 2123
ruthenium(II), 823,2317,2713, 2729
Arsenic
fluoride, reaction with amine, 2183
fluoride halocyanide complexes, 443
selenide complexes, 1877
Arsine complexes
copper(I), 947
ruthenium(II), 1117
ruthenium(III), 523
Aryls
gold(I), 893
osmium(II), 1013
phosphorus(III), 2759
platinum(II), 1783
tellurium(II), 1225
tellurium(IV), 3155
tin(IV), 2351,2423,2747
Arylamide complexes
aluminium, gallium, 967
molybdenum, 547
ruthenium(II), 709
tantalum(IV),(V), 1559
technetium(V), 1145
uranium(IV), 3139
Arylazopyridine complexes
tin(IV), 2423.
Arylimido complexes
rhenium(VII), 147
ruthenium(IV), 2961
tungsten(V), 1419
Ascorbate complexes
chromium(III), 2549
Ascorbic acid, reactions with:
copper(II) complexes, 735
transition metals, review, 285
ASED - MO calculations
copper(II) ammine thioether thiolate complexes, 691
Aspartates
molybdenum(VI), 1517
Azathienes, 2787
2-Azetidinone complexes
mercury, silver, 1841
Azide complexes
cobalt(III), 829,2929
copper(I), 805
copper(II), 85,2537,2631
manganese(II), 2137
nickel(II), 85,759
Azochromotropates
palladium(II), 1597
Azole complexes
cadmium, 2739
cobalt(II), 101,419,2657,2739
cobalt(III), 1679
copper(II), 191,647,2631,2823, 2867
gallium, 487,3013
iron(II), 635
manganese(II), 1909,2045
molybdenum(VI), 115
nickel(II), 101,2341,2739
palladium(II), 1597
platinum(II), 2507,2691
ruthenium(II), 431
ruthenium(IV), 1821
zinc, 191,635,2739,3147
Azooxime complexes
uranium(VI), 1733
Azoylcarboxylates
Co(II), Cu(II), Pt(II), Rh(II), 2507

B

Barium
alkyl cyclopentadienyl ether phosphine oxide complexes, 745
carboxylate diketonates, 2877
crown, cryptand, murexide complexes, 987
diketonate ether complexes, 979
ether hexamethylphosphoramide phenoxide complexes, 1995
Benzene complexes
ruthenium, 2123
Benzeneselenolates
osmium(0,I),(I), 1013
Benzenethiolates
gold(I), 3135
rhodium(I), 1007
Benzimidazole complexes
copper(II), 2631
gallium, 487
Benzimidazoline complexes
copper(I), 2947
Benzoates
copper(II), 923
manganese(II,III), 251
uranium(IV), 501
Benzo-18-crown-6, protonation, 559
Benzodithiadiazine, 1137
Benzophenone complexes
lanthanides, 409
1,2,3-Benzotriazole complexes
gallium, 487
Benzoxazolylaldehyde complexes
Cd, Co, Cu, Ni, Zn, 2525
Benzoyls
osmium(II), 1013
Benzylamine complexes
palladium(II), 3191
2-(Benzylamino-2-deoxyglcerogulo-heptonic acid complexes
Cd,Co,Cu,Hg,Ni,Zn, 563
α-Benzyldioxime complexes
cobalt(III), 1939
Benzylthiolates
gold(I), 3135
Bicyclo[2.2.1]hepta-2,5-diene complexes
rhodium(I), 729
Binaphthyl-2,2'-diylphosphate complexes
ruthenium(II,III), 2327
Binucleating complexes
cobalt(II), 347
copper(II), 211,347,879

nickel(II), 211,347
zinc, 211,347
2-Biphenylamido complexes
aluminium, gallium, 967
Bis(amino)ethanedithiolates
technetium(V), 1145
Bis(aminoethyl)1,3-propanediamine complexes
chromium(VI), 795
cobalt(III), 2441
Mo(VI), Zr(IV), 795
Bis(3-aminopropyl)amine complexes
chromium(III), 2399
Bis(aminopropyl)ethylenediamine complexes, cobalt(III), 2441
2,6-Bis(benzimidazol-2-yl)pyridine complexes
iron(II), 635
manganese(II), 1909
zinc, 635
2,6-Bis(benzoxazol-2-yl)pyridine complexes, Fe(II), Zn, 635
2,6-Bis(benzthiazol-2-yl)pyridine complexes, Fe(II), Zn, 635
1,2-Bis(dimethylphosphino)ethane complexes, molybdenum(III), 2301
1,3-Bis(dimethylphosphino)propane complexes, iron(II), 1213
1,4-Bis(diphenylphosphino)benzene complexes, Cr(0), Rh(I), 323
Bis(diphenylphosphinobenzylidene)-ethylenediamine complexes
chromium(0), 2965
Bis(diphenylphosphino)bis-(trimethylsilyl)ferrocene, 2611
1,4-Bis(diphenylphosphino)butane complexes, gold, 2841
1,3-Bis(diphenylphosphino)dicyclopentadiene complexes
chromium(0), 863
1,2-Bis(diphenylphosphino)ethane complexes
gold, 2841
molybdenum, 1587
molybdenum(I), 2055
molybdenum(II), 2531
molybdenum(III), 2301
nickel(0), 765
palladium(II), 2415
platinum(II), 1755,1983,2415, 3091
rhenium(I), 2055,2483
ruthenium(II), 3173
tungsten, 2383
tungsten(II), 1043
1,2-Bis(diphenylphosphino)ethene complexes, gold, 2841
1,6-Bis(diphenylphosphino)hexane complexes, gold, 2841
Bis(diphenylphosphino)methane complexes
iridium, 677
palladium(II), 2415
platinum(II), 2415
rhenium(II), 2431
rhenium(III), 1277
ruthenium(II), 3173
tungsten(II), 1043
1,5-Bis(diphenylphosphino)pentane complexes, gold, 2841
1,3-Bis(diphenylphosphino)propane complexes
gold, 2841
manganese(I), 2055
palladium(II), 2415
platinum(II), 2415
rhenium(I), 2055
tungsten(II), 1043
2,2'-Bis(methylamino)diethyl-sulfide complexes
Cd, Cu, Ni, Pb, Zn, 2989
1,2-Bis(6-methyl-2-pyridyl)ethane complexes, Co(II),Cu(I),Zn, 65
2,6-Bis[2-(6-methyl-2-pyridyl)-ethyl]pyridine complexes
Co(II), Cu(I), Zn, 65
1,2-Bis[6-[2-(6-methyl-2-pyridyl)-ethyl]-2-pyridyl]ethane complexes, Co(II), Cu(I), Zn, 65
2,6-Bis(methylthiomethyl)pyridine complexes, platinum(II), 2363
Bismuth(III)
thiodiketonates, 1219
Bis(pyrazolylmethyl)pyridine complexes
manganese(II), 2045
1,2-Bis(2-pyridinecarboxamido)benzene complexes, Co(III), 2929
N,N,-Bis-8-quinolylethylenediamine complexes, Cu(II), Ni(II), 85
Bis(trimethylsilyl)amides
lanthanides, 409
Bis(trimethylsilyl)arsenide complexes, gallium, 839
1,3-Bis(trimethylsilyl)cyclopentadienyls, tantalum(V), 1023
Book reviews
iron organo compounds, 140
ligand reactivity, 139
molybdenum halogen compounds, 139
molybdenum organo compounds, 1839
organoiron compounds, 140
organomolybdenum compounds, 1839
polonium, 1705
understanding inorganic chemistry, 1839
Borohydrides
copper(I), 805
ruthenium(II), 431
uranium(IV), 2783
Boron
diimine halide complexes, 397
fluoride, reaction with amine, 2183
hydroxide triol complex, 889
Bromate, oxidation of
ruthenium(III) complex, 2389
Bromazepam complexes
palladium(II), 2795
Bromides
alkylammonium, 371
boron, 397
cobalt(II), 1569,2657
cobalt(II,III), 361
copper(I), 1251,2099
copper(II), 879,973,1261,2179
iron(IV), 1029
lithium, 2863
manganese(I), 135,1743
mercury, 597,2775
molybdenum, 655
molybdenum(II), 3129
molybdenum(III), 2301
molybdenum(IV), 2083

neodymium, 2863
nickel(II), 2341
palladium(II), 243,3191
palladium(IV), 3191
platinum(II), 1551,2363
rhenium(I), 1665
rhenium(II),1277,2431
rhenium(II,III), 1277
ruthenium(II), 3183
ruthenium(III), 523
silver, 2775
tin(IV), 1531,2223
tungsten(VI), 279
Bromination, organic, promoted by V_2O_5 and H_2O_2, 2817
Bromoacetates
cobalt(III), 1443
2-Bromopyridine complexes
copper(II), 2537
1-Butanol, solvent for copper(II) halide complexes, 2179
But-3-en-1-yn-3-yl complexes
ruthenium(II), 781
t-Butoxides
aluminium, 341
gallium, 477
silicon, 341
thorium, 909
uranium(IV), 1481
i-Butyls
aluminium, 967
n-Butyls
tin(IV), 1861
t-Butyls
gallium, 477,839
tin(IV), 2747
n,t-Butylamine complexes
cobalt(III), 1679
tantalum(V), 1177
titanium(IV), 2065
t-Butylbenzoate complexes
ruthenium(II,III), 2209
t-Butylcyclopentadienyls
lanthanides, 2857,2863
t-Butyldimethylsiloxides
copper(I), 2459
potassium, tin(II), 1369
t-Butylisocyanide complexes
iridium, 677
t-Butylperoxides
gallium, 477
4-*t*-Butylphenoxides
tantalum(V), 1177
titanium(IV), 2065
t-Butyl(trimethylsilyl)amides
zinc, 1697
t-Butyl(trimethylsilyl)ether, oxygen transfer reagent, 847

C

Cadmium
alkoxide ether complex, 1331
aminoacid complexes, 563
azole ketoimine salicylaldimine thioether complexes, 2739
benzoxazolylaldehyde complexes, 2525
chloride hydroxyquinoline ketone complexes, 1349
diaminothioether complexes, 2989
diimine thiolate complexes, 607
diketonate triol copper(II) complex, 1195
diselenocarbamates, 45
dithiocarbamate ethylenediamine complexes, 2951
dithiocarbamate hydroxyquinoline oxo water Mo(V) complexes, 185
ferrocenyl Schiff base complex, 2313
ferrocenyl thiosemicarbazone complex, 447
iminodiacetate peptide complexes, 257
methyl selenophenoxide, 507
phosphinate complex, 3031
pyrimidine water complex, 2903
Calcium
crown, cryptand complexes, 987
ether phenoxide complexes, 1995
murexide complexes, 987
Carbaboranes, 157,2717
Carbaborane complexes
molybdenum, 1587
rhodium, 2841
tungsten, 1607
Carbamoyl complexes
manganese(I). 2055
Carbazolate complexes
tantalum(IV),(V), 1559
Carbide complexes
ruthenium, 2123
Carbodiimide complexes
platinum(II), 1099
Carbohydrate complexes
molybdenum(II), tungsten(II), 3129
Carbonyls
chromium, 1181
chromium(0), 323,863,1771,2965
cobalt, 1075
iridium, 677
iridium(III), 2703
iron, 1075,1143
iron(0), 127
iron(II), 799
iron(III), 1429
manganese(I), 135,1743,2055
manganese(V),(VII), 2157
molybdenum, 1075,1181,1143,1563, 1587,2557
molybdenum(0), 127,863,1743,1771, 2265,2713
molybdenum(III), 1281
osmium, 1075
osmium(0),(0,I),(II), 1013
osmium(II), 993,1013
rhenium(I), 1665,2055,2483
rhenium(II), 2431
rhenium(VII), 2157
rhodium, 1075,2575,2841
rhodium(I), 323,1007
rhodium(I,III),(II), 1007
rhodium(III), 1007,2679
ruthenium, 1075,2123
ruthenium(II), 431,781,993,1053
ruthenium(III), 91,687
tungsten, 1075,1607,2841,3095
tungsten(0), 127,1771,2713
tungsten(II), 1181,1319
vanadium(I), 1319
Carboxylates
barium, 2877
cobalt(II), 101,2507,3041

cobalt(III), 1443,2929
copper(I), 947
copper(II), 205,923,1471,1973,2507, 2567,2631
gadolinium, 1513
manganese(II), 1909,2137,2195,3041
manganese(II,III), 251
manganese(III), 2195
molybdenum(II), 205,2115
molybdenum(VI), 2711
nickel(II), 101
platinum(II), 2507
rhodium(II), 2507
rhodium(III), 1501,2679
ruthenium(0), 947
ruthenium(II), 947,1053
ruthenium(II,III), 13,2209,2327
ruthenium(III), 335
silver, 1513
thallium(III), 3025
thorium, 501
tin(IV), 1861,2351
uranium(IV), 501
uranium(V), 845
vanadium(II), 2767
zinc, 3041

Carboxylic acid complexes
molybdenum(VI), 2711

Catecholates
iridium(IV), 871
iron(III), 871,1161
lanthanides, 937
molybdenum(VI), 871,995
Os,Pd,Pt,Re,Rh,Ru, 871
silicon, 1789
tungsten(VI), 871,2039
uranium(VI), 871

Cation exchange resin, effects on complexation, 3031

CD spectra, *see* chirality

Cerium(III)
nitrate phosphine oxide water complex, 2983
phosphotungstate, 2645
piperazine complex, 2273
pyrazolylborate, 1481

Cerium(IV)
alkoxide aminoalkoxide oxo complexes, 59

Chirality
chromium(III) aminoacid complexes, 1687
cobalt(III) aminoacid ammine nitrite complexes, 773
cobalt(III) aminoacid diamine nitrite complexes, 1169
gallium azole chloride complexes, 487
molybdenum alkylamide halide nitrosyl pyrazolylborate complexes, 217
nickel(II) alanine phenanthroline complexes, 1235
vanadium(IV) glutamate oxo water complexes, 1449
vanadium(IV) malate oxo complexes, 697
zinc alanine phenanthroline complexes, 1235

Chlorides
alkylammonium, 371
aluminium, 1177,1285,2065
antimony(III), 1177,2065
antimony(V), 2065
boron, 397
cadmium, 1349
chromium(III), 71,1337,2313
cobalt(II), 65,423,1349,1569,1801, 2611,2657,3019
cobalt(II,III), 361
cobalt(III), 1679,2929
copper(I), 423,805,2099
copper(II), 423,917,1037,1261,1349, 1809,1929,2179
gallium, 477,487
gold(I), 893,2009,2409
gold(III), 893
hafnium, 1131
indium, 1067
iridium(III), 993,1987,2703
iron(II), 635,957,1213
iron(III), 1177,2065,2253
iron(IV), 1029
lanthanides, 1653,2857,2873
magnesium, 1929
manganese(II), 1909,2045
manganese(V),(VII), 2157
mercury, 2775
molybdenum, 217,655,1085
molybdenum(II), 2119,2531,2639, 3007,3129
molybdenum(III), 2301,2585
molybdenum(IV), 2585
molybdenum(V), 847,3123
molybdenum(VI), 2143
nickel(II), 424,1261,1285,1349, 1755,3019
niobium(V), 3123
osmium(II), 993
palladium, 1755
palladium(II), 243,671,917,1981, 2109,2165,2415,2611,2795,3191
palladium(IV), 3191
phosphorus(III), 2759
phosphorus(V), 2065
platinum(II), 27,365,917,1099,1551, 1755,1783,2109,2125,2165,2363, 2415,2691
platinum(II,III), 2357
platinum(IV), 423,901,2187,2605
rhenium(I), 2483
rhenium(II), 2431
rhenium(III), 811,1277
rhenium(VII), 147,1085,2157
rhodium(I), 323,401
rhodium(I,III), 1007
rhodium(III), 1007,1737,1987,2165, 2447,2501
ruthenium(II), 431,781,823,993, 2317,2713,3183
ruthenium(II,III), 13,2209
ruthenium(III), 91,523,3075
ruthenium(IV), 91,1821,1849,2729, 2997
ruthenium(V), 463
silicon, 711,2805
silver, 597,1201,1783,2775
sodium, 2873
tantalum(V), 1177,3123
technetium(V), 2151
thorium, 501,917,1765
tin(IV), 341,1531,1939,2423,2781, 2805,3019
titanium(IV), 1131,2065,2781
tungsten, 217,655,1419
tungsten(II), 2119,3129

tungsten(V), 381,847
tungsten(VI), 279,847,2039,2143, 3123
uranium(IV), 501,817,1481,2021
yttrium, 2599
zinc, 65,423,2125,3147
zirconium, 1131
Chloride transfer reactions, review, 715
Chloroacetates
cobalt(III), 1443
6-Chloro-2-hydroxypyridine complexes
rhenium(III), 811
Chloromethyls
cobalt(III), 1637
4-Chloro-1,2-phenylenediaminetetra-acetate, cobalt(II), 1965
Cholesterolate complexes
molybdenum(II), 3007
Chromates
chromium(III), cobalt(III), 2069
reduction by thiols, 3211
Chromium
carbonyl nitrosyl phosphine salicylaldimine complexes, 1181
Chromium(0)
aminophosphine carbonyl complex, 2965
arene carbonyl phosphine rhodium(I) complexes, 323
carbonyl diimine complexes, 1771
carbonyl diphosphine phosphine thallium complexes, 863
Chromium(II)
hydroxide heterometallic complexes, 517
pyridine pyridinesulfonate water complexes, 2475
Chromium(III)
aminoacid complexes, 1687
ammine chromate water complexes, 2069
ammine halide pseudohalide complexes, 71
ascorbate cysteine glutathione hydroxide complexes, 2549
chloride ferrocenyl Schiff base water complex, 2313
chloride polypyridine complex, 1337
citrate complex, 1343
diketonates, 33,531
dithiocarbamate, 1959
ethylenediamine hydroxide heterometallic complexes, 517
peptide triamine complex, 2399
Chromium(V)
citrate complex, 1343
nucleoside complexes, 1
Chromium(VI)
oxidation of hydrocarboxylic acid, 1391
oxo peroxide polyamine complexes, 795
reduction by thiols, 3211
Cimetidine complexes
platinum(II), 2723
Citrate complexes
antimony(III), 631
chromium(III),(V), 1343
copper(II), 631
tin(II), 1403
Cobalt
alkenyl carbonyl cyclopentadienyl complexes, 1075
carbonyl cyclopropyl triphosphorus complexes, 2517
Cobalt(I)
dithioformate phosphine complexes, 947
phosphine thiolate complexes, 2831
Cobalt(II)
acetonitrile chloride crown ether complexes, 1801
acetonitrile crown ether water complexes, 1809
aminoacid hydroxide complexes, 563
azole halide methanol nitrate thiocyanate water complexes, 2657
azole ketoimine salicylaldimine thioether complexes, 2739
benzoxazolylaldehyde complexes, 2525
carboxylate heterocyclic base complexes, 101
carboxylate water complexes, 2507
carboxysalicylaldimine binucleating complex, 3041
chloride ferrocenyldiphosphine complex, 2611
chloride hydroxyquinoline ketone complexes, 1349
chloride polypyridyl thiocyanate complexes, 65
chloride tetrahydrofuran complex, 3019
chloride thione water complexes, 423
diaminetetracarboxylate complex, 1965
diimine fluoride hydrazine pyrazole water complexes, 1523
diimine pyrrolate Schiff base complexes, 235
diimine salicylaldimine copper(II) complex, 2621
diaminothioether complexes, 2989
diketonates, 531
diketonate ketoimine complexes, 33
ferrocenyl Schiff base complex, 2313
ferrocenyl thiosemicarbazone complex, 447
halide pyridine Schiff base thiocyanate complexes, 1569
hydroxide triamine complexes, 453
hydroxide water chromium(III) complexes, 517
imidazole water complex, saccharinate salt, 419
ketoester compounds, 2957
methazolamide pyridine water complex, 2849
phenoxide Schiff base thiocarboxylate ester binucleating complexes, 347
phosphinates, 2427
pyridine salicylaldimine water complexes, 271
pyrimidine water complex, 2903
triazene-1-oxide complexes, 2129, 2591
Cobalt(II,III)
halide phosphine thio complex, 361
Cobalt(III)
acetonitrile amine ammonia complexes, 1269

alkyl oxime phosphine pyridine complexes, 1637
amine ammonia azole chloride diamine pyridine complexes, 1679
aminoacid ammine nitrite complexes, 773
aminoacid diamine dicarboxylate ethylenediaminediacetate complexes, 1463
aminoacid diamine nitrite complexes, 1169
ammonia chromate water complexes, 2069
azide pyridine complexes, 829
carboxylate chloride nitrite pseudohalide pyridinecarboxamide tetradentate complexes, 2929
carboxylate diketonate tetramine complexes, 1443
diaminodicarboxylate diketonate tetramine complexes, 2441
diketonates, 33,531
dioxime tin(IV) complexes, 1939
ethylenediamine hydroxide complexes, 739
ethylenediamine hydroxide chromium(II) complex, 517
ethylendibiguanide mixed complexes, 469
hydroxypyridonates, 2997
pyrrolate Schiff base complexes, 235
quinoneoximate, 3037

Conductimetric titrations
tantalum(V) amine chloride phenoxide complexes, 1177

Constant potential coulometry
rhodium(III) amine thioether hexadentate macrocyclic complexes, 3165
vanadium(IV) oxo phenoxide salicylaldimine complexes, 3083

Copper(I)
alkynyl heterometallic complexes, 951
amine azide borohydride chloride diarsine diphosphine hydroxide thiocyanate complexes, 805
arsine formate phosphine stibine complexes, 947
bromide phosphine complexes, 1251
chloride dimethylformamide thione complexes, 423
cyanide thio silver(I) tungsten(VI) complex, 109
dithiophosphate phosphine complexes, 1187
halide phosphine thione complexes, 2099
heterometallic triphosphates, 2543
iodide phosphine thione complexes, 2947
ion, gaseous, reactions with thols, 1125
perchlorate polypyridyl complexes, 65
phenanthroline thiolate complex, 613
phosphine siloxide complexes, 2459
phosphine thiolate complexes, 2831
phosphine thiolate molybdenum(VI) complex, 2495
pyridine complex, 169
quaterpyridine complex, 2967

Copper(I,II)
binucleating phenoxide Schiff base complexes, 1949

Copper(II)
acetate dipyridyl hydroxide perchlorate water complexes, 1471
alcohol alkoxide bromide hydrazone phenoxide binucleating complexes, 879
alkoxide diketonate siloxide aluminium compounds, 177
amide thioether tetradentate complexes, 1855
amine chloride Schiff base thioether thiolate complexes, 1037
amine Schiff base macrocyclic complexes, 1383
aminoacid complexes, 563
aminoalkylamide complex, 941
aminonitrosouracil water complex, 2217
ammine thioether thiolate complexes, 691
ampicillin complexes, 1049
azide azole carboxylate complexes, 2631
azide pyridine complexes, 2537
benzoxazolylaldehyde complexes, 2525
binucleating phenoxide Schiff base complexes, 1949
bromide water ylide complexes, 973
carboxylate dipyridyl hydroxide water complexes, 923
carboxylate water complexes, 2507
chloride complexes, 1809
chloride hydroxyquinoline ketone complexes, 1349
chloride imidazolidinethione complexes, 917
chloride thione water complexes, 423
chloride water magnesium complexes, 1929
citrate water antimony(III) complex, 631
cystine dihydroxamate, 3069
diacetamide complex on silica gel, 1701
diaminothioether hydroxide complexes, 2989
dicyanamide imidazole complexes, 2867
diethylenetriamineacetate imidazole zinc complexes, 191
diketonate ketoimine complexes, 33
dipyridyl hydroxide pyridoxine complex, 1397
dipyridylamine thiocyanate complex, 623
dithiophosphates, 1187
ethylenediaminediacetate, 1837
ferrocenyl Schiff base complex, 2313
ferrocenyl thiosemicarbazone complex, 447
furosemide methanol water complexes, 1973
halide complexes, 2179
halide nicotinamide nickel(II) complexes, 1261
hydroxamate resin complexes, 551

hydroxide polyaminepolycarboxylate complexes, 197
hydroxide triamine complexes, 453
hydroxide water chromium(III) complexes, 517
hydroxyaryloximes, 789
iminodiacetate peptide complexes, 257
imidazole nucleotide water complex, 2823
menthoxyacetate, 205
mepirizole complex, 647
methazolamide pyridine water complex, 2849
oxamide nickel(II) complexes, 857
phenanthroline triol cadmium complex, 1195
phenoxide Schiff base binucleating complexes, 347
phenoxide Schiff base heterometallic complexes, 211
phenylphosphonate pyridine complexes, 3101
polyaminopolycarboxylate complexes, 735
porphyrinquinone complex, 1437
pseudohalide tetramine complexes, 85
pyridine complexes, 169
pyridiniopropionate complex, 2567
pyridoxaldimine complexes, 2171
pyrrolaldimine complexes, 2697
salicylaldimine heterobinuclear complexes, 2621
salicylaldimine squatate water complex, 2819
strontium oxide, 2331
Copper(III)
pyrrolaldimine complexes, 2697
Copper(IV)
strontium oxide, 2331
Creatinine complexes
palladium(II), 2357
platinum(II), 365,2357
platinum(II,III), 2357
Croconate salts, Pt(II), 901
Crown ethers
interaction with ruthenium ammonia complexes, 2335
protonation, 559
Crown ligand complexes
barium, calcium, 987
cobalt(II), 1801,1809
lead(II), 1205
lithium, 987
magnesium, 1929
potassium, 987,1369
sodium, strontium, 987
Cryptand complexes
Ba, Ca, K, Li, Na, Sr, 987
Cyanates and cyanato complexes
copper(II), 85
iron(IV), 1029
nickel(II), 85
Cyanides and cyano complexes
chromium(III), 71
copper(I), 109
iron(II), 2015
iron(III), 2253
ruthenium(II), 1229
substitutions, review, 2277
Cyanodithiocarbimate complexes
ruthenium(II), 1117
Cyanogen halide complexes
arsenic(V), 443
4-Cyanopyridine complexes
cobalt(III), 829
Cyanopyridinium complexes
ruthenium(II), 2375
Cyclic voltammetry
catecholate complexes, 871
chromium(III) chloride polypyridine complex, 1337
cobalt(II) binucleating phenoxide Schiff base complexes, 347
cobalt(II) triazene-1-oxide complexes, 2591
cobalt(III) carboxylate chloride nitrite pseudohalide pyridinecarboxamide tetradentate complexes, 2929
copper(I) amine azide borohydride chloride diarsine diphosphine hydroxide thiocyanate complexes, 805
copper(I) iodide phosphine thione complexes, 2947
copper(I,II) binucleating phenoxide Schiff base complexes, 1949
copper(II) amide thioether tetradentate complexes, 1855
copper(II) amine chloride Schiff base thioether thiolate complexes, 1037
copper(II) aminoalkylamide complex, 941
copper(II) binucleating phenoxide Schiff base complexes, 211,347, 1949
copper(II) carboxylate dipyridyl hydroxide water complexes, 923
copper(II) chloride thione water complexes, 423
copper(II) ethylenediamine diacetate, 1837
copper(II) halide nicotinamide nickel(II) complexes, 1261
copper(II) menthoxyacetate, 205
copper(II) phenylphosphonate pyridine complexes, 3101
ferrocenyl Schiff bases, 1917
hydroxypyridone complexes, 2997
iron nitrosyl thiolate complexes, 2803
iron(II) chloride diazolylpyridine sulphonate complexes, 635
iron(II) mercaptopyridinol complexes, 2203
iron(IV) diketonate thiosemicarbazone halide oxo pseudohalide complexes, 1029
lanthanide phosphotungstates, 2645
manganese(II) bispyrazolylpyridine chloride complexes, 2045
manganese(II),(III) methoxyquinolinecarboxylates, 2195
manganese(III),(IV) hydroximate complexes, 1353
molybdenum arylamide chloride nitrosyl pyrazolylborate complex, 547
molybdenum(II) chloride nitrosyl phenoxide pyrazolylborate rhenium(V) complex, 1085
molybdenum(II) chloride nitrosyl phenoxide pyrazolylborate

ruthenium(II) complex, 2119
molybdenum(II) chloride nitrosyl pyrazolylborate pyridine complexes, 2639
molybdenum(II) cholesterolate halide nitrosyl octoxide pyrazolylborate complexes, 3007
molybdenum(IV) acetonitrile fluoride oxo complex, 541
molybdenum(IV) aminoethanethiolate diazenide compounds, 2321
molybdenum(V) dithiocarbamate thio complexes, 1387
molybdenum(VI) aspartate iminodiacetate oxo complexes, 1517
molybdenum(VI) catecholate nitrogen - sulfur complex, 995
nickel(II) binucleating phenoxide Schiff base complexes, 211,347, 1949
nickel(II) chloride nicotinamide water copper(II) complexes, 1261
nickel(II) pyrrole tetraazaannulene complexes, 2089
osmium(II) diimine hydroxyquinoline pyridine complexes, 1829
osmium(III) diimine hydroxyquinoline complexes, 1829
platinum(II),(IV) ammonia chloride diamine complexes, 901
rhenium(I) bromide carbonyl polypyridine complexes, 1665
rhenium(II) carbonyl diphosphine halide complexes, 2431
rhenium(III) diphosphine halide complexes, 1277
rhenium(III) phosphinothiophenoxide, 2151
rhenium(V) chloride hydroxide oxo pyrazolylborate thiophenoxide molybdenum complexes, 1085
rhenium(V) diimine hydroxo oxo complexes, 1615
rhodium(III) amine thioether hexadentate macrocyclic complexes, 3165
rhodium(III) chloride polythioether complex, 2501
ruthenium(II) ammonia cyanopyridinium complexes, 2375
ruthenium(II) ammonia isonicotinamide pyrazine complexes, 2335
ruthenium(II) arene chloride complex, 2317
ruthenium(II) arsine cyanodithiocarbimate cyclopentadienyl dipyridyl phosphine stibine complexes, 1117
ruthenium(II) diimine heterometallic complexes, 2119
ruthenium(II) diphosphine dithiocarbamate phosphine xanthate complexes, 3173
ruthenium(II) halide pyridine salicylaldimine complexes, 3183
ruthenium(II) ketoimine water complexes, 2837
ruthenium(II,III) acetate amidopyridine chloride complex, 13
ruthenium(II,III) acetate diarylphosphate, 2327
ruthenium(II,III) ammonia dicyanopyrazine complexes, 3109
ruthenium(II,IV) arene chloride diallyl pyrazine complexes, 2729
ruthenium(III) ammonia pyridine complexes, 2335
ruthenium(III) arsine halide salicylaldimine complexes, 523
ruthenium(III) carbonyl edta hydroxide water complexes, 687
ruthenium(III) chloride, 463
ruthenium(III) Schiff base encapsulated complexes, 2625
ruthenium(IV) amine azole chloride pyridine salicylaldimine Schiff base superoxide complexes, 1821
ruthenium(IV) chloride dicarboxylate dienediyl complexes, 1849
technetium(III) phosphinothiophenoxide, 2151
technetium(V) chloride nitride oxo phosphinothiophenoxide complexes, 2151
tungsten(II) chloride nitrosyl phenoxide pyrazolylborate ruthenium(II) complex, 2119
vanadium(IV) oxo phenoxide salicylaldimine complexes, 3083
Cyclohexanedione dioxime complexes
cobalt(III), 1939
germanium, iron(II), 457
tin(IV), 1939
Cyclohexanethiolates
palladium(II), 1981
Cyclohexanoneoxime complexes
lanthanides, 355
Cyclohexene epoxidation, 463
Cyclohexylmethoxide complexes
molybdenum, tungsten, 655
Cyclometallated complexes
palladium(II), 243
ruthenium, 1075
Cyclooctadiene complexes
iridium(I), 729,2917
rhodium(I), 729,1007
Cyclopentadienyls
barium, 745
cobalt, 1075
hafnium, 1131
iron, 447,601,1075,1429,1489,1917, 2435,2611,3117
lanthanides, 265,355,2513,2857, 2863,2873,2883
metaloxides, review, 1733
molybdenum, 389,1075,1143,1281, 1563,2265,2301
niobium, 1023
rhodium, 1075,2575
ruthenium(II), 709,947,1117
tantalum, 1023
thorium, 501
titanium, 123,1131
tungsten, 1075,1319,1607,2841
uranium(IV), 501
vanadium(I), 1319
zirconium, 39,123,765,1131
Cyclopentylcyclopentadienyls
erbium, 2873
Cyclotriphosphazenes, 1671
p-Cymene complexes
ruthenium(II), 823,2317,2729
Cysteine, reaction with copper(II) complexes, 735
Cysteine complexes

chromium(III), 1687,2549
Cystine dihydroxamate complexes
copper, nickel, zinc, 3069
Cytidine, cytosine complexes
palladium(II), 671

D

Diacetamide complexes
copper(II), 1701
2,6-Diacetylpyridine Schiff base complexes, cobalt(II), 1569
Dialkylaminochlorophosphines, 2759
Diallyl complexes
ruthenium(IV), 2729
Diamine complexes
cadmium, 2951
cobalt(III), 739,1169,1269,1463, 1679
magnesium, 389
molybdenum(VI), 2143
platinum(II),(IV), 901,2187
tungsten(VI), 2143
zinc, 2951
Diaminodicarboxylates
cobalt(III), 2441
copper(II), 1837
1,3-Diaminopropane complexes
cobalt(III), 1269
1,4-Diaminobutane complexes
cobalt(III), 1169
1,3-Diaminopropane complexes
cobalt(III), 1679
Diaminophenylenediaminetetra-acetate, cobalt(II), 1965
Diaminopropanetetraacetates
ruthenium(III), 1059
Diaminothioether complexes
cadmium, cobalt, copper, lead, 2989
mercury, 597
nickel(II), 2989
silver, 597
Diarsine complexes
copper(I), 805
Diarylphosphates
ruthenium(II,III), 2327
Diazenide complexes
molybdenum(IV), 2321
Diazolepyridine complexes
iron(II), zinc(II), 635
Dibenzo-18-crown-6, protonation, 559
Dibenzotetraazaannulene complexes
manganese(III), 581
silicon, tin(IV), 2805
Dibenzoylmethane complexes
uranium(VI), 531
Dibenzyldithiocarbamates
hafnium, titanium, 1131
zirconium, 39,1131
Diborane, formation from
uranium(IV) borohydride, 2783
Dibromoacetates
cobalt(III), 1443
Di-*n*-butylammonium halides, 371
Di-*t*-butylcatecholates
molybdenum(VI), 995
2,6-Di-t-butylphenoxide complexes
niobium(V), 587
Dibutylphenylthiourea complexes
copper(I), 2099
Dicarbanonaborane(11), 2841
Dicarboxylates
cobalt(III), 469,1463
molybdenum(VI), 2913
nickel(II), 885
ruthenium(IV), 1849
samarium, 2051
tungsten(VI), 2913
vanadium(IV), 697
Dichloroacetates
cobalt(III), 1443
2,6-Dichlorobenzenethiolates
rhenium(VII), 147
2,4-Dichlorophenoxyacetates
molybdenum(II), 205
1,5-Dichlorothienotriselenole, 395
Dicyanamide complexes
copper(II), 2867
Dicyanopyrazine complexes
ruthenium(II),(III), 3109
Dicyclohexylacetamide complexes
thorium, 1765
Diene complexes
iridium(I), 729,2917
rhodium(I), 729,1007
Dienediyl complexes
ruthenium(IV), 1849
Dienyl complexes
iron, molybdenum, tungsten, 1075
Diethylamine complexes
tantalum(V), 1177
titanium(IV), 2065
Diethyldiselenocarbamates
cadmium, zinc, 45
Diethyldithiocarbamates
cadmium, 185,2951
chromium(III), 1959
molybdenum(0), 127
molybdenum(III,IV), 2395
molybdenum(V), 185
rhenium(VII), 147
tellurium(II), 1225
tellurium(IV), 3155
tungsten(0), 127
tungsten(II), 1043
tungsten(V), 1959
tungsten(VI), 279
Diethyldithiophosphates
tungsten(IV), 3159
Diethylenetriamine complexes
chromium(VI), 795
molybdenum(VI), 795,2027
Diethylenetriamineacetates
copper(II), zinc, 191
Diethylenetriaminepentaacetates
copper(II), 735
gadolinium, 1315
Diethyl ether complexes
barium, 745,979
uranium(IV), 3139
Diethylnicotinamide complexes
copper(II), nickel(II), 1261
Diethylphosphoryl-*N*-benz-oylurea complexes, Sm, 1581
Diethylxanthate complexes
tellurium(II), 1225
Differential pulse polarography
ruthenium(II) chloride pyraz-ole sulphoxide complex, 431
ruthenium(IV) amine azole

chloride pyridine
salicylaldimine Schiff base
superoxide complexes, 1821
Differential pulse voltammetry
ruthenium(II) carbonyl nitrosyl
phosphine polythiocarboxylate
water complexes, 1053
vanadium(IV) oxo phenoxide
salicylaldimine complexes,
3083
Difluoroacetates
cobalt(III), 1443
Dihydroxybenzamide complexes
iron(III), 1161
Dihydrobis(3,5-dimethylpyrazolyl)-
borates,
lanthanides, U(III),(IV), 1481
3,4-Dihydroxy-3-cyclobutene-1,2-
dione salts
copper(II), 2819
Pt(II),(IV), 901
Diimine complexes
boron, 397
cadmium, 607
chromium(0), 1771
cobalt(II), 235,1523,2621
copper(I), 613
copper(II), 923,1195,1397,1471
indium, 1067
iron(II), 2015
manganese(II), 2621
mercury, 799
molybdenum(0), 1771
molybdenum(VI), 2913
nickel(II), 885,1235
osmium(II),(III), 1829
palladium(II), 243,871,3191
platinum(II), 871
rhenium(I), 2285
rhenium(V), 1615
ruthenium(II), 1117,1411,2119,
2285
ruthenium(III), 2389
ruthenium(IV), 871,2729
tungsten(0), 1771
tungsten(VI), 2913
zinc, 1235
Diisopropylbutyramide complexes
thorium, 1765
Diketonates
barium, 979,2877
cadmium, 1195
chromium(III), 33,531
cobalt(II), 33,531
cobalt(III), 33,469,531,1443,
2441
copper(II), 33,177,531
iron(III), 531,1923
nickel(II), 33,531,1285
uranium(VI), 531
vanadium(II), 531
4,5-Dimercapto-1,3-dithiole-2-
thione complexes, tin(IV), 2223
2,6-Dimethoxybenzoates
cobalt(II), nickel(II), 101
Dimethoxyethane complexes
barium, calcium, 1995
molybdenum(V), 847
potassium, 1369
strontium, 1995
tungsten(III), 3197
tungsten(V), 847
2-(Dimethoxyphenyl)phenanthroline
complexes, Pd(II), 243
Dimethylacetylenedicarboxylate
complexes, iridium, 677
Dimethylamides
aluminium, 1295
tungsten(VI), 1575
Dimethylaminoborondifluoride
compounds, 2183
2-[2'-Dimethylaminoethyl(methyl)-
amino]ethoxide, Ce(IV), 59
3-Dimethylaminopropyls
tin(IV), 2747
4-Dimethylaminopyridine complexes
ruthenium(III), 2335
Dimethyl-1,2-dicarbaundecaborate-
(11) complexes, Mo, 1587
4,4'-Dimethyl,2,2'-dipyridyl
complexes,
chromium(0), 1771
cobalt(II), manganese(II), 2621
molybdenum(0), 1771
rhenium(V), 1615
tungsten(0), 1771
Dimethyldiselenide complexes
osmium(0), 1013
Dimethyldithiocarbamates
rhenium(VII), 147
tungsten(II), 1043
tungsten(VI), 279
Dimethylethylenediamine complexes
platinum(IV), 2187
Dimethylformamide complexes
copper(I), 423
Dimethylglyoximates
cobalt(III), 469,1939
germanium, iron(II), 457
tin(IV), 1939
Dimethylhydroxypyridone complexes
Co,Fe,Ir,Mo,Os,Pd,Re,Rh,Ru,U,W,
2997
1,2-Dimethylimidazole complexes
cobalt(III), 1679
2,7-Dimethylocta-2,6-diene-1,8-
diyl complexes, Ru(IV), 2729
2,6-Dimethylphenoxide complexes
niobium(V), 587
Dimethyl(phenyl)phosphine
complexes
copper(I), 2459
molybdenum(0), 2265
molybdenum(III), 2301
platinum(II), 27,1551,1983
platinum(IV), 2605
ruthenium(II), 3173
tantalum(IV), 1559
tungsten, 1419
tungsten(V), 381
Dimethylphenylthiourea complexes
copper(I), 2099
Di-2-methylpropylammonium halides,
371
2,2'-Dimethyl-1,3-propylenebis(ox-
amate) complexes
copper(II), nickel(II), 857
3,5-Dimethylpyrazole complexes
cobalt(II), 1523
platinum(II), 1551
Dimethylsulphoxide complexes
platinum(II), 2363,2691
ruthenium(II), 431
Dimethylthiocarbamoyl chloride

complexes, gold(I),(III), 893
Dimethylthioformamide complexes
gold(I),(III), 893
Dimethyl(trimethylsilyl)amine
reactions with fluorides, 2183
Dinitrogen complexes
tungsten, 2383
Diol complexes
zinc, 2975
Dioximates
cobalt(III), 1637,1939
germanium, iron(II), 457
tin(IV), 1939
Diphenate complexes
molybdenum(VI), tungsten(VI), 2913
Diphenylacetylene complexes
tungsten, 1043,1419
Diphenylamides
uranium(IV), 3139
Diphenylamidinate complexes
Ir(III), Os(II), Ru(II), 993
Diphenyldipyrazolylborate
complexes, silicon, 711
Diphenyldiselenide complexes
osmium(0), 1013
Diphenyldithiophosphates
copper(I),(II), 1187
Diphenyldithiophosphinates
thallium(III), 2889
Diphenylglyoximates
cobalt(III), 1637
germanium, iron(II), 457
Diphenylphosphinates
rhenium(II,III), 1277
Diphenylphosphido complexes
iron, 1075
molybdenum, 1563
osmium, ruthenium, 1075
Diphenylphosphinates
cobalt(II), 2427
3-Diphenylphosphinocamphor
complexes, Ir, Rh, 1987
Diphenylphosphinocyclopentadienyls
chromium(0), molybdenum(0), 863
2-Diphenylphosphinoethyl-
(diphenyl)phosphine oxide
complexes, molybdenum, 1587
2-(Diphenylphosphino)thiophenoxides, Re(III), Tc(III),(V), 2151
Diphenylpyrazolinylbenzenesulphonates, lanthanides, 937
Diphenylsilane, reduction of
molybdenum(V), 2585
5,5'-Diphenylthiohydantoin
complexes, Pt(II,III), 917
Diphosphacyclopentadienyls
iron(II), 601
Diphosphine complexes
chromium(0), 863
cobalt(II), 2611
copper(I), 805
gold, 2841
iridium, 677
iron(II), 1213
manganese(I), 1743,2055
molybdenum, 1587
molybdenum(0), 863,1743
molybdenum(II), 2531
molybdenum(III), 2301
nickel(0), 765
palladium(II), 2415,2611
platinum(II), 1755,1983,2415, 3091
rhenium(I), 2055,2483
rhenium(II), 2431
rhenium(II,III),(III), 1277
ruthenium(II), 3173
tungsten, 2383
tungsten(II), 1043
Diphosphites, silylated, 1743
Diphosphite complexes
manganese(I), 135
Dipicolinates
cobalt(III), 469
Di-*n*-propyldithiophosphates
copper(I),(II), 1187
Di-*i*-propylidenefructopyranose
complexes, Mo(II), W(II), 3129
Di-*i*-propylphenylimides
ruthenium(IV), 2961
Di-*i*-propylthiophosphates
platinum(II), zinc, 2125
Di-*i*-propylxanthates
tellurium(II), 1225
2,2'-Dipyridyl complexes
boron, 397
cadmium, 607
cobalt(II), 235,1523
copper(II), 923,1397,1471
indium, 1067
iron(II), 2015
molybdenum(VI), 2913
nickel(II), 885
osmium(II),(III), 1829
palladium(II), 871,3191
platinum(II), 871
rhenium(I), 2285
ruthenium(II), 1117,2119,2285
ruthenium(III), 2389
ruthenium(IV), 871,2729
tungsten(VI), 2913
2,2'-Dipyridyl derivative
complexes, ruthenium(II), 1411
Dipyridylphosphinoferrocenes, 3117
Diselenide complexes
osmium(0), 1013
tungsten(IV), 3159
tungsten(V), 1959
Diselenocarbamates
cadmium, 45
zinc, 45
Disilylarsenide complexes
gallium, 839
Disulfide complexes
molybdenum(IV), 2083
tungsten(VI), 279,2939
Dithiocarbamates
cadmium, 185,2951
chromium(III), 1959
hafnium, 1131
lanthanides, 1815
molybdenum(0), 127
molybdenum(III,IV), 2389
molybdenum(V), 185,1387
rhenium(VII), 147
ruthenium(II), 3173
tellurium(II), 1225
tellurium(IV), 3155
titanium(IV), 1131
tungsten(0), 127
tungsten(II), 1043
tungsten(V), 1959
tungsten(VI), 279

zirconium, 39,1131
Dithiocarboxylates
cobalt(I), 947
Dithiodiketonates
nickel(II), 1285
Dithioformates
cobalt(I), 947
Dithiolates
Ni(0), Pd(0), 765
tin(IV), 2223
zirconium, 765
Dithiooxalates
Ni, Pd, Pt, 1883
Dithiophosphates
copper(I),(II), 1187
tungsten(IV), 3159
Dithiophosphinates
thallium(III), 2889
Dysprosium
alkoxide cyclopentadienyl, 2673
amide chloride ether tetradentate complex, 1653
catechol pyrazoline sulphonate complex, 937
cyclopentadienyl oxime complex, 355
cyclopentadienyl pyrrolyl tetrahydrofuran complexes, 265
dithiocarbamate, 1815
nitrate phosphine oxide water complex, 2983
phosphotungstate, 2645
piperazine complex, 2273
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545

E

EHMO calculations
carbaboranes, 157
cobalt, nickel carbonyl cyclopropyl triphosphorus complexes, 2517
polynuclear thio complexes, 957
Electric conductance
cobalt(II) acetonitrile chloride crown ether complexes, 1801
cobalt(II) diimine fluoride complexes, 1523
cobalt(II) pyridine Schiff base complexes, 1569
cobalt(III) ethylenedibiguanide mixed complexes, 469
copper(II) binucleating Schiff base complexes, 1949
gallium azole chloride complexes, 487
lanthanide amide chloride ether tetradentate complexes, 1653
lanthanide catechol pyrazoline sulphonate complexes, 937
lanthanide oxyethylene glycol complexes, 2245
lanthanide piperazine complexes, 2273
manganese(II) azole pyridine complexes, 1909
manganese(II) bispyrazolylpyridine chloride complexes, 2045
manganese(III),(IV) hydroximate complexes, 1353
molybdenum(V) dithiocarbamate thio complexes, 1387
nickel(II) alanine phenanthroline complexes, 1235
nickel(II) aminopyrazole halide nitrate thiocyanate water complexes, 2341
nickel(II) pyrrole tetraazaannulene polymeric complexes, 2089
palladium(II) chloride methionine pyrimidine complexes, 2109
platinum(II) aminoacid ammonia nucleobase complexes, 1359
platinum(II) bis(methylthiomethyl)pyridine complexes, 2363
platinum(II) chloride methionine pyrimidine complexes, 2109
platinum(II) partly oxidised complexes, 1099
rhenium(II) carbonyl diphosphine halide complexes, 2431
ruthenium(II) azole borohydride carbonyl chloride hydride nitrosyl phosphine sulphoxide complexes, 431
ruthenium(II,III) carboxylate diarylphosphate, 2327
ruthenium(II,III) carboxylate ether complexes, 2209
thallium(III) methyl rhodanine compound, 2231
titanium(IV) amine chloride phenoxide complexes, 2065
zinc alanine phenanthroline complexes, 1235
Electrolysis
iron nitrosyl thiolate complexes, 2803
Electronic spectra
azathienes, 2787
barium alkyl cyclopentadienyl ether phosphine oxide complexes, 745
benzodithiadiazine, 1137
binucleating phenoxide Schiff base thiocarboxylate ester complexes, 347
cadmium dithiocarbamate hydroxyquinoline oxo water molybdenum(V) complexes, 185
cadmium thiolates, 607
calcium crown, cryptand murexide complexes, 987
chromium(III) aminoacid complexes, 1687
chromium(III) ammine chromate water complexes, 2069
chromium(III) ammine halide pseudohalide complexes, 71
chromium(III) ascorbate cysteine glutathione hydroxide complexes, 2549
chromium(III) peptide triamine complex, 2399
chromium(VI) oxidation of hydroxycarboxylic acid, 1391
cobalt(I) dithioformate phosphine complexes, 947

cobalt(I) phosphine thiolate complexes, 2831
cobalt(II) acetonitrile chloride crown ether complexes, 1801
cobalt(II) azole halide methanol nitrate thiocyanate water complexes, 2657
cobalt(II) azole ketoimine salicylaldimine thioether complexes, 2739
cobalt(II) carboxylate heterocyclic base complexes, 101
cobalt(II) carboxylate water complexes, 2507
cobalt(II) carboxysalicylaldimine binucleating complex, 3041
cobalt(II) chloride ether complex, 3019
cobalt(II) chloride hydroxyquinoline ketone complexes, 1349
cobalt(II) chloride polypyridyl thiocyanate complexes, 65
cobalt(II) diaminotetracarboxylate complex, 1965
cobalt(II) diimine fluoride hydrazine pyrazole water complexes, 1523
cobalt(II) diimine pyrrolate Schiff base complexes, 235
cobalt(II) diimine salicylaldimine copper(II) complex, 2621
cobalt(II) halide pyridine Schiff base thiocyanate complexes, 1569
cobalt(II) imidazole water complex saccharin salt, 419
cobalt(II) pyrimidine water complex, 2903
cobalt(III) acetonitrile amine ammonia complexes, 1269
cobalt(III) amine ammonia azole chloride diamine pyridine complexes, 1679
cobalt(III) aminoacid ammine nitrite complexes, 773
cobalt(III) aminoacid diamine nitrite complexes, 1169
cobalt(III) ammonia chromate water complexes, 2069
cobalt(III) azide pyridine complexes, 829
cobalt(III) carboxylate chloride nitrite pseudohalide pyridinecarboxamide tetradentate complexes, 2929
cobalt(III) carboxylate diketonate tetramine complexes, 1443
cobalt(III) dioxime tin(IV) complexes, 1939
cobalt(III) ethylenedibiguanide mixed complexes, 469
cobalt(III) pyrrolate Schiff base complexes, 235
cobalt(III) quinoneoximate, 3037
copper(I) halide phosphine thione complexes, 2099
copper(I,II) binucleating Schiff base complexes, 1949
copper(II) acetate dipyridyl hydroxide perchlorate water complexes, 1471
copper(II) amide thioether tetradentate complexes, 1855
copper(II) amine chloride Schiff base thioether thiolate complexes, 1037
copper(II) amine Schiff base macrocyclic complexes, 1383
copper(II) aminonitrosouracil water complex, 2217
copper(II) ampicillin complexes, 1049
copper(II) azide azole carboxylate complexes, 2631
copper(II) azide pyridine complexes, 2537
copper(II) azole ketoimine salicylaldimine thioether complexes, 2739
copper(II) binucleating phenoxide Schiff base complexes, 1949
copper(II) binucleating phenoxide Schiff base heterometallic complexes, 211
copper(II) bromide water ylide complexes, 973
copper(II) carboxylate dipyridyl hydroxide water complexes, 923
copper(II) carboxylate water complexes, 2507
copper(II) chloride hydroxyquinoline ketone complexes, 1349
copper(II) chloride water magnesium complexes, 1929
copper(II) cystine dihydroxamate, 3069
copper(II) diaminothioether hydroxide complexes, 2989
copper(II) dicyanamide imidazole complexes, 2867
copper(II) dipyridylamine thiocyanate complex, 623
copper(II) dithiophosphates, 1187
copper(II) edta complex - ascorbic acid reaction, 735
copper(II) furosemide methanol water complexes, 1973
copper(II) halide complexes, 2179
copper(II) halide nicotinamide nickel(II) complexes, 1261
copper(II) hydroxide polyaminopolycarboxylate complexes, 197
copper(II) hydroxyaryloximes, 789
copper(II) mepirizole complex, 647
copper(II) oxamide nickel(II) complexes, 857
copper(II) porphyrinquinone complex, 1437
copper(II) pyridine complexes, 169
copper(II) pyridoxaldimine complexes, 2171
copper(II) pyrrolealdimine complexes, 2697

copper(II) salicylaldimine heterobinuclear complexes, 2621
copper(III) pyrrolealdimine complexes, 2697
ferrocenyl Schiff bases and their complexes, 1917, 2313
ferrocenyl thiosemicarbazone complexes, 447
gold(I),(III) chloride thione complexes, 893
imidazoline-2-thione complexes, 423
iron(II) chloride diazolylpyridine sulphonate complexes, 635
iron(II) dioxime germanium complexes, 457
iron(II) mercaptopyridinol complexes, 2203
iron(III) catecholate complexes, 1161
iron(IV) diketonate thiosemicarbazone halide oxo pseudohalide complexes, 1029
lanthanide amide chloride ether tetradentate complexes, 1653
lanthanide benzophenone silylamide complexes, 409
lanthanide catechol pyrazoline sulphonate complexes, 937
lanthanide dithiocarbamates, 1815
lanthanide ketoamine complexes, 21
lanthanide phosphotungstates, 2645
lanthanide piperazine complexes, 2273
lanthanide quinoxaline derivative complexes, 1109,1113
lanthanide tetraketonates, 1545
magnesium acetonitrile crown ether Cu(II) complexes, 1929
manganese(II) acetate azole chloride pyridine sulfate complexes, 1909
manganese(II) bispyrazolypyridine chloride complexes, 2045
manganese(II) carboxysalicylaldimine binucleating complex, 3041
manganese(II) methoxyquinolinecarboxylate, 2195
manganese(II) in mollusc shells, 663
manganese(III),(IV) hydroximate complexes, 1353
manganese(III) methoxyquinolinecarboxylate oxo complex, 2195
manganese(IV) hydroximate complexes, 1353
mercury thiolates, 607
methazolamide complexes (Co, Cu, Ni), 2849
molybdenum alkylamide halide pyrazolylborate nitrosyl complexes, 217
molybdenum(IV) aminoethanethiolate diazenide compounds, 2321
molybdenum(V) dithiocarbamate hydroxyquinoline oxo cadmium complexes, 185
molybdenum(V) dithiocarbamate thio complexes, 1387
nickel(II) alanine phenanthroline complexes, 1235
nickel(II) aminopyrazole halide nitrate thuocyanate water complexes, 2341
nickel(II) azole ketoimine salicylaldimine thioether complexes, 2739
nickel(II) binucleating Schiff base heterometallic complexes, 211
nickel(II) binucleating phenoxide Schiff base water complexes, 1949
nickel(II) carboxylate heterocyclic base complexes, 101
nickel(II) chloride hydroxyquinoline ketone complexes, 1349
nickel(II) chloride nicotinamide water copper(II) complexes, 1261
nickel(II) chloride ether complex, 3019
nickel(II) diaminothioether complexes, 2989
nickel(II) dithiooxalate complex, 1883
nickel(II) hydroxide polyaminopolycarboxylate complexes, 197
nickel(II) oxamide macrocyclic tetramine copper(II) complexes, 857
nickel(II) pyridoxaldimine complex, 2171
nickel(II),(III) pyrrolealdimine complexes, 2697
palladium(II) azochromotropate azole complexes, 1597
palladium(II) aminotellurophenoxide chloride selenophenoxide tellurophenoxide heterometallic complexes, 1755
palladium(II) chloride methionine pyrimidine complexes, 2109
palladium(II) dithiooxalate complex, 1883
palladium(II) halide telluroether complexes, 2165
platinum(II) aminotellurophenoxide chloride selenophenoxide tellurophenoxide heterometallic complexes, 1755
platinum(II) bis(methylthiomethyl)pyridine complexes, 2363
platinum(II) chloride methionine pyrimidine complexes, 2109
platinum(II) dithiooxalate complex, 1883
platinum(II) halide telluroether complexes, 2165
platinum(V) fluoride complex, 7
polythiocyanogen, 79
rhenium(I) bromide carbonyl polypyridine complexes, 1665
rhenium(III) chloride hydroxypyridine complex, 811
rhenium(V) diimine hydroxo oxo

complexes, 1615
rhodium(III) amine thioether hexadentate macrocyclic complexes, 3165
rhodium(III) chloride pyridine superoxide water complexes, 1737
rhodium(III) chloride telluroether complexes, 2165
rhodium(V) fluoride complex, 7
ruthenium(0) formate nitrosyl phosphine complex, 947
ruthenium(II) ammonia cyanopyridinium complexes, 2375
ruthenium(II) ammonia dicyanopyrazine complexes, 3109
ruthenium(II) ammonia isonicotinamide pyrazine complexes, 2335
ruthenium(II) arene chloride complex, 2317
ruthenium(II) arsine cyanodithiocarbimate cyclopentadienyl dipyridyl phosphine stibine complexes, 1117
ruthenium(II) azole borohydride carbonyl chloride hydride nitrosyl phosphine sulphoxide complexes, 431
ruthenium(II) carbonyl nitrosyl phosphine polythiocarboxylate water complexes, 1053
ruthenium(II) cyclopentadienyl formate phosphine thioformate complexes, 947
ruthenium(II) diimine heterometallic complexes, 2119
ruthenium(II) diphosphine dithiocarbamate phosphine xanthate complexes, 3173
ruthenium(II) halide pyridine salicylaldimine complexes, 3183
ruthenium(II) ketoimine water complexes, 2837
ruthenium(II) terpyridine complexes, 2707
ruthenium(II,III) carboxylate ether complexes, 2209
ruthenium(III) ammonia dicyanopyrazine complexes, 3109
ruthenium(III) ammonia pyridine complexes, 2335
ruthenium(III) arsine halide salicylaldimine complexes, 523
ruthenium(III) carbonyl chloride salicylaldimine complexes, 91
ruthenium(III) carboxylate nitrile oxo phosphine complex, 335
ruthenium(III) chloride water complexes, 3075
ruthenium(III) Schiff base encapsulated complexes, 2625
ruthenium(IV) chloride salicylaldimine superoxide complexes, 91
technetium(V) oxo thioamide tetradentate complexes, 1145
terbium(IV) hexaoxoiodate complex, 963
tin(IV) dithiolate halide complexes, 2223
tungsten(IV) selenide thiocyanate complexes, 2973
tungsten(VI) disulfide oxo thio complexes, 2939
uranium(IV) arylamide ether phosphine oxide pyridine complexes, 3139
uranium(IV) chloride hypophosphite water complex, 817
vanadium(IV) glutamate oxo water complexes, 1449
vanadium(IV) malate oxo complexes, 697
vanadium(IV) oxo phenoxide salicylaldimine complexes, 3083
vanadium(V) isopolyanion, 3045
zinc alanine phenanthroline complexes, 1235
Electrosynthesis
palladium(II),(IV) halide complexes, 3191
Encapsulating ligand complexes
ruthenium(III), 2625
Enolates
Cd, Co, Ni, Zn, 2525
Enthalpy of activation
carbonylation, oxygenation, ruthenium(III) chloride salicylaldimine complexes, 91
complexation, uranium(IV) arylamide ether phosphine oxide pyridine complexes, 3139
fluxionality, chromium(0) rhodium(I) arene carbonyl phosphine complexes, 323
hydrolysis, cobalt(III) acetonitrile amine ammonia complexes, 1269
protonation, crown ethers, 559
protonation, thiodiaminocarboxylates, 1305
redox, bromate - Ru(III) diimine oxo water complex, 2389
redox, platinum(II) amine diamine - platinum(IV) chloride diamine complexes, 2187
substitution, ruthenium(II) carbonyl nitrosyl phosphine polythiocarboxylate water complexes, 1053
substitution, ruthenium(III) chloride water complexes, 3075
substitution, tin(IV) halide water complexes, 1531
Enthalpy of formation
alkylammonium halides, 371
chromium(III), cobalt(III) ammonia chromate water complexes, 2069
copper(II) diaminothioether complexes, 2989
ruthenium(IV) amine azole chloride pyridine salicylaldimine Schiff base superoxide complexes, 1821
Enthalpy of solution
alkylammonium halides, 371
Entropy of activation
carbonylation, oxygenation, ruthenium(III) chloride

salicylaldimine complexes, 91
complexation, uranium(IV) arylamide ether phosphine oxide pyridine complexes, 3139
fluxionality, chromium(0) rhodium(I) arene carbonyl phosphine complexes, 323
hydrolysis, cobalt(III) acetonitrile amine ammonia complexes, 1269
isomerization, molybdenum(II) chloride diphosphine complexes, 2531
protonation, crown ethers, 559
protonation, thiodiamino-carboxylates, 1305
redox, bromate - Ru(III) diimine oxo water complex, 2389
redox, platinum(II) amine diamine - platinum(IV) chloride diamine complexes, 2187
substitution, ruthenium(II) carbonyl nitrosyl phosphine polythiocarboxylate water complexes, 1053
substitution, ruthenium(III) chloride water complexes, 3075
Entropy of formation
chromium(III), cobalt(III) ammonia chromate water complexes, 2069
copper(II) diaminothioether complexes, 2989
ruthenium(IV) amine azole chloride pyridine salicylaldimine Schiff base superoxide complexes, 1821
Erbium
amide chloride ether tetradentate complex, 1653
catechol pyrazoline sulphonate complex, 937
chloride cyclopentadienyl, 2857
chloride cyclopentadienyl tetrahydrofuran sodium complex, 2873
cyclopentadienyl ether hydroxide complex, 2883
cyclopentadienyl oxime complex, 355
dithiocarbamate, 1815
nitrate phosphine oxide water complex, 2983
piperazine complex, 2273
quinoxaline derivative complex, 1109
tetraketonate complex, 1545
Esculetin complexes, 871
ESR spectra
chromium(V), in Cr(VI) oxidation of hydroxycarboxylic acid, 1391
chromium(V) citrate complex, 1343
chromium(V) nucleoside complexes, 1
cobalt(II) azole halide methanol nitrate thiocyanate water complexes, 2657
cobalt(II) pyridine salicylaldimine water complexes, 271
cobalt(II) triazene-1-oxide complexes, 2129,2591
copper(I,II) binucleating phenoxide Schiff base complexes, 1949
copper(II) alcohol alkoxide bromide hydrazone phenoxide binucleating complexes, 879
copper(II) alkoxide diketonate, 177
copper(II) amide thioether tetradentate complexes, 1855
copper(II) amine chloride Schiff base thioether thiolate complexes, 1037
copper(II) aminoalkylamide complex, 941
copper(II) azide azole carboxylate complexes, 2631
copper(II) benzoxazolylaldehyde complexes, 2525
copper(II) binucleating phenoxide Schiff base complexes, 1949
copper(II) binucleating phenoxide Schiff base thiocarboxylate ester complexes, 347
copper(II) bromide water ylide complexes, 973
copper(II) carboxylate water complexes, 2507
copper(II) chloride imidazolid-inethione complexes, 917
copper(II) chloride thione complexes, 423
copper(II) dicyanamide imidazole complexes, 2867
copper(II) diethylenetriamine-acetate imidazole zinc complexes, 191
copper(II) dipyridyl hydroxide pyridoxime complex, 1397
copper(II) dipyridylamine thiocyanate complex, 623
copper(II) furosemide methanol water complexes, 1973
copper(II) halide nicotinamide nickel(II) complexes, 1261
copper(II) hydroxamate resin complexes, 551
copper(II) hydroxide triamine complexes, 453
copper(II) hydroxyaryloximes, 789
copper(II) mepirizole complex, 647
copper(II) methazolamide pyridine water complex, 2849
copper(II) oxamide nickel(II) complexes, 857
copper(II) porphyrinquinone complex, 1437
copper(II) pseudohalide tetramine complexes, 85
iron nitrosyl thiolate complexes, 2803
manganese(II) bispyrazolylpyr-idine chloride complexes, 2045
manganese(II) hydroxyalkylthiaz-olidinecarboxylate complexes,

2237
manganese(II) in mollusc shells, 663
manganese(IV) hydroximate complexes, 1353
molybdenum(II) chloride pyrazolylborate pyridine complexes, 2639
molybdenum(III) cyclopentadienyl diphosphine halide phosphine complexes, 2301
molybdenum(V) dithiocarbamate hydroxyquinoline oxo cadmium complexes, 185
osmium(III) diimine hydroxyquinoline complexes, 1829
platinum chloride creatinine complex, 365
platinum(II,III) acetamide imidazolidinethione complexes, 917
platinum(II,III) chloride creatinine complexes, 2357
rhenium(II,III) bromide diphosphine hydride nitrosyl phosphinate complexes, 1277
rhodium(III) ammonia superoxide complexes, 2757
rhodium(III) chloride pyridine superoxide water complexes, 1737
ruthenium chloride oxo complexes, 463
ruthenium(III) arsine halide salicylaldimine complexes, 523
ruthenium(III) carbonyl edta hydroxide water complexes, 687
ruthenium(IV) amine azole chloride pyridine salicylaldimine Schiff base superoxide complexes, 1821
TCNQ salts, 3155
tungsten alkyne arylimide chloride phosphine complexes, 1419
vanadium(IV) glutamate oxo water complexes, 1449
vanadium(IV) malate oxo complexes, 697
Ethanedithiolates
Ni(0), Pd(0), Zr(IV), 765
Ethanetetrathioglycolate complexes
ruthenium(II), 1053
Ethanethiolates
gold(I), 3135
iron, 591,851,1075,2803
platinum(II), 27
Ethanol complexes
cobalt(II), 101
copper(II), 879
indium, 1067
manganese(II,III), 251
nickel(II), 101
Ether complexes
barium, 745,979,1995
cadmium, 1331
calcium, 1995
cobalt(II), 2591,3019
copper(II), 205
gallium, 477
lanthanides, 265,1653,2245,2873, 2883
lanthanum, 375,1653
lead(II), 1205
lithium, 1093,2863
magnesium, 389
molybdenum(III),(IV), 2585
molybdenum(V), 847
nickel(II), 3019
potassium, 1369
ruthenium(II,III), 2209
sodium, 2873
strontium, 1995
tin(IV), 3019
tungsten(V), 847
uranium(IV), 3139
yttrium, 375,2245
Ethionine, reactions with Fe^{2+}, NO_2^-, 591
Ethoxides
copper(II), 879
uranium(IV), 1601
Ethoxyacetate complexes
uranium(V), 845
4-Ethoxyphenyls
tellurium(II), 1225
β-Ethoxypropionate complexes
uranium(V), 845
Ethyls
aluminium, 1285
cobalt(III), 1637
tin(IV), 1861
zinc, 507
Ethylamides
iron, 851
Ethylamine complexes
cobalt(III), 1679
palladium(II), 3191
platinum(II), 2187
tantalum(V), 1177
Ethyldiphenylphosphine complexes
ruthenium(II), 3173
Ethylenediamine complexes
cadmium, 2951
cobalt(III), 739,1269,1463,1679
platinum(II),(IV), 901,2187
zinc, 2951
Ethylenediaminediacetates
cobalt(III), 1463,2441
copper(II), 1837
Ethylenediaminetetraacetate complexes
copper(II), 735
ruthenium(III), 687
Ethylenedibiguanide complexes
cobalt(III), 469
Ethylene glycol complexes
zinc, 2975
Ethylenethiocarbamate complexes
gold(I),(III), 893
4-Ethylisonicotinate complexes
cobalt(III), 829
4-Ethylnicotinate complexes
cobalt(III), 829
3-Ethyl-3-pentoxides
aluminium, lithium, 1093
4-Ethylpyridine complexes
cobalt(II), 101
cobalt(III), 829
nickel(II), 101
Ethylxanthate complexes
ruthenium(II), 3173
Europium
amide chloride ether tetradentate complex, 1653

benzophenone silylamide complexes, 409
catechol pyrazoline sulphonate complex, 937
dithiocarbamate, 1815
ketoamine complex, 21
nitrate phosphine oxide water complex, 2983
phosphotungstate, 2645
piperazine complex, 2273
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
EXAFS
copper(I),(II) pyridine complexes, 169
copper(II),(IV) strontium oxides, 2331
heterometallic triphosphates, 2543

F

Fenske - Hall calculations
tungsten(III) alkylamide allyl complexes, 3197
Fenton reaction, 735
Ferrocenes
alkenyl, 1489
dipyridylphosphino-, 3117
dithiocarbamate complexes, 1815
phosphine derivatives, 2611,3117
pyridine derivatives, 2435
reaction with Pt(IV) complexes, 2187
Schiff bases, 1917,2313
tetraphospha-, 601
thiosemicarbazone complexes, 447
Five coordination, iron, 1629
Fluorenyls
barium, 745
Fluorescence spectra
chromium(III) ammine halide pseudohalide complexes, 71
lanthanide ketoamine complexes, 21
lanthanide tetraketonate complexes, 1545
rhenium(I), ruthenium(II) diimine complexes, review, 2285
ruthenium(II) diimine - Mo(II) / W(II) chloride pyrazolylborate nitrosyl phenoxide complexes, 2119
ruthenium(II) terpyridine complexes, 2707
samarium malonate water complex, 2051
Fluorides
arsenic(V), 443,2183
boron, 2183
chromium(III), 71
cobalt(II), 1523
molybdenum(IV), 541
platinum(V), 7
rhodium(V), 7
silicon, 2183
tin(IV), 331
2-Fluoropyridine complexes
rhodium, 2575
Fluxional processes
chromium(0) arene carbonyl phosphine rhodium(I) complexes, 323
iridium(I) diene phosphine triphosphine complexes, 2917
thorium chloride phenoxide pyrazolylborate complexes, 909
tin(IV) alkyl aminoalkyl thio compound, 2747
tungsten carbonyl phosphine metallaborane complex, 3095
uranium(IV) butoxide pyrazolylborates, 1481
uranium(IV) pyrazolylborate thiolates, 1601
Formate complexes
copper(I), 947
copper(II), 2631
ruthenium(0),(II), 947
Formation constants
alkali, alkaline earth crown, cryptand, murexide complexes, 987
benzylaminodeoxyglycerogulohep-tonic acid complexes, 563
cadmium phosphinate complexes, 3031
chromium(III) ammonia chromate water complexes, 2069
chromium(III) ethylenediamine hydroxide heterometallic complexes, 517
cobalt(III) ammonia chromate water complexes, 2069
cobalt(III) ethylenediamine hydroxide chromium(II) complex, 517
copper(II) ampicillin omplexes, 1049
copper(II) halide complexes, 2179
copper(II) hydroxamate resin complexes, 551
cystine dihydroxamate complexes, 3069
diaminothioether macrocyclic complexes, 2989
iminodiacetate peptide complexes, Cd,Cu,Ni,Zn, 257
iron(III) catecholate complexes, 1161
lanthanide ketoamine complexes, 21
lead(II) amine ether crown complexes, 1205
manganese(II) hydroxyalkylthia-zolidinecarboxylate complexes, 2237
molybdenum(VI) isopolyanions, 141
nickel(II) azide complexes, 759
nickel(II) hydroxyalkylthiazoli-dinecarboxylate complexes, 2237
palladium(II) azochromotropate azole complexes, 1597
platinum(II) cimetidine hydroxide complexes, 2723
polyoxapolyaza macrocyclic complexes, 1891

propanediaminetetracarboxylate complexes, Cu(II), Ni(II), 197
uranium(IV) arylamide ether phosphine oxide pyridine complexes, 3139
vanadium(IV) glutamate oxo water complexes, 1449
vanadium(IV) malate oxo complexes, 697
Free energy of activation
carbonylation, oxygenation, ruthenium(III) chloride salicylaldimine complexes, 91
complexation, uranium(IV) arylamide ether phosphine oxide pyridine complexes, 3139
fluxionality, chromium(0) arene carbonyl phosphine rhodium(I) complexes, 323
fluxionality, thorium chloride phenoxide pyrazolylborate complexes, 909
fluxionality, tin(IV) alkyl aminoalkyl thio compound, 2747
fluxionality, tungsten carbonyl phosphine metallaborane complex, 3095
fluxionality, uranium(IV) butoxide pyrazolylborates, 1481
fluxionality, uranium(IV) pyrazolylborate thiolates, 1601
isomerization, molybdenum(II) chloride diphosphine complexes, 2531
substitutions, ruthenium(III) chloride water complexes, 3075
Free energy of formation
ruthenium(IV) amine azole chloride pyridine salicylaldimine Schiff base superoxide complexes, 1821
Furan complexes
rhodium, 2575
Furosemide complexes
copper(II), 1973
Furoylhydrazonoethylferrocene complexes, Cd, Co, Cr, Cu, Ni, Zn, 2313

G

Gadolinium
amide chloride ether tetradentate complex, 1653
catechol pyrazoline sulphonate complex, 937
chloride cyclopentadienyl, 2857
cyclopentadienyl oxime complex, 355
dithiocarbamate, 1815
oxyethylene glycol complex, 2245
pentamine - salicylaldehyde Schiff base water complex, 499
phosphotungstate, 2645
piperazine complex, 2273
polyaminopolycarboxylate, 1315
pyridine Schiff base macrocyclic complex, 2571
pyridinedicarboxylate water silver complex, 1513
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Gallium
azole chloride complexes, 487
butoxide butyl butylperoxide chloride hydroxide oxo tetrahydrofuran complexes, 477
butyl chloride disilylarsenide complexes, 839
methyl arylamide, 967
methyl pyrazolyl indium(III) complex, 3013
Germanium
dioxime oxo iron(II) complexes, 457
Glutamate complexes
vanadium(IV), 1449
Glutathione, reduction of Cr(VI), 3211
Glutathione complexes
chromium(III), 2549
Glycine complexes
cobalt(III), 1463
platinum(II), 1359
Glycinedithiocarbamate complexes
molybdenum(V), 1387
Glycinohydroxamate resin complexes
copper(II), 551
Glycol complexes
lanthanides, yttrium, 2245
Glycylglycine complexes
chromium(III), 2399
Glycylmethionine complexes
palladium(II), 671
Glycyltyrosine complexes
holmium, 2897
Glyoxime complexes
cobalt(III), 1939
germanium, iron(II), 457
tin(IV), 1939
Gold
phosphine molybdenum complex, 1563
phosphine rhodium tungsten complexes, 2841
Gold(I)
alkynyl heterometallic complexes, 951
aryl chloride thione complexes, 893
chloride phosphine complexes, 2409
chloride pyridinethiol complexes, 2009
phosphine thiolate complexes, 3135
Gold(III)
chloride thione complexes, 893
Guanidides
lithium sodium, 2809
Guanosine complexes
chromium(V), 1
palladium(II), 671

H

Hafnium
chloride cyclopentadienyl dithiocarbamate complexes, 1131

Hartree - Fock calculations
tungsten alkyne arylimide chloride phosphine complexes, 1419
Heteropolytungstates, 2645
Hexadentate ligand complexes
rhodium(III), 3165
Hexafluorobut-2-ene complexes
rhodium, 2575
Hexafluoro-*t*-butoxides
La, Pr, Sc, Y, 375
Hexafluoropentanedionates
cadmium, 1195
cobalt(III), 1443,2441
uranium(VI), 531
Hexafluoro-*i*-propoxides
Pr, Sc, 375
Hexamethylbenzene complexes
ruthenium(II), 2713
Hexamethylphosphoramide complexes
barium, 745,1995
Hexamethyltetraazacyclotetradecane complexes
nickel(II), 857
Hexaoxoiodate complexes
terbium(IV), 963
Hexathiacyclooctadecane complexes
rhodium(III), 3165
1-Hexene hydrogenation catalysed by Ti complex, 1131
Holmium
alkoxide cyclopentadienyl, 2673
amide chloride ether tetradentate complexes, 1653
catechol pyrazoline sulphonate complex, 937
cyclopentadienyl oxime complex, 355
dithiocarbamate, 1815
nitrate phosphine oxide water complex, 2983
oxyethylene glycol complex, 2245
peptide water complex, 2897
piperazine complex, 2273
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Homophthalate complexes
Mo(VI), W(VI), 2913
Hydrazide complexes
rhenium(VII), 147
Hydrazine, hydrazinium complexes
cobalt(II), 1523
ruthenium(II), 1229
Hydrazone complexes
copper(II), 879
molybdenum(VI), 415
Hydrides
aluminium, 1295
iridium, 677,993
iron(II), 1213
molybdenum(II), 389,1563
osmium(II), 993
platinum(II), 3091
rhenium(II,III),(III), 1277
rhodium(III), 1501
ruthenium(II), 431,993
tantalum(IV), 1559
tungsten, 2383
Hydrogen peroxide
promotion of organic brominations, 2817
reactions with Cu(II) complexes, 735
Hydrosulfide complexes
Fe(II), Mo(V), W(V), 957
Hydrotris(3,5-dimethylpyrazolyl)-borate complexes
indium, 3013
molybdenum, 217,547,655,1085, 2119,2639,3007,3129
rhenium(V),(VII), 1085
thorium, 501
tungsten, 217,655,2119,3129
uranium(IV), 501,2021
Hydrotris(pyrazolylborate) complexes
molybdenum, 1085
rhenium(V),(VII), 1085
thorium, 909
uranium(IV), 1601
Hydroxamates
copper(II), 551
Hydroxides and hydroxo complexes
boron, 889
chromium(III), 2549
cobalt(II), 453,563
cobalt(III), 739
copper(I), 805
copper(II), 197,453,923,1397, 1471,2989
erbium, 2883
gallium, 477
mercury, 563
molybdenum(V),957
nickel(II), 85,197,453
platinum(II), 2723
rhenium(V), 1085,1615
ruthenium(III), 687
tungsten(V), 957
zinc, 563
Hydroximates
manganese(III),(IV), 1353
Hydroxyalkylthiazolidinecarboxylates, manganese(II), nickel(II), 2237
Hydroxyaluminosilicate formation, 1901
Hydroxyaryloxime complexes
copper(II), 789
4-Hydroxybenzaldehyde Schiff bases, 2351
Hydroxycarboxylates
chromium(III),(V), 1343
tin(II), 1403
vanadium(IV), 697
Hydroxycarboxylic acid, oxidation by Cr(VI), 1391
Hydroxyethanethiolate complexes
copper(I), molybdenum(VI), 2495
2-Hydroxy-3-methylbutanoic acid, 1391
4-Hydroxyphenyls
tellurium(II), 1225
2-Hydroxyphenylsalicylideneamine complexes, vanadium(IV), 3083
2-Hydroxy-1,3-propylenebis(oxamate) complexes
copper(II), nickel(II), 857
Hydroxypyridine complexes
rhenium(III), 811
Hydroxypyridone complexes
Co,Fe,Ir,Mo,Os,Pd,Re,Rh,Ru, 2997
silicon, 567

uranium(VI), tungsten(VI), 2997
2-Hydroxypyrimidine complexes
palladium(II), platinum(II), 2109
8-Hydroxyquinoline complexes
cadmium, 185,1349
cobalt(II), 1349
cobalt(III), 469
copper(II), 1349
molybdenum(V), 185
nickel(II), 1349
osmium(II),(III), 1829
8-Hydroxy-2-methylquinoline complexes, osmium(II),(III), 1829
4-Hydroxythiophenoxides
rhenium(V), 1085
Hypophosphite complexes
uranium(IV), 817

I

Imidazole complexes
cobalt(II), 101,419
cobalt(III), 1679
copper(II), 191,2823,2867
gallium, 487
nickel(II), 101
palladium(II), 597
ruthenium(IV), 1821
zinc, 191
Imidazolidine-2-thione complexes
copper(II), nickel(II), 423
platinum(II,III), 917
zinc, 423
Imide (NH^{2-}) complexes
iron, molybdenum, 1143
Iminoacyl complexes
molybdenum(III), 2825
Iminodiacetates
cadmium, 257
cobalt(III), 469
copper(II), 257
molybdenum(VI), 1517
nickel(II), zinc(II), 257
Iminoketonehydroxyquinoline complexes, Cd,Co,Cu,Ni, 1349
2-Iminopentan-4-one complexes
nickel(II), 1285
Indazole complexes
gallium, 487
Indenyl complexes
barium, 745
Indium(III)
iodide tripyrazolyl complexes, 3013
INDO calculations
cobalt(II) triazene-1-oxide complexes, 2129
Iodides and iodo complexes
alkylammonium, 371
copper(I), 2099,2947
copper(II), 1261
indium(III), 3013
iron, 851
mercury, 2775
molybdenum, 217,655
molybdenum(II), 3007,3129
molybdenum(III), 2301
nickel(II), 2341
platinum(II), 1551,2363
reaction with Pt(IV) complexes, 2187
rhenium(V), 871,2997
rhodium(II), 1007
rhodium(III), 1007,2679
silver, 2775
tellurium(IV), 3155
tin(IV), 2223
tungsten(II), 1043
Iodosylbenzene, 463
IR spectra
acetone solvate, 799
alcohol complexes, 879,2245,2657
alkene complexes, 401
alkoxides, 341,2673
alkoxycarbonyl complexes, 2055
alkyls, 745,1023,2231,2889,3155
alkylamides, 941,1295
alkylidene complexes, 1023
alkyne complexes, 1043
alkynyl complexes, 781,951
amide complexes, 1581,1653
amine complexes, 597,795,1177, 1383,1443,2027,2065,2321,2341
aminoacid complexes, 1359,2109, 2549
aminopolycarboxylates, 257
aminotellurophenoxides, 1755
arsenic selenide complexes, 1877
aryls, 1225,1783
ascorbates, 2549
azides, 85,829,2137,2537,2631, 2929
azole complexes, 115,487,1909, 2341,2631,2657,2867,3147
azooxime complexes, 1733
benzodithiadiazine, 1137
benzoxazolylaldehyde complexes, 2525
borohydrides, 431
bromides, 361,523,973,1569,2165, 2341,2657,3191
carbamoly complexes, 2055
carbonyls, 127,135,323,431,677, 687,863,1007,1013,1053,1181, 1319,1563,1587,1607,1743,2157, 2265,2431,2575,2679,2713,2841, 2965
carboxylates, 101,205,501,923, 947,1053,1109,1113,1443,1471, 1909,1973,2137,2209,2237,2327, 2631,2679,2929,3025,3041
carboxylic acid complexes, 2711
catecholates, 871,937,2039
chlorides, 91,341,361,365,423, 431,487,523,671,1177,1569,1755, 1909,1939,1987,2065,2109,2143, 2157,2165,2341,2657,2691,2805, 2873,3019,3147,3183,3191
creatinine complexes, 365,2357
cyanates, 85,1029
cyanides, 1229
cyanodithiocarbimates, 1117
cyanogen halide complexes, 443
cyclopentadienyls, 123,355,447, 745,1023,2673,2873
cysteine complexes, 2549
diaminotetracarboxylate, 1965
diarylphosphates, 2327
diazenides, 2321
dicarboxylates, 1849,2051
dicyanamide complexes, 2867

diimine complexes, 235,1067, 1397,1523,1829
diketonates, 33,177,1443
diphosphine complexes, 1743
diphosphite complexes, 135
disulfide complexes, 279,2939
dithiocarbamates, 39,147,1131, 1225,1387,1815,1959,3155,3173
dithiocarboxylates, 947
dithiooxalates, 1883
dithiophosphates, 1187
dithiophosphinates, 2889
ether complexes, 745,1653,1995, 2245,2585
ethylenedibiguanide complexes, 469
fluorides, 7,443,541,1523
fluoroborate, 541
heteropolytungstates, 2645
hexamethylphosphoramide complexes, 1995
hexaoxoiodates, 963
hydrates, 963,1653,2045,2171, 2245,2621,2739
hydrazide complexes, 147
hydrazine complexes, 1229,1523
hydrazone complexes, 415,879, 2313
hydrides, 389,431,1277,1295,1559
hydroxamate resin complexes, 551
hydroxides, 453,477,1085,1397, 1615,2209,2549
hydroximates, 1353
hydroxypyridone complexes, 2997
hydroxyquinoline complexes, 1349
hypophosphite complex, 817
isocyanate complexes, 2055
isocyanide complexes, 677
isopolyanions, 3045
Jaeger ligand complexes, 123
ketoamine complexes, 123
ketoimine complexes, 33,2739, 2837
ketone complexes, 409,1349
ketophosphine complexes, 1987
nitrates, 1909,2341,2599,2657, 2903,2983
nitride complexes, 2151
nitrile complexes, 541,1043,2375
nitrites, 2929
nitrosouracil complexes, 2217
nitrosyls, 217,431,591,655,851, 947,1053,1085,1181,1277,2119, 2639,2803,3007,3129
nucleobase complexes, 1359
oxamide complexes, 857
oxime complexes, 355,457,789, 1733,1939,2447
oxo complexes, 147,185,415,463, 523,587,795,871,1085,1145, 1615,1659,1733,1959,2027,2039, 2143,2151,2157,2939,2997,3045, 3083
peptide complexes, 257,671
perchlorates, 65,347,453,857, 1471,1755,2045,2245,2273,2431, 2631
peroxide complexes, 795
pertechnate, 2651
phenoxides, 347,587,1177,1995, 2065,2621
phosphates, 2431
phosphazenes, 1671
phosphine complexes, 431,1053, 2831
phosphine oxide complexes, 745, 2983
phosphoryl amide complexes, 1581
piperazine complexes, 2273
polythiocarboxylates, 1053
polythiocyanogen, 79
pyrazole complexes, 1523,2729
pyrazoline complexes, 937
pyrazolylborates, 655,909,1085, 1481,3129
pyridine complexes, 829,1909, 2137,2537,2849,3191
pyridinethiol complexes, 2009
pyridinium salts, 3045
pyridoxaldimine complexes, 2171
pyridoxine complexes, 1397
pyrimidine complexes, 671,2109, 3147
quinoxaline carboxylates, 1109, 1113
rhodanine complexes, 2231
salicylaldimine complexes, 91, 415,523,3083
Schiff bases and complexes, 91, 235,347,415,453,523,1037,1917, 1949,2171,2313,2351,2571,2697, 2739,2837,3041,3083,3183
selenides, 1877
selenocyanate, 2395
siloxides, 1369,2459
silyls, 1023
sulfates, 65,1909
sulfonamide complexes, 2849
sulfonates, 937
sulfoxide complexes, 431,2691
tetraazaannulene complexes, 581, 2805
tetrafluoroborates, 2209
tetramine complexes, 85
tetraketone complexes, 729,1545
thiazolidine complexes, 2237
thio complexes, 279,361,1387, 2939
thiocarboxylates, 947
thiocyanates, 65,581,623,1029, 1569,2341,2657,2929
thiodiketonates, 1219
thioether complexes, 1053
thiolates, 2831
thione complexes, 423,917,2099
thiosemicarbazone complexes, 447, 1029
thiourea complexes, 2099
water complexes, 185,423,817, 973,1067,1471,1523,1581,2051, 2137,2657,2837,2849,2903,2975, 2983,3147
xanthates, 1225,3173
ylide complexes, 973
Iridium
carbonyl diphosphine hydride isocyanide vinyl complexes, 677
Iridium(I)
diene phosphine triphosphine complexes, 2917
diene tetraketone complexes, 729
Iridium(III)
amidinate chloride hydride phosphine complexes, 993
carbonyl chloride porphyrin

complex, 2703
chloride ketophosphine complexes, 1987
hydroxypyridonate, 2997
Iridium(IV)
catecholate complex, 871
Iron
alkenyl alkylidene carbonyl cyclopentadienyl dienyl phosphido thiolate heterometallic complexes, 1075
alkylamide iodide nitrosyl thiolates, 851
carbonyl imine nitrosyl molybdenum complex, 1143
five coordinate, Moessbauer spectra, 1629
nitrosyl thio thilate complexes, 591
nitrosyl thiolate complexes, 2803
organo compounds, book review, 140
Iron(0)
carbonyl thio heterometallic complexes, 127
Iron(II)
chloride diazolylpyridine sulphonate complexes, 635
chloride diphosphine hydride complexes, 1213
chloride hydrosulfide thio heterometallic complexes, 957
cyanide diimine complexes, 2015
cyclopentadienyls, 1489,1917, 2187,2435,2611,3117
cyclopentadienyl heterometallic complexes, 447
dioxime germanium complexes, 457
heterometallic triphosphates, 1157,2543
hydroxide water chromium(III) complexes, 517
hydroxypyridonate, 2997
mercaptopyridinol complexes, 2203
tetraphosphaferrocenes, 601
Iron(III)
alkenylidyne carbonyl cyclopentadienyl complexes, 1429
alkoxide diketonate, 1923
catecholate complexes, 871,1161
chloride complexes, 1177,2065
chloride cyanide ketoimine nitrate oxo complexes, 2253
diketonate, 531
hydroxypyridonate, 2997
Iron(IV)
diketonate thiosemicarbazone halide oxo pseudohalide complexes, 1029
Isocyanate complexes
manganese(I), rhenium(I), 2055
Isocyanide complexes
iridium, 677
Isonicotinamide complexes
ruthenium(II), 2335
Isonicotylhydrazone complexes
molybdenum(VI), 415
Isopolymolybdates, 115,141,1423, 2027
Isopolytungstates, 1959
Isopolyvanadates, 3045
Isoquinoline-1-carboxylates
rhodium(III), 1501

J

Jaeger ligand complexes
titanium, zirconium, 123

K

Ketenyl complexes
molybdenum, 1587
Ketoamine complexes
lanthanides, 21
titanium, 123
zirconium, 123
Ketoester complexes
cobalt(II), 2957
Ketoimine complexes
cadmium, 2739
cobalt(II), 33,2739
copper(II), 33
iron(III), 2253
nickel(II), 33,1285,2739
ruthenium(II), 2837
zinc, 2739
Ketone complexes
cadmium, cobalt, copper, 1349
lanthanides, 409
nickel(II), 1349
Ketophosphine complexes
iridium(III), rhodium(III), 1987
Ketophosphoryl complexes
lanthanides, 2983
Kinetic studies
complexation, ruthenium(II) cyanide hydrazine hydrazinium complexes, 1229
gas phase reactions, metal monocation - thiols, 1125
glass etching by hydroxypyridones, 567
hydrogenation, alkenes, catalysed by Ti complex, 1131
hydrolysis, chromium(III) aminoacid complexes, 1687
hydrolysis, cobalt(III) acetonitrile amine ammonia complexes, 1269
hydrolysis, cobalt(III) amine ammonia azole chloride diamine pyridine complexes, 1679
hydrolysis, tin(IV) methoxide porphyrin, 1647
isomerization, molybdenum(II) chloride diphosphine complexes, 2531
redox, bromate - Ru(III) diimine oxo water complex, 2389
redox, Co(III)/Cr(III) - Cr(II), 517,739
redox, Cr(VI) - hydroxycarboxycarboxylic acid, 1391
redox, Cr(VI) - thiols, 3211
redox, iron(II) cyanide diimine complexes - peroxoanions, 2015
redox, platinum(II) amine diamine complexes - platinum(IV) chloride diamine

complexes, 2187
solid state reactions, mercury halides - silver tungstate, 2775
substitution, cyanide complexes, review, 2277
substitution, palladium(II) bromazepam chloride complex, 2795,3219
substitution, platinum(II) bis(thioether)pyridine complexes, 2363
substitution, ruthenium(III) chloride water complexes, 3075
substitution, ruthenium(III) polyaminocarboxylate water complex, 1059
substitution, tin(IV) halide water complexes, 1531

L

Lactam complexes
mercury, silver, 1841
Lanthanides(II)
alkoxide aluminium compounds, 2421
Lanthanides(III)
alkoxide cyclopentadienyls, 2673
amide chloride ether tetradentate complexes, 1653
benzophenone silylamide complexes, 409
catechol pyrazoline sulphonate complexes, 937
chloride cyclopentadienyls, 2857
cyclopentadienyl oxime complexes, 355
cyclopentadienyl pyrrolyl tetrahydrofuran complexes, 265
dithiocarbamates, 1815
ketoamine complexes, 21
nitrate phosphine oxide water complexes, 2983
oxyethylene glycol complexes, 2245
pentamine - salicylaldehyde Schiff base water complexes, 499
phosphotungstates, 2645
piperazine complexes, 2273
pyrazolylborates, 1481
quinoxaline derivative complexes, 1109,1113
tetraketonate complexes, 1545
Lanthanum
alkoxide ether complexes, 375
amide chloride ether tetradentate complex, 1653
benzophenone silylamide complex, 409
catechol pyrazoline sulphonate complex, 937
dithiocarbamate, 1815
ketoamine complex, 21
nitrate phosphine oxide water complex, 2983
oxyethylene glycol complex, 2245
phosphotungstate, 2645
piperazine complex, 2273
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Laponite, SnO_2 in, 1001
Lattice enthalpies, alkylammonium halides, 371
Lead(II)
amine ether crown complexes, 1205
diaminothioether complexes, 2989
Ligand reactivity
book review, 139
diketonate hydrolysis, 2441
Ligand synthesis
aminoacid dithiocarbamates, 1387
aminooximes, 2447
azooximes, 1733
binucleating phenoxide Schiff base thiocarboxylate ester, 347
carbodiimide, 1099
diketonates, 33
diphosphacyclopentadienyl, 601
diphosphines, 863,1213
dithiocarbamate, 1815
ferrocenyldiphosphine, 2611
iminoketohydroxyquinolines, 1349
ketoamine, 21
ketoimines, 33
polyenearylamide, 547
porphyrin, 2703
pyridoxaldimines, 2171
silyl diphosphites, 135,1743
tetradentate diaminobis(thioethers), 1037
tetraketone, 729
triaminotrithiolate, 2651
triazene-1-oxide, 2591
Lipophilicity
technetium(V) oxo thioamide tetradentate complexes, 1145
Lithium
alkoxide ether aluminium complex, 1093
bromide tetrahydrofuran neodymium complex, 2863
crown, cryptand, murexide complexes, 987
guanidide sodium compound, 2809
Lutetium
cyclopentadienyl pyrrolyl tetrahydrofuran complexes, 265
dithiocarbamate, 1815
nitrate phosphine oxide water complex, 2983
pentamine - salicylaldehyde Schiff base water complex, 499
piperazine complex, 2273
quinoxaline derivative complex, 1109
2,4-Lutidine complexes
rhodium, 2575

M

Macrocyclic complexes
copper(II), 1383
gadolinium, 2571
manganese(III), 581
mercury, 597

nickel(II), 617,857,2089
polyoxapolyaza, 1891
rhodium(III), 3165
silver, 597,617
titanium(IV), 123
zirconium(IV), 123
MAD-SCC-EHMO calculations
thio cluster, trinuclear complexes, 957
Magnesium
acetonitrile chloride crown ether copper(II) complexes, 1929
chloride, reactions, 716,724
diamine ether molybdenum(II) complexes, 389
Magnetochemistry
chromium(III) ascorbate cysteine glutathione hydroxide complexes, 2549
cobalt(I) phosphine thiolate complexes, 2831
cobalt(II) azole halide methanol nitrate thiocyanate water complexes, 2657
cobalt(II) azole ketoimine salicylaldimine thioether complexes, 2738
cobalt(II) carboxylate heterocyclic base complexes, 101
cobalt(II) carboxysalicylaldimine binucleating complex, 3041
cobalt(II) chloride polypyridyl thiocyanate complexes, 65
cobalt(II) chloride tetrahydrofuran complex, 3019
cobalt(II) chloride thione complexes, 423
cobalt(II) diimine fluoride hydrazine pyrazole water complexes, 1523
cobalt(II) diimine pyrrolate Schiff base complexes, 235
cobalt(II) diimine salicylaldimine copper(II) complexes, 2621
cobalt(II) halide pyridine Schiff base thiocyanate complexes, 1569
cobalt(II) hydroxide triamine complexes, 453
cobalt(II) methazolamide pyridine water complex, 2849
cobalt(II) phenoxide Schiff base thiocarboxylate ester binucleating complexes, 347
cobalt(II) phosphinates, 2427
cobalt(II) pyridine salicylaldimine water complexes, 271
cobalt(II) pyrimidine water complex, 2903
copper(I,II) binucleating Schiff base complexes, 1949
copper(II) acetate dipyridyl perchlorate water complexes, 1471
copper(II) alcohol alkoxide bromide hydrazone phenoxide binucleating complexes, 879
copper(II) amine chloride Schiff base thioether thiolate complexes, 1037
copper(II) amine Schiff base macrocyclic complexes, 1383
copper(II) aminoalkylamide complex, 941
copper(II) aminonitrosouracil water complex, 2217
copper(II) azide azole carboxylate complexes, 2631
copper(II) binucleating phenoxide Schiff base complexes, 1949
copper(II) chloride thione complexes, 423
copper(II) dicyanamide imidazole complexes, 2867
copper(II) diketonate siloxide aluminium compound, 177
copper(II) dithiophosphates, 1187
copper(II) furosemide methanol water complexes, 1973
copper(II) hydroxide triamine complexes, 453
copper(II) hydroxyaryloximes, 789
copper(II) menthoxyacetate, 205
copper(II) methazolamide pyridine water complex, 2849
copper(II) oxamide nickel(II) complexes, 857
copper(II) phenoxide Schiff base heterometallic complexes, 211
copper(II) phenoxide Schiff base thiocarboxylate ester binucleating complexes, 347
copper(II) pseudohalide tetramine complexes, 85
copper(II) pyridoxaldimine complexes, 2171
copper(II) pyrrolealdimine complexes, 2697
copper(II) salicylaldimine heterobinuclear complexes, 2621
copper(II) salicylaldimine squarate water complex, 2819
copper(III) pyrrolealdimine complexes, 2697
gadolinium pyridine Schiff base macrocyclic complex, 2571
imidazolidinethione complexes [Cu(II), Pt(II,III)], 917
iron(II) hydroxypyridonate, 2997
iron(II) mercaptopyridinol complexes, 2203
iron(III) alkoxide diketonate, 1923
iron(III) hydroxypyridonate, 2997
iron(IV) diketonate thiosemicarbazone halide oxo pseudohalide complexes, 1029
lanthanide quinoxaline derivative complexes, 1113
manganese(II) bispyridylpyridine chloride complexes, 2045
manganese(II) carboxysalicylaldimine complex, 3041
manganese(II) diimine salicylaldimine copper(II) complexes, 2621
manganese(III) hydroximate

complexes, 1353
manganese(III) methoxyquinoline-carboxylate oxo complex, 2195
manganese(III) tetramine thiocyanate complexes, 581
manganese(IV) hydroximate complexes, 1353
molybdenum(V) dithiocarbamate hydroxyquinoline oxo cadmium complexes, 185
molybdenum(V) dithiocarbamate thio complexes, 1387
nickel(II) aminopyrazole halide nitrate thiocyanate water complexes, 2341
nickel(II) azole ketoimine salicylaldimine thioether complexes, 2738
nickel(II) binucleating phenoxide Schiff base water complexes, 1949
nickel(II) carboxylate heterocyclic base complexes, 101
nickel(II) chloride tetrahydrofuran complex, 3019
nickel(II) chloride thione complexes, 423
nickel(II) hydroxide pseudohalide tetramine complexes, 65
nickel(II) hydroxide triamine complexes, 453
nickel(II) methazolamide pyridine water complex, 2849
nickel(II) oxamide macrocyclic tetramine copper(II) complexes, 857
nickel(II) phenoxide Schiff base heterometallic complexes, 211
nickel(II),(III) pyrrolealdimine complexes, 2697
niobium titanium triphosphate doped compounds, 1157
osmium(III) diimine hydroxyquinoline pyridine complexes, 1829
platinum(II) chloride creatinine complex, 365
ruthenium(II,III) carboxylate chloride ether complexes, 2209
ruthenium(III) arsine halide salicylaldimine complexes, 523
ruthenium(III) carbonyl edta hydroxide water complexes, 687
ruthenium(III) Schiff base encapsulated complexes, 2625
ruthenium(IV) chloride hydroxypyridonate, 2997
terbium(IV) hexaoxoiodate complex, 963
tungsten alkyne arylimide chloride phosphine complexes, 1419
vanadium(IV) oxo phenoxide salicylaldimine complexes, 3083

Malate complexes
vanadium(IV), 697

Malonate complexes
cobalt(III), 1463
ruthenium(IV), 1849
samarium, 2051

Manganese(I)
alkoxycarbonyl carbamoyl carbonyl diphosphine isocyanate complexes, 2055
bromide carbonyl diphosphite complexes, 135,1743

Manganese(II)
acetate azole chloride pyridine sulfate complexes, 1909
azide picolinate water complex, 2137
bispyridylpyridine chloride complexes, 2045
carboxysalicylaldimine binucleating complex, 3041
diimine salicylaldimine copper(II) complexes, 2621
hydroxide water chromium(III) complexes, 517
hydroxyalkylthiazolidinecarboxylate complexes, 2237
methoxyquinolinecarboxylate, 2195
mollusc shell component, 663
in Nb Ti triphosphate, 1157

Manganese(II,III)
benzoate ethanol oxo water complex, 251

Manganese(III)
hydroximate complexes, 1353
methoxyquinolinecarboxylate oxo complex, 2195
tetramine thiocyanate macrocyclic complexes, 581

Manganese(IV)
hydroximate complexes, 1353

Manganese(V),(VII)
carbonyl chloride oxo complexes, 2157

Mass spectra
aluminium alkylamide hydride, 1295
aluminium siloxide copper(II) compound, 177
arsenic(V) fluoride halocyanide complexes, 443
azole ketoimine salicylaldimine thioether complexes (Cd, Co, Cu, Ni), 2739
barium alkyl cyclopentadienyl ether phosphine oxide complexes, 745
barium diketonate ether complexes, 979
catecholate complexes (Os, Pd, Pt), 871
chromium(III) chloride polypyridine complex, 1337
copper(I) siloxides, 2459
copper(II) diketonate siloxide aluminium compound, 177
ferrocenyl Schiff bases, 1917
gallium butyl hydroxide, 477
gold(I) chloride pyridinethiol complexes, 2009
gold(I) phosphine thiolate complexes, 3135
hydroxypyridone complexes, 2997
lanthanide alkoxide cyclopentadienyls, 2673
lanthanide cyclopentadienyl oxime complexes, 355
lanthanide cyclopentadienyl

pyrrolyl tetrahydrofuran complexes, 265
molybdenum cholesterolate halide nitrosyl octoxide pyrazolylborate complexes, 3007
phosphazenes, 1671
platinum(II) carbodiimide chloride phosphine complexes, 1099
rhenium(V) diimine hydroxide oxo complexes, 1615
rhodium(III) chloride polythioether complex, 2501
ruthenium(II) phosphine polythioether complex, 2501
silicon catecholate methanol phosphine oxide complexes, 1789
silicon chloride pyrazolylborate, 711
tantalum(V) chloride phenoxide complexes, 1177
technetium(V) oxo thioamide tetradentate complexes, 1145
thallium(III) alkyl dithiophosphinate complexes, 2889
tin(IV) aminoalkyl thio complex, 2747
tin(IV) triaminotrithiolate complex, 2651
triselenole, 395

Menthoxyacetates
molybdenum(II), 205

Mepirizole complex
copper(II), 647

Mercaptopropanediol complexes, Co(I), Cu(I), Ag, 2831

2-Mercapto-3-pyridinol complexes
iron(II), 2203

Mercury
aminoacid complexes, 563
azetidinone oxazolidone silver complexes, 1841
bromide, diaminoether macrocyclic complex, 597
chloride rhodium(I,III), (III) complexes, 1007
halides, tungstate, 2775
methyl selenophenoxide, 507
phenanthroline thiocyanate iron(II) complex, 799
phosphine molybdenum(0) complexes, 2265
pyridine thiophenoxide complex, 513
quinoloonate, 1507
thiolate, 607

Metallaboranes
tungsten, 3095

Methaneselenolates
osmium(0,I),(I), 1013

Methanethiolates
copper(II), 691
iron, 591,851,2803

Methanol complexes
copper(II), 879,1973
molybdenum(VI), 1659
silicon, 1789
uranium(VI), 871

Methazolamide complexes
Co, Cu, Ni, 2849

Methionine, reactions with Fe^{2+}, NO_2^-, 591

Methionine complexes
Pd(II), Pt(II), 2109

Methoxides
platinum(II), 27
tin(IV), 1647

Methoxyacetates
molybdenum(II), 205

4-Methoxyaniline Schiff base complexes, cobalt(II), 1569

2-Methoxyethoxides
cadmium, 1331

2-Methoxyethylcyclopentadienyls
erbium, 2883

4-Methoxyphenyls
tellurium(II), 1225

4-Methoxy-2-quinolinecarboxylates
manganese(II),(III), 2195

4-Methoxyselenophenoxides
Pd(II), Pt(II), 1755

4-Methoxytellurophenoxides
nickel(II), palladium(II), 1755
platinum(II), 27,1755

2-Methoxythiophenoxides
rhenium(V), 1085

4-Methoxythiophenoxides
technetium(III), 1623

Methyls
aluminium, 967
cadmium, 507
gallium, 967,3013
mercury, 507
rhodium(III), 2679
silicon, 2805
thallium(III), 2231,2889
tin(IV), 331,2351,2805
zinc, 507

3-Methyl-4-acetyl-5-aminopyrazole complexes, platinum(II), 2691

Methylallyl complexes
tungsten(III), 3197

Methylamide complexes
iron, 851

1-Methylbenzotriazole complexes
cobalt(II), 2657

Methylcyclopentadienyls
molybdenum, 1075,1143
titanium, 1131
zirconium, 39,1131

1-Methylcytosine complexes
platinum(II), 1359
tungsten alkyne arylimide chloride phosphine complexes, 1419

Methyldiphenylphosphine complexes
copper(I), 1251
molybdenum(0), 2265
molybdenum(III), 2301
ruthenium(II), 3173
tungsten, 1419

Methylethylenediamine complexes
platinum(IV), 2187

Methylglyoxime complexes
cobalt(III), 1939
germanium, iron(II), 457
tin(IV), 1939

9-Methylguanine complexes
platinum(II), 1359

1-Methylimidazole complexes
cobalt(II), 101
cobalt(III), 1679
nickel(II), 101

2-Methylimidazole complexes

ruthenium(IV), 1821
Methyliminodiacetate complexes
Cd, Cu, Ni, Zn, 257
Methylnicotinate complexes
cobalt(III), 829
Methyl(phenyl)hydrazide complexes
rhenium(VII), 147
2-Methyl-2-propanethiolates
iron, 1075
molybdenum(V), 2489
rhodium(I),(II),(III), 909
silver, 2489
uranium(IV), 1601
2-Methylpyrazole complexes
cobalt(II), nickel(II), 101
4- [&5-] Methylpyrazole complexes
gallium, 487
6-Methylpyridine-2-carboxylates
rhodium(III), 1501
2'-(6-Methylpyridyl)methyl[2-(2'-pyridyl)ethyl]amine complex
cobalt(II), 623
4-Methylquinolonates
mercury, 1507
Methyl sulfide complexes
copper(II), 691
2-Methylthionicotinate complexes
tin(IV), 1861
9-Methyl-1,5,9-triazacyclododec-1-ene complexes, Ni(II), 857
Methyltripyrazolylgallates
indium, 3013
MNDO calculations
pyrimidines, 2903
Moessbauer spectra
ferrocenyldiphosphine and Co, Pd complexes, 2611
iron, five coordination, 1629
iron(0) carbonyl thio heterometallic comlexes, 127
iron(II) chloride diazolylpyridine sulphonate complexes, 635
iron(II) dioxime germanium complexes, 457
iron(II) in Nb Ti triphosphate, 1157
tin(IV) arylazopyridine chloride phenyl complexes, 2423
tin(IV) chloride dioxime cobalt(III) complexes, 1939
tin(IV) dithiolate halide complexes, 2223
tin(IV) oxide in laponite, 1001
tin(IV) salicylaldimine thiolate complexes, 227
Molecular mechanics, modelling
copper(II) cystine dihydroxamate, 3069
dialkylaminophosphines, 2759
Molecular orbitals
aminonitrosouracil, 2217
carbaboranes, 157
cobalt carbonyl cyclopropyl triphosphorus complexes, 2517
cobalt(II) triazene-1-oxide complexes, 2129
copper(II) ammine thioether thiolate complexes, 691
cubane thio complexes, 957
nickel carbonyl cyclopropyl triphosphorus complexes, 2517
pyrimidines, 2903
trinuclear thio complexes, 957
tungsten(III) alkylamide allyl complexes, 3197
Mollusc shells, Mn^{2+} in, 663
Molybdenum
alkoxide halide nitrosyl pyrazolylborate complexes, 655
alkylamide halide nitrosyl phenoxide pyrazolylborate complexes, 217
alkylidyne carbaborane carbonyl diphosphine ketenyl phosphine phosphine - oxide complexes, 1587
arylamide chloride nitrosyl pyrazolylborate complex, 547
carbonyl cyclopentadienyl dienyl iron complexes, 1075
carbonyl cyclopentadienyl hydride phosphido gold complexes, 1563
carbonyl monothiocatecholate complexes, 2557
carbonyl nitrosyl phosphine salicylaldimine complexes, 1181
chlorides, reactions with $MgCl_2$, 716
chloride nitrosyl pyrazolylborate phenoxide rhenium complex, 1085
carbonyl cyclopentadienyl imine nitrosyl iron complex, 1143
cholesterolate halide nitrosyl octoxide pyrazolylborate complexes, 3007
halides, book review, 139
organo compounds, book review, 1839
Molybdenum(0)
carbonyl cyclopentadienyl phosphine mercury complexes, 2265
carbonyl diimine complexes, 1771
carbonyl diphosphite complexes, 1743
carbonyl dithiocarbamate thio iron(0) complex, 127
carbonyl dithioate phosphine ruthenium(II) complex, 2713
carbonyl phosphine thallium complexes, 863
Molybdenum(II)
carbohydrate halide pyrazolylborate complexes, 3129
carboxylate phosphine thiolate complex, 2115
carboxylate nitrile complexes, 205
chloride diphosphine complexes, 2531
chloride nitrosyl phenoxide pyrazolylborate ruthenium(II) complex, 2119
chloride nitrosyl pyrazolylborate pyridine complexes, 2639
cyclopentadienyl hydride magnesium complexes, 389
Molybdenum(III)
alkyl iminoacyl, 2825
carbonyl cyclopentadienyl phosphadiene complex, 1281
chloride ether complex, 2585

cyclopentadienyl diphosphine halide phosphine complexes, 2301
Molybdenum(III),(IV)
dithiocarbamate selenosulfide thio complex, 2395
Molybdenum(IV)
acetonitrile fluoride oxo complex, 541
aminoethanethiolate diazenide compounds, 2321
aniline bromide disulfide thio complex, 2083
chloride ether complex, 2585
Molybdenum(V)
chloride, 3123
chloride ether oxo complexes, 847
dithiocarbamate hydroxyquinoline oxo cadmium complexes, 185
dithiocarbamate thio complexes, 1387
hydroxide hydrosulfide thio heterometallic complexes, 957
oxo thiolate silver complex, 2489
Molybdenum(VI)
aspartate iminodiacetate oxo complexes, 1517
catecholate nitrogen - sulfur complex, 995
catecholate oxo complex, 871
chloride diamine oxo complex, 2143
dicarboxylate diimine oxo peroxo complexes, 2913
hydroxypyridone oxo complexes, 2997
isopolyanions, 141,1423
isopolyanion oxo triamine complexes, 2027
isopolyanion pyrazole complex, 115
methanol oxo pyridine salicylaldehydethiosemicarbazone complexes, 1659
oxo peroxide polyamine complexes, 795
oxo salicylaldehyde hydrazone complex, 415
oxo salicylaldimine complexes, 523
oxo salicylate complex, 2713
oxo thio silver complex, 1201
oxo thiolate copper(I) complex, 2495
thio heterometallic complexes, 957
Morpholinedithiocarbamates
cadmium, molybdenum(V), 185
tellurium(II), 1225
Murexide complexes
Ba,Ca,K,Li,Na,Sr, 987

N

$N_3S_2^{3-}$ complexes
molybdenum(VI), 995
$N_4S_4^{2-}$ complexes
platinum(IV), 2605
Neodymium
amide chloride ether tetradentate complex, 1653
bromide cyclopentadienyl lithium complex, 2863
catecholate pyrazoline sulphonate complex, 937
cyclopentadienyl oxime complex, 355
dithiocarbamate, 1815
nitrate phosphine oxide water complex, 2983
oxyethylene glycol complex, 2245
phosphotungstate, 2645
piperazine complex, 2273
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Nickel
carbonyl cyclopropyl triphosphorus complexes, 2517
Nickel(0)
diphosphine dithiolate zirconium complexes, 765
Nickel(II)
alanine phenanthroline complexes, 1235
amine perchlorate thioether macrocyclic complex, 617
aminoacid complexes, 563
aminopyrazole halide nitrate thiocyanate water complexes, 2341
aminotellurophenoxide chloride perchlorate tellurophenoxide heterometallic complexes, 1755
azide complexes, 759
azole ketoimine salicylaldimine thioether complexes, 2739
benzoxazolylaldehyde complexes, 2525
binucleating phenoxide Schiff base heterometallic complexes, 211
binucleating phenoxide Schiff base water complexes, 1949
carboxylate heterocyclic base complexes, 101
chloride diketonate dithiodiketonate ketoimine phosphine thiodiketonate complexes, 1285
chloride ether complex, 3019
chloride hydroxyquinoline ketone complexes, 1349
chloride nicotinamide water copper(II) complexes, 1261
chloride thione water complexes, 423
cystine dihydroxamate, 3069
diaminothioether complexes, 2989
diketonates, 33,531
dipyridyl terephthalate complex, 885
dithiooxalate complex, 1883
ferrocenyl Schiff base complexes, 2313
ferrocenyl thiosemicarbazone complex, 447
hydroxide polyaminopolycarboxylate complexes, 197
hydroxide pseudohalide tetramine complexes, 85

hydroxide triamine complexes, 453
hydroxide water chromium(III) complexes, 517
hydroxyalkylthiazolidinecarboxylate complexes, 2237
iminodiacetate peptide complexes, 257
ketoimine complexes, 33
methazolamide pyridine water complex, 2849
oxamide macrocyclic tetramine copper(II) complexes, 857
phenoxide Schiff base thiocarboxylate ester binucleating complexes, 347
pyridoxaldimine complexes, 2171
pyrrolealdimine complexes, 2697
tetraazaannulene complexes, 2089
thiocyanate complexes, 573
Nickel(III)
pyrrolealdimine complexes, 2697
Nicotinamide, complexes
copper(II), nickel(II), 1261
Nicotinamide adenine dinucleotide, reaction with Cu(II) complexes, 735
Niobium(IV)
in Nb Ti triphosphate, 1157
Niobium(V)
alkyl alkylidene cyclopentadienyl complexes, 1023
chloride, 3123
heterometallic triphosphates, 1157,2543
oxo phenoxides, 587
Nitrates
cobalt(II), 2657
iron(III), 2253
lanthanides, 2983
silver, 49,1841
yttrium, 2599
Nitride complexes
substitutions, review, 2277
technetium(V), 2151
Nitrile complexes
cobalt(II), 1801,1809
molybdenum(II), 205
molybdenum(IV), 541
platinum(II), 2415,2723
ruthenium(II), 2375,3109
ruthenium(III), 335,3109
tungsten(II), 1043
Nitrite complexes
cobalt(III), 773,1169,2929
platinum(II), 2363
Nitrogen - sulfur compounds, 2787
Nitrogen - sulfur ligand complexes
molybdenum(VI), 995
platinum(IV), 2605
4-Nitroso-*N,N*-dimethylaniline
oxidation catalysed by Mn(III) complexes, 581
Nitrosouracil complexes
copper(II), 2217
Nitrosyls
chromium, 1181
iron, 591,851,1143,2803
molybdenum, 217,547,655,1085, 1181,1143,2119,2639,3007
rhenium(II,III), 1277
ruthenium(0), 947
ruthenium(II), 431,1053
tungsten, 217,655,2119
Nitrosyl tetrafluoroborate, doped in platinum complex, 1099
4-Nitrothiophenoxides
rhenium(V), 1085
NMR relaxation
gadolinium polyaminocarboxylate with serum albumin, 1315
NMR (^{1}H) spectra
alcohol complexes, 2245
alkene complexes, 401
alkenediyl complexes, 2575
alkenyl complexes, 677,781
alkoxides, 27,59,341,655,909, 1481,1601,1647,2421
alkyls, 477,507,745,909,1023, 2679,2747,2805,2825,2888,3155
alkylamides, 217,851,1145,1295, 1575,1697
alkylamidoborondifluorides, 2183
alkylidene complexes, 1023,1607
alkylidyne complexes, 1587,1607, 2841
alkyne complexes, 1043
alkynyl complexes, 1983
allyls, 3197
amide complexes, 1653
amine complexes, 1145,2321,3165
aminoacid complexes, 1359,2109
aminoalkoxides, 59
aminoalkyls, 2747
aminooxime complexes, 2447
aminophosphine complex, 2965
aminotellurophenoxides, 1755
arene complexes, 823,2713,2729
aryls, 1013,1225,2423,2747,3155
arylamides, 709,1145
arylazopyridine complexes, 2423
azole complexes, 431,487,3147
azooxime complexes, 1733
benzoxazolylaldehyde complexes, 2525
benzoyl complexes, 1013
binucleating complexes, 347
borohydrides, 431
carbaboranes, 157,1587,1607
carbodiimide complexes, 1099
carbohydrate complexes, 3129
carboxylates, 335,947
catecholates, 871
cholesterolate complexes, 3007
cimetidine complexes, 2723
crown ligand complexes, 1369
cyanodithiocarbimates, 1117
cyclometallated complexes, 243
cyclopentadienyls, 39,123,389, 447,745,947,1023,1117,1131, 1489,1607,2265,2435,2575,2841, 2857,3129
diallyl complexes, 2729
diamine complexes, 389,1463,2143
diazenide complexes, 2321
diene complexes, 729,1007,2917
dienediyl complexes, 1849
diimine complexes, 243,1411, 1615,2199,2729
diketonates, 33,979
diphosphine complexes, 677,863, 1043,1587,1743,1983,2841,3091, 3173
diselenide complexes, 1013
dithiocarbamates, 39,147,185, 1043,1131,1225,1815,3173

dithiocarboxylates, 947
dithiophosphinates, 2889
encapsulating ligand complexes, 2625
ether complexes, 389,745,979, 1369,1653,1995,2245,3139
ferrocenylpyridines, 2435
furan complexes, 2575
hexamethylphosphoramide complexes, 1995
hydrates, 1653
hydrazide complexes, 147
hydrides, 389,431,1277,1295,1501
hydroxides, 477,1085,1647
hydroxypyridone complexes, 567, 3007
imidazolidinethione complexes, 917
isocyanate complexes, 2055
Jaeger ligands, 123
ketenyl complexes, 1587
ketoamine complexes, 123
ketoimine complexes, 2837
ketone complexes, 409
ketophosphine complexes, 1987
macrocyclic complexes, 123,3165
nitrile complexes, 205,335,1043, 2723
nucleobase complexes, 1359
oxime complexes, 1733,1939,2457
peptide complexes, 671
phenoxides, 587,909,1177,1995, 2065
phosphazenes, 1671
phosphinates, 3031
phosphine complexes, 27,335,863, 947,1007,1043,1251,1551,1587, 1983,2099,2265,2459,2679,2713, 2841,2917,3135,3173
phosphine oxide complexes, 745, 1587,3139
polyoxapolyazamacrocyclic complexes, 1891
polypyridine complexes, 1665, 2599
polythiocarboxylates, 1053
porphyrins, 217,1647
pyrazine complexes, 2729
pyrazole complexes, 27,1007, 1551,2729
pyrazolylborates, 217,501,655, 711,909,1085,1481,1601,2021, 2119,3007,3129
pyridine complexes, 2575,2849, 3183
pyridinecarboxamide complex, 2929
pyridinethiol complexes, 2009
pyridoxaldimine complexes, 2171
pyrimidine complexes, 671,2109, 3147
quinoneoximate, 3037
salicylaldimines, 227,523
Schiff bases and complexes, 227, 235,347,523,823,1917,2171, 2351,2837,3183
selenoether complexes, 401
selenolates, 1013
selenophenoxides, 507
siloxides, 1369,1575,2459
silylamides, 409,1697
sulfonamide complexes, 2849
sulfoxide complexes, 431
telluroether complexes, 2165
tellurophenoxides, 27,1551
terpyridine complexes, 2729
tetraazaannulene complexes, 2089,2805
tetraketone complexes, 729,1545
thioaminodicarboxylate protonation, 1305
thiocarboxylates, 947
thiocarboxylate ester complexes, 347
thiodiketonates, 1219
thioether complexes, 27,401, 1623,3165
thiolates, 227,607,851,909,1007, 1145,1601,3135
thione complexes, 423,893,2099
thiophene complexes, 2575
thiophenoxides, 27,1623
thiosemicarbazone complexes, 447
thiourea complexes, 2099
triazine complexes, 2729
triphosphine complexes, 2917
tropolonates, 567
xanthates, 1225,3173
NMR (^{11}B) spectra
borohydrides, 431
boron diimine halide complexes, 397
carbaboranes, 157,1587,1607,2717
metallaborane, 3095
pyrazolylborates, 1481
NMR (^{13}C) spectra
alcohol complexes, 2245
alkene complexes, 401
alkenyl complexes, 1075
alkoxides, 59,341,1647
alkoxycarbamoyl complexes, 2055
alkyls, 477,507,745,1023,2747, 2805,2889
alkylamides, 1295,1697,2759
alkylidene complexes, 1023,1075, 1607
alkylidyne complexes, 1587,1607, 2841
alkyne complexes, 1043,1075,1419
alkynyl complexes, 1983
allyls, 3197
amine complexes, 1679,3165
aminoacid complexes, 1463,2109
aminoalkoxides, 59
aminoalkyls, 2747
aryls, 2423,2747
arylazopyridine complexes, 2423
azole complexes, 431,1679,3147
binucleating complexes, 347
carbaborane complexes, 1587,1607
carbamoyl complexes, 2055
carbodiimide complexes, 1099
carbonyls, 1607,1743,2841
carboxylates, 3025
catecholates, 871
crown ligand complexes, 1369
cyclopentadienyls, 745,1117, 1607,2841
diallyl complexes, 2729
diamine complexes, 1269,1463, 1679,2143
dicarboxylates, 1463
diene complexes, 729,2917
diketonates, 979
diphosphine complexes, 1587, 1743,2531,2841

dithiocarbamates, 185,1043
dithiophosphinates, 2889
ethylenediaminediacetates, 1463
ether complexes, 745,979,1369, 1995,2245
ferrocenyldiphosphine, 2611
hexamethylphophoramide complexes, 1995
hydroxypyridone complexes, 2997
imidazolidinethione complexes, 917
iminoacyl complexes, 2825
isocyanate complexes, 2055
ketenyl complexes, 1587
macrocyclic complexes, 3165
nitrile complexes, 1269
nitrosobenzene complexes,2781
oxime complexes, 1939
phenoxides, 587,1995
phosphine complexes, 1053,1251, 1587,2099,2459,2841,2917,3135
phosphine oxide complexes, 745, 1587,2983
polythiocarboxylates, 1053
polythioether complexes, 2501
porphyrins, 1647,3025
pyrazine complexes, 2729
pyrazolylborates, 711
pyridine complexes, 1679,2423, 2849
pyrimidine complexes, 2109,3147
quinolonate, 1507
salicylaldimines, 523
Schiff base complexes, 523
selenoether complexes, 401
selenophenoxides, 507
siloxides, 1369,1575,2459
silylamide, 1697
sulfonamide complexes, 2849
sulfoxide complexes, 431
tetraazaannulene complexes, 2805
tetraketone complexes, 729
thiocarboxylate ester complexes, 347
thiodiketonates, 1219
thioether complexes, 401,2501, 3165
thiolates, 607,3135
thione, thiourea complexes, 2099
triphosphine complexes, 2917
NMR (^{15}N) spectra
carbodiimide complexes, 1099
nitrosyls, 591
pyrimidine complexes, 3147
tetrasulfurtetranitride complexes, 2605
NMR (^{17}O) spectra
hydroxides, 477
NMR (^{19}F) spectra
carbodiimide complexes, 1099
diketonates, 2441
fluorides, 443,541
fluoroborates, 541
fluoropyridine complexes, 2575
hexafluorobutene complexes, 2575
tetrafluorobenzothiadiazine, 1137
thiolates, 3135
NMR (^{27}Al) spectra
aluminium alkoxide heterometallic complexes, 341
NMR (^{29}Si) spectra
carbodiimide complexes, 1099
silanethiolate, 607
silicon catecholate methanol phosphine oxide complexes, 1789
silicon hydroxypyridone tropolone complexes, 567
siloxides, 1575,2459
silylamide, 1697
silylated diphosphites, 1743
silylazathienes, 2787
NMR (^{31}P) spectra
aminophosphine complex, 2965
carbodiimide complexes, 1099
diphosphine complexes, 677,863, 1213,1277,1743,1755,1983,2415, 2431,2531,2611,3091,3173
diphosphite complexes, 135
dithiophosphinates, 2889
dithiophosphates, 1187
ketophosphine complexes, 1987
phosphacyclopentadienyls, 601
phosphadiene complexes, 1281
phosphazenes, 1671
phosphido complexes, 1277
phosphinates, 3031
phosphine complexes, 27,147,323, 863,1007,1117,1251,1501,1551, 1563,1587,2099,2125,2265,2409, 2415,2459,2501,2605,2679,2713, 2917,3095,3135,3173
phosphine oxide complexes, 1587, 1789,1795,2983
phosphotungstates, 2645
thiophosphate complexes, 2125
triphosphine complexes, 2917
NMR (^{59}Co) spectra
cobalt(III) dioxime tin(IV) complexes, 1939
NMR (^{71}Ga) spectra
gallium methyl pyrazolyl indium(III) complex, 3013
NMR (^{77}Se) spectra
selenides, 1877
NMR (^{103}Rh) spectra
rhodium(I) alkene chloride selenoether thioether complexes, 401
NMR (^{113}Cd) spectra
cadmium alkoxide ether complex, 1331
NMR (^{119}Sn) spectra
tin(II) siloxide potassium complexes, 1369
tin(IV) alkoxide chloride heterometallic complexes, 341
tin(IV) alkyl aminoalkyl phenyl thio complexes, 2747
tin(IV) arylazopyridine chloride phenyl complexes, 2423
tin(IV) chloride dioxime cobalt(III) complexes, 1939
tin(IV) dithiolate halide complexes, 2223
tin(IV) halide water complexes, 1531
tin(IV) salicylaldimine thiolate complexes, 227
NMR (^{125}Te) spectra
telluroether complexes, 2165
NMR (^{171}Yb) spectra
ytterbium aluminium alkoxide, 2421
NMR (^{195}Pt) spectra

platinum(II) aminotelluro-
phenoxide chloride diphosphine
perchlorate selenophenoxide
tellurophenoxide heteromet-
allic complexes, 1755
platinum(II) chloride
telluroether complex, 2165
platinum(II) diphosphine hydride
thio complex, 3091
platinum(II) porphyrins, 1779
platinum(IV) chloride phosphine
tetrasulfurtetraimide
complexes, 2605
NMR (^{199}Hg) spectra
mercury chloride rhodium(III)
complex, 1007
NMR (^{205}Tl) spectra
thallium(III) alkyl dithio-
phosphinate complexes, 2889
Norbornene epoxidation, 463
Norvaline complexes
platinum(II), 1359
Nucleobase complexes
palladium(II) complexes, 2109
platinum(II), 1359,2109
Nucleoside complexes
chromium(V), 1
Nucleotide complexes
copper(II), 2823

Ω

Octaethylporphyrinates
platinum(II), 1779
Octamolybdate, 1423
Octoxides
molybdenum(II), 3007
Organoiron compounds, book review,
140
Organomolybdenum compounds, book
review, 1839
Osmium
alkenyl alkylidene alkyne carb-
onyl phosphido complexes, 1075
Osmium(0)
carbonyl diselenide complex,
1013
Osmium(0,I)
carbonyl selenide selenolate
complexes, 1013
Osmium(I)
carbonyl selenolate complex,
1013
Osmium(II)
amidinate carbonyl chloride
hydride phosphine complexes,
993
benzoyl carbonyl phenyl selenide
complex, 1013
diimine hydroxyquinoline
pyridine complexes, 1829
Osmium(III)
diimine hydroxyquinoline
complexes, 1829
Osmium(IV)
catecholate complex, 871
hydroxypyridone oxo complexes,
2997
Osmium(VI)
catecholate oxo complex, 871
Oxalates and oxalato complexes
cobalt(III), 1463
ruthenium(IV), 1849
tungsten(IV), 853
Oxamide complexes
copper(II), nickel(II), 857
Oxazolidone complexes
mercury, silver, 1841
Oxides and oxo complexes
cadmium, 185
cerium(IV), 59
chromium(VI), 795
copper(II),(IV), 2331
cyclopentadienylmetal, review,
1707
gallium, 477
germanium, 457
iron(III), 2253
iron(IV), 1029
manganese(II,III), 251
manganese(III), 2195
manganese(V),(VII), 2157
molybdenum(IV), 541
molybdenum(V), 185,847,2489
molybdenum(VI), 141,415,523,795,
871,1201,1517,1659,2027,2143,
2495,2711,2913,2997
niobium(V), 587
osmium(VI), 871,2997
rhenium(V), 871,1085,1615,2997
rhenium(VII), 147,1085,2157
ruthenium(III), 335,2389
ruthenium(V), 463
strontium, 2331
substitutions, review, 2277
technetium(V), 1145,2151
tin(IV), 1001,1861
tungsten(V), 847
tungsten(VI), 795,847,871,2039,
2143,2913,2939,2997
uranium(IV), 2021
uranium(V), 845
uranium(VI), 523,531,871,1733,
2997
vanadium(IV), 697,1449,3083
zirconium, 795
Oxime complexes
cobalt(III), 469,1637
copper(II), 789
germanium, 457
iron(II), 457
lanthanides, 355
rhodium(III), 2447
uranium(VI), 1733
Oxybenzylbenzimidazole
complexes, gallium, 487
Oxyethylene glycol complexes
lanthanides, yttrium, 2245
Oxygen atom abstraction, alkenyl-
oxides, allylic alcohols, 2813

P

Palladium(0)
dithiolate zirconium complex,
765
Palladium(II)
amine diimine halide pyridine
complexes, 3191
aminotellurophenoxide chloride

selenophenoxide tellurophen-oxide heterometallic complexes, 1755
azochromotropate azole complexes, 1597
bromazepam chloride complex, 2795,3219
cateçholate dipyridyl phosphine complexes, 871
chloride diphosphine phosphine sulfonate complexes, 2415
chloride ferrocenyldiphosphine complex, 2611
chloride imidazolinethione complexes, 917
chloride methionine pyrimidine complexes, 2109
chloride peptide pyrimidine complexes, 671
chloride phosphine thiolate complex, 1981
creatinine complexes, 2357
dithiooxalate complex, 1883
halide phenanthrolinequinone cyclometallated complexes, 243
halide telluroether complexes, 2165
hydroxypyridone phosphine complexes, 2997
Palladium(IV)
halide complexes, 3191
Parathiocyanogen, 79
Partially oxidised platinum(II) complexes, 1099
PE spectra
cadmium molybdenum(V) dithiocarbamate hydroxyquin-oline oxo water complexes, 185
molybdenum carbonyl thiocate-cholate complexes, 2557
tungsten alkyne arylimido chloride phosphine complexes, 1419
Penicillamine complexes
chromium(III), 1687
copper(II), 1049
Pentachlorophenyls
platinum(II), 1783
Pentadentate ligand complexes
nickel(II), silver(I), 617
Pentafluorophenyls
gold(I), 893
Pentafluorophenylthiolates
gold(I), 3135
Pentamethylcyclopentadienyl complexes
niobium(V), 1023
rhodium, 1075
ruthenium(II), 709
tantalum(V), 1023
2,4-Pentanedionates
chromium(III), cobalt(II), 531
cobalt(III), 469,531,1443
copper(II), 177,531
iron(III), 531,1923
nickel(II), 531,1285
U(VI),V(II), 531
2,4-Pentanedionebis(S-methyliso-thiosemicarbazone) complexes
iron(IV), 1029
Pentaselenide, pentasulfide complexes, Se(II), Te(II), 1869
neo-Pentoxides
tungsten(III), 2813
Peptide complexes
chromium(III), 2399
holmium, 2897
palladium(II), 671
Perchlorates
copper(I), 65
copper(II), 1471
nickel(II), 617,1755
platinum(II), 1755
Peroxides and peroxo complexes
chromium(VI), 795
Mo(VI),W(VI), 795,2913
zirconium(IV), 795
Peroxoborate, -diphosphate, -monosulfate, reactions with iron(II) cyanide diimine complexes, 2015
Pfeiffer effect, nickel, zinc alanine phenanthroline complexes, 1235
1,10-Phenanthroline complexes
boron, 397
cadmium, 607
cobalt(II), 235,1523
copper(I), 613
copper(II), 1195
iron(II), 2015
mercury, 799
molybdenum(VI), 2913
nickel(II), 1235
rhenium(V), 1615
ruthenium(IV), 2729
tungsten(VI), 2913
zinc, 1235
Phenanthrolinequinone complexes
palladium(II), 243
Phenoxides
barium, calcium, 1995
cobalt(II), 347,2621,3041
copper(I,II), 1949
copper(II), 211,347,789,879, 1949,2171,2621
manganese(II), 2621,3041
molybdenum, 217,1085,2557
molybdenum(VI), 2711
nickel(II), 211,347,1949,2171
niobium(V), 587
ruthenium(III), 2625
strontium, 1995
tantalum(V), 1177
thorium, 909
titanium(IV), 2065
vanadium(IV), 3083
zinc, 211,347,3041
5-Phenoxo-2,2'-dipyridyl complexes
ruthenium(II), 2119
Phenyls
osmium(II), 1013
phosphorus(III), 2759
tellurium(IV), 3155
tin(IV), 2351,2423,2747
Phenylacetylene complexes
platinum(II), 1983
Phenylamido complexes
ruthenium(II), 709
5-Phenyldibenzophosphole complexes
gold(I), 2409
1,4-Phenylenediimide complexes
tungsten(V), 381
Phenylethynyl complexes

Ag(I), Au(I), Cu(I), 951
Phenylimido complexes
rhenium(VII), 147
tungsten(V), 1419
Phenylisocyanation, diketonate and ketoamine complexes, 33
Phenylmethylamides
molybdenum, tungsten, 217
Phenylphosphonates
copper(II), 3101
1-Phenyl-2-thio-1,2-dicarbadodecaborate, 2717
Phosphadiene complexes
molybdenum(III), 1281
Phosphazenes, 1671
Phosphido complexes
iron, 1075
molybdenum, 1563
osmium, 1075
rhenium(III), 1277
ruthenium, 1075
Phosphinate complexes
cadmium, 3031
cobalt(II), 2427
rhenium(II,III), 1277
Phosphine complexes
chromium, 1181
chromium(0), 323,863
cobalt(I), 947,2831
cobalt(II,III), 361
cobalt(III), 1637
copper(I), 947,1187,1251,2099, 2459,2495,2831,2947
gold, 1563,2841
gold(I), 2409,3135
iridium(I), 2917
iridium(III), 993
mercury, 2265
molybdenum, 1181,1587
molybdenum(0), 863,2265,2713
molybdenum(II), 2115
molybdenum(III), 2301
nickel(II), 1285
osmium(II), 993
palladium(II), 871,1981,2415, 2997
platinum(II), 27,871,1099,1551, 1983,2125,2415
platinum(IV), 2605
rhenium(V), 871,2997
rhenium(VII), 147
rhodium, 2841
rhodium(I), 323,1007
rhodium(I,III),(II), 1007
rhodium(III), 1007,1501,2679
ruthenium(0), 947
ruthenium(II), 431,781,947,993, 1053,1117,2501,3173
ruthenium(III), 335
ruthenium(IV), 2961
silver, 109,1201,1783,2489,2831
tantalum(IV), 1559
tungsten, 1419,3095
tungsten(0), 2713
tungsten(II), 1043,1181,1319
tungsten(V), 381
vanadium(I), 1319
Phosphine oxide complexes
barium, 745,1995
lanthanides, 2983
molybdenum, 1587
silicon, 1789
uranium(IV), 3139
zinc, 1795
Phosphinodipyridylferrocenes, 3117
Phosphinothiophenoxides
Re(III), Tc(III),(V), 2151
Phosphirane, 385
Phosphonates
copper(II), 3101
Phosphonium ylide complexes
copper(II), 973
Phosphorescence spectra
lanthanide ketoamine complexes, 21
Phosphorus(III)
alkylamide aryl chloride compounds, 2759
Phosphorus(V)
in heteropolytungstates, 2645
chloride, 2065
Phosphoryl amide complexes
samarium, 1581
Phosphotungstates
lanthanides, 2645
Photoacoustic spectra
uranium(V) carboxylate oxo complexes, 845
Photochemistry
copper(II) diacetamide complex on silica gel, 1701
manganese(I), rhenium(I) carbonyl chlorides, 2157
tungsten(II) carbonyl cyclopentadienyl iodide phosphine complexes, 1319
uranium(IV) borohydride, 2783
vanadium(I) carbonyl cyclopentadienyl iodide phosphine complexes, 1319
Picolinates
cobalt(III), 469
manganese(II), 2137,2195
manganese(III), 2195
rhodium(III), 1501
vanadium(II), 2767
Picoline complexes
cobalt(III), 829,1637,1679
copper(II), 2537
rhodium, 2575
Piperazine complexes
lanthanides, 2273
Piperidine complexes
cadmium, molybdenum(V), 185
platinum(II), 2363
Platinum(II)
alkynyl diphosphine phosphine tetraacetylethane complexes, 1983
amine ammonia halide nitrite pyridine sulfoxide thiocyanate thioether thiourea water complexes, 2363
aminoacid ammonia nucleobase complexes, 1359
aminotellurophenoxide chloride diphosphine perchlorate selenophenoxide tellurophenoxide heterometallic complexes, 1755
ammonia, diamine complexes, 901
aryl chloride silver complex, 1783
azole chloride complex, 2507

azole chloride sulfoxide
complexes, 2691
carbodiimide chloride phosphine
complexes, 1099
catecholate dipyridyl phosphine
complexes, 871
chloride creatinine complex, 365
chloride diphosphine nitrile
phosphine sulfonate complexes,
2415
chloride imidazolinethione
complexes, 917
chloride methionine pyrimidine
complexes, 2109
chloride methoxide phosphine
pyrazolate selenophenoxide
tellurophenoxide thioether
thiophenoxide complexes, 27
chloride phosphine thiophosphate
zinc complex, 2125
cimetidine hydroxide complexes,
2723
creatinine complexes, 2357
diphosphine hydride thio
complex, 3091
dithiooxalate complex, 1883
ethylamine ethylenediamine
complexes, 2187
halide phosphine pyrazolate
tellurophenoxide complexes,
1551
halide telluroether complexes,
2165
partially oxidised complexes,
1099
porphyrins, 1779
tin(II) citrate complex, 1403
Platinum(II,III)
acetamide imidazolinethione
complexes, 917
chloride creatinine complexes,
2357
Platinum(IV)
ammonia chloride diamine
complexes, 901
chloride diamine complexes, 2187
chloride phosphine tetrasulphur-
tetranitride complexes, 2605
chloride thione complexes, 423
Platinum(V)
fluoride complex, 7
Polarography
lanthanide phosphotungstates,
2645
ruthenium(II) chloride pyrazole
sulphoxide complexes, 431
ruthenium(III) carbonyl chloride
salicylaldimine complexes, 91
ruthenium(IV) amine azole
chloride pyridine
salicylaldimine Schiff base
superoxide complexes, 1821
Polonium chemistry, book review,
1705
Polyamine complexes
lanthanides, 499
Polyaminocarboxylates
copper(II), 191,197
gadolinium, 1315
nickel(II), 197
ruthenium(III), 1059
zinc, 197
Polyazapolyoxa macrocyclic
complexes, 1891
Polyene - arylamide complexes
molybdenum, 547
Polymerization, nickel(II) pyrrole
tetraazaannulene complexes, 2089
Polyoxapolyaza macrocyclic
complexes, 1891
Polypyridine complexes
chromium(III), 1337
copper(I), 2967
rhenium(I), 1665
silver, 2967
yttrium, 2599
Polythiocarboxylates
ruthenium(II), 1053
Polythiocyanogen, 79
Polythioether complexes
Rh(III), Ru(II), 2501
Porphyrinates
iridium(III), 2703
platinum(II), 1779
thallium(III), 3025
tin(IV), 1647
Porphyrinquinone complexes
copper(II), 1437
Potassium
bromide, brominations by, 2817
crown, cryptand, murexide
complexes, 987
ether tin(II) complexes, 1369
Potentiometric titrations
copper(II) hydroxamate resin
complexes, 551
cystine dihydroxamate complexes
(Cu, Ni, Zn), 3069
iminodiacetate peptide
complexes, 257
Praseodymium
alkoxide ammonia complexes, 375
amide chloride ether
tetradentate complex, 1653
catechol pyrazoline sulphonate
complex, 937
chloride cyclopentadienyl, 2857
cyclopentadienyl oxime complex,
355
dithiocarbamate, 1815
nitrate phosphine oxide water
complex, 2983
oxyethylene glycol complex, 2245
phosphotungstate, 2645
piperazine complex, 2273
quinoxaline derivative
complexes, 1109,1113
tetraketonate complex, 1545
1,3-Propanediaminepolycarboxylates
copper(II), nickel(II), 197
2-Propanethiolates
platinum(II), 27
technetium(III), 1623
uranium(IV), 1601
i-Propoxides
aluminium, 341
thorium, 909
tin, 341
zinc, 341
n-Propoxides
lanthanides, 2673
2-i-Propoxyethoxides
copper(II), 177
i-[&n-]Propyls

zinc, 507
Propylamine complexes
tantalum(V), 1177
titanium(IV), 2065
Protonation, thiodiaminocarboxylates, 1305
Pyrazabole, 711
Pyrazine complexes
cobalt(II), nickel(II), 101
ruthenium(II), 2335,2729
ruthenium(IV), 2729
Pyrazine-2-carboxylates
rhodium(III), 1501
Pyrazolates
platinum(II), 27,1551
Pyrazole complexes
cobalt(II), 101,1523
copper(II), 647
gallium, 487
molybdenum(VI), 115
nickel(II), 101,2341
palladium(II), 1597
platinum(II), 2691
rhodium(I),(I,III),(II),(III), 1007
ruthenium(II), 431
ruthenium(IV), 2729
Pyrazoline complexes
lanthanides, 937
Pyrazolone Schiff base complexes
ruthenium(II), 2837
Pyrazolyl complexes
gallium, 3013
Pyridine complexes
chromium(II), 2475
cobalt(II), 101,271,1569,2849
cobalt(III), 469,829,1637,1679
copper(I), 169
copper(II), 169,617,2537,2849, 3101
gadolinium, 1513,2571
iron(II), 635
manganese(II), 1909,2045,2137, 2195
manganese(III), 2195
mercury, 513
molybdenum(II), 2639
molybdenum(VI), 1659
nickel(II), 101,2849
osmium(II), 1829
palladium(II), 2795,3183
platinum(II), 2363
rhenium(III), 811
rhodium, 2575
rhodium(III), 1501,1737,2679
ruthenium(II), 823,2335,3183
ruthenium(II,III), 13
ruthenium(III), 2335
ruthenium(IV), 1821
tin(IV), 2423
tungsten(III), 2813
vanadium(II), 2767
zinc, 635
Pyridine-2-aldehyde complexes
cobalt(III), 829
Pyridinecarboxaldimine complexes
ruthenium(II), 3183
Pyridinecarboxamide complexes
cobalt(III), 2929
2,6-Pyridinedicarboxylates
gadolinium, silver, 1513
Pyridinesulfonate complexes
chromium(II), 2475
vanadium(II), 2767
Pyridinethiol complexes
gold(I), 2009
Pyridinethione complexes
copper(I), 2947
Pyridiniopropionate complexes
copper(II), 2567
Pyridoxaldimine complexes
copper(II), nickel(II), 2171
Pyridoxine complexes
copper(II), 1397
Pyrimidine complexes
cadmium, cobalt(II), 2903
copper(II), 647
palladium(II), 671,2109
platinum(II), 2109
zinc, 3147
Pyrocatechol complexes
lanthanides, 937
Pyrrole radical cations, reaction with Ni(II) macrocyclic complexes, 2089
Pyrrole-2-aldimine complexes
cobalt, 235
copper, nickel, 2697
Pyrrolyl complexes
lanthanides, 265
Pyrrolyldithiocarbamates
ruthenium(II), 3173

Q

Quaterpyridine complexes
chromium(III), 1337
copper(I), silver(I), 2967
yttrium, 2599
Quinaldinate complexes
rhodium(III), 2679
Quinoline-2-carboxylate complexes
rhodium(III), 1501
Quinolonates
mercury, 1507
Quinone complexes
copper(II), 1437
palladium(II), 243
Quinoneoximate complexes
cobalt(III), 3037
Quinoxaline derivative complexes
lanthanides, 1109,1113
rhodium(III), 1501

R

Radiation, effect on reaction of N_2 with W complexes and solvents, 2383
Radiosensitizers
copper(II) carboxylate water complexes, 2507
Raman spectra
alkyls, 2889
alkylamides, 1295
azides, 2137
azole complexes, 487
carboxylates, 2137
catecholates, 871

chlorides, 487,2143
cyanogen halide complexes, 443
dithiophosphinates, 2889
fluoride complexes, 443
hydrides, 1295
hydroxypyridone complexes, 2997
oxo complexes, 871,2143,2711, 2997
picolinates, 2137
selenosulfide, 2395
Relaxivity
gadolinium pyridine Schiff base macrocyclic complex, 2571
gadolinium Schiff base water complex, 499
Rhenium(I)
alkoxycarbonyl carbonyl diphosphine isocyanate complexes, 2055
bromide carbonyl polypyridine complexes, 1665
carbonyl chloride diphosphine complex, 2483
diimine complexes, review, 2285
Rhenium(II)
carbonyl diphosphine halide complexes, 2431
Rhenium(II,III)
bromide diphosphine hydride phosphinate complexes, 1277
Rhenium(III)
chloride hydroxypyridine complex, 811
diphosphine halide hydride phosphido complexes, 1277
phosphinothiophenoxide, 2151
Rhenium(IV)
catecholate complex, 871
Rhenium(V)
catecholate iodide oxo phosphine complexes, 871
chloride hydroxide oxo pyrazolylborate thiophenoxide molybdenum complexes, 1085
diimine hydroxide oxo complexes, 1615
hydroxypyridone iodide oxo phosphine complexes, 2997
Rhenium(VII)
arylimido chloride dithiocarbamate hydrazide oxo phosphine thiophenoxide complexes, 147
carbonyl chloride oxo complex, 2157
oxo pyrazolylborate complex, 1085
Rhodanine complexes
thallium(III), 2231
Rhodium
alkenediyl carbonyl cyclopentadienyl furan pyridine thiophene complexes, 2575
alkenyl carbonyl cyclopentadienyl complexes, 1075
carbaborane carbonyl phosphine gold complexes, 2841
Rhodium(I)
alkene chloride selenoether thioether complexes, 401
carbonyl chloride phosphine chromium(0) complexes, 323
carbonyl diene phosphine pyrazolate thiolate complexes, 1007
diene tetraketone complexes, 729
Rhodium(I,III)
carbonyl chloride phosphine pyrazolate thiolate mercury complex, 1007
Rhodium(II)
carbonyl iodide phosphine pyrazolate thiolate tin(II) complexes, 1007
carboxylate water complexes, 2507
Rhodium(III)
amine thioether hexadentate macrocyclic complexes, 3165
aminooxime chloride complexes, 2447
ammonia superoxide complexes, 2757
carbonyl halide phosphine pyrazolate thiolate mercury complexes, 1007
carbonyl iodide phosphine quinaldinate complexes, 2679
carboxylate hydride phosphine pyrazine pyridine complexes, 1501
catecholate complex, 871
chloride ketophosphine complexes, 1987
chloride polythioeher complex, 2501
chloride pyridine superoxide water complexes, 1737
chloride telluroether complex, 2165
hydroxypyridonates, 2997
Rhodium(V)
fluoride complex, 7
Ruthenium
alkenyl alkylidene carbonyl phosphido cyclometallated complexes, 1075
benzene carbide carbonyl complex, 2123
Ruthenium(0)
formate nitrosyl phosphine complex, 947
Ruthenium(II)
amidinate carbonyl chloride hydride phosphine complexes, 993
ammonia cyanopyridinium complexes, 2375
ammonia isonicotinamide pyrazine complexes, 2335
arene chloride complex, 2317
arene chloride dithioate heterometallic complexes, 2713
arene chloride pyridine salicylaldimine Schiff base complexes, 823
arene pyrazine ruthenium(IV) complex, 2729
arsine cyanodithiocarbimate cyclopentadienyl dipyridyl phosphine stibine complexes, 1117
arylamide cyclopentadienyl complex, 709

azole borohydride carbonyl chloride hydride nitrosyl phosphine sulphoxide complexes, 431
butenynyl carbonyl chloride phosphine complexes, 781
carbonyl nitrosyl phosphine polythiocarboxylate water complexes, 1053
cyanide hydrazine hydrazinium complex, 1229
cyclopentadienyl formate phosphine thioformate complexes, 947
diimine complexes, 1411,2285
diimine heterometallic complexes, 2119
diphosphine dithiocarbamate phosphine xanthate complexes, 3173
halide pyridine salicylaldimine complexes, 3183
ketoimine water complexes, 2837
phosphine polythioether complex, 2501
terpyridine complexes, 2707
Ruthenium(II,III)
acetate amidopyridine chloride complex, 13
acetate diarylphosphate, 2327
ammonia dicyanopyrazine complexes, 3109
carboxylate chloride ether complexes, 2209
Ruthenium(III)
ammonia pyridine complexes, 2335
arsine halide salicylaldimine complexes, 523
carbonyl chloride salicylaldimine complexes, 91
carbonyl edta hydroxide water complexes, 687
carboxylate nitrile oxo phosphine complex, 335
chloride water complexes, 3075
dipyridyl oxo water complex, 2389
polyaminocarboxylate water complex, 1059
Schiff base encapsulated complexes, 2625
Ruthenium(IV)
amine azole chloride pyridine salicylaldimine Schiff base superoxide complexes, 1821
arylimide phosphine complex, 2961
catecholate dipyridyl complex, 871
chloride diallyl diimine pyrazine pyrazole terpyridine triazine ruthenium(II) complexes, 2729
chloride dicarboxylate dienediyl complexes, 1849
chloride hydroxypyridone complexes, 2997
chloride salicylaldimine superoxide complexes, 91
Ruthenium(V)
chloride oxo complex, 463

S

Saccharinates
cobalt(II), 419
Salicylaldehydethiosemicarbazone complexes, molybdenum(VI), 1659
Salicylaldimine complexes
cadmium, 2739
chromium, 1181
cobalt(II), 271,2621,2739,3041
copper(II), 2621,2819
lanthanides, 499
manganese(II), 2621,3041
molybdenum, 1181
molybdenum(VI), 415,523
nickel(II), 2739
ruthenium(II), 823,3183
ruthenium(III), 91,523,2625
ruthenium(IV), 91,1821
tin(IV), 227
tungsten(II), 1181
uranium(VI), 523
vanadium(IV), 3083
zinc, 53,2739,3041
Salicylates
molybdenum(VI), 2711
Samarium
alkoxide aluminium compound, 2421
amide chloride ether tetradentate complex, 1653
catechol pyrazoline sulphonate complex, 937
cyclopentadienyl oxime complex, 355
cyclopentadienyl pyrrolyl tetrahydrofuran complexes, 265
dithiocarbamate, 1815
malonate water complex, 2051
nitrate phosphine oxide water complex, 2983
phosphoryl amide water complex, 1581
phosphotungstate, 2645
piperazine complex, 2273
pyrazolylborates, 1481
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Scandium
alkoxide ammine complexes, 375
Schiff bases and complexes
cadmium, 2313,2739
chromium, 1181
chromium(III), 2313
cobalt(II), 33,235,271,347,1569, 2313,2621,2739,3041
cobalt(III), 235
copper(I,II), 1949
copper(II), 33,211,347,1037, 1383,1949,2171,2313,2621,2697, 2819
copper(III), 2697
ferrocenyl, 1917
iron(III), 2253
lanthanides, 499,2571
manganese(II), 2621,3041
molybdenum, 1181
molybdenum(VI), 415,523
nickel(II), 33,211,347,1949, 2171,2313,2697,2739
nickel(III), 2697

palladium(II), 2795
protonation, 2351
ruthenium(II), 823,2837,3183
ruthenium(III), 91,523,2625
ruthenium(IV); 91,1821
tin(IV), 227
tungsten(II), 1181
uranium(VI), 523
vanadium(IV), 3083
zinc, 53,211,347,2313,2739,3041
Secondary harmonic generation
iron(II) cyclopentadienyls, 1489
iron(III) alkylidyne carbonyl cyclopentadienyl complexes, 1429
molybdenum halide nitrosyl phenoxide pyrazolylborate complexes, 217
5-Selena-1,8-nonadiene complexes
rhodium(I), 401
Selenide complexes
arsenic, 1877
osmium(0,I),(II), 1013
tungsten(IV), 2973,3159
Selenium(II)
pentaselenide complex, 1869
Selenoether complexes
rhodium(I), 401
Selenolate complexes
osmium(0,I),(I), 1013
Selenole, 395
Selenophenoxides
cadmium, mercury, 507
palladium(II), 1755
platinum(II), 27,1755
zinc, 507
Selenosulfides
molybdenum(III,IV), 2395
Serum albumin, reaction with $[Gd(dtpa)]^{2-}$, 1315
Silasesquioxane complexes
tungsten(VI), 1575
Silica gel, copper(II) complex absorbed on, 1701
Silicon
catecholate methanol phosphine oxide complexes, 1789
chloride methyl tetraazaannulene compounds, 2805
chloride pyrazolylborate, 711
hydroxypyridone tropolone complexes, 567
Siloxides
aluminium, 177
copper(I), 2459
copper(II), 177
potassium, tin(II), 1369
tungsten(VI), 1575
Silver
alkynyl heterometallic complexes, 951
amine thioether macrocyclic complex, 617
azetidinone oxazolidone mercury complexes, 1841
chloride dioaminothioether macrocyclic complex, 597
chloride phosphine platinum(II) complex, 1783
chloride phosphine trithiomolybdate complex, 1201
halides, 2775
ion (1+), gaseous, reactions with thiols, 1125
nitrate urea complex, 49
phosphine thio copper tungsten(VI) complex, 109
phosphine thiolate complexes, 2831
phosphine thiolate molybdenum(V) complex, 2489
pyridinedicarboxylate gadolinium complex, 1513
quaterpyridine complex, 2967
tungstate, 2775
Silylamides
lanthanides, 409
zinc, 1697
Silyl diphosphite complexes
manganese(I), 135
Sodium
chloride tetrahydrofuran erbium complex, 2873
crown, cryptand, murexide complexes, 987
guanidide lithium compound, 2809
Solid state reactions, mercury halides - silver tungstate, 2775
Solubility, solvation
diketonates, 531.
Solvent extraction
molybdenum(VI) isopolyanions in tributylphosphate, 141
nickel, zinc alanine phenanthroline complexes, 1235
Spectrophotometric titrations
redox, chromium(II) - cobalt(III), 739
Stibine complexes
copper(I), 947
ruthenium(II), 1117
Strontium
copper oxides, 2331
crown, cryptand, murexide complexes, 987
ether phenoxide complexes, 1995
Substitutions, cyanide complexes, review, 2277
Sulfate complexes
manganese(II), 1909
zinc, 2975
Sulfonamide complexes
Co(II), Cu(II), Ni(II), 2849
Sulfonate complexes
iron(II), 635.
lanthanides, 947
Pd(II), Pt(II), 2415
vanadium(II), 2767
Sulfoxide complexes
platinum(II), 2363,2691
ruthenium(II), 431
Sulfur - nitrogen compounds, 2787
Sulfur - nitrogen ligand complexes
molybdenum(VI), 995
platinum(IV), 2605
Superoxide, reaction with Cu(II) porphyrin, 1437
Superoxides and superoxo complexes
rhodium(III), 1737,2757
ruthenium(IV), 91,1821
Surfactants, effect on alkene oxidations catalysed by ruthenium complex, 463

T

Tantalum(IV)
carbazolate hydride phosphine complex, 1559
Tantalum(V)
alkyl alkylidene cyclopentadienyl complexes, 1023
alkylidyne carbazolate complex, 1559
amine chloride phenoxide complexes, 1177
chloride, 3123
heterometallic triphosphates, 2543
Technetium(III)
phosphinothiophenoxide, 2151
thioether thiolate thiophenoxide tetradentate complexes, 1623
Technetium(V)
chloride nitride oxo phosphinothiophenoxide complexes, 2151
oxo thioamide tetradentate complexes, 1145
Telluroether complexes
Pd(II),Pt(II),Rh(III), 2165
Tellurophenoxides
nickel, palladium, 1755
platinum(II), 27,1551,1755
Tellurium(II)
alkyl, 3155
aryl dithiocarbamate xanthate complexes, 1225
pentaselenide pentasulfide complexes, 1869
Tellurium(IV)
alkyl aryl dithiocarbamate iodide compounds, 3155
Terbium(III)
amide chloride ether tetradentate complex, 1653
benzophenone silylamide complex, 409
catechol pyrazoline sulphonate complex, 937
dithiocarbamate, 1815
ketoamine complex, 21
piperazine complex, 2273
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Terbium(IV)
hexaoxoiodate complex, 963
Terephthalate complexes
nickel(II), 885
Terpyridine complexes
ruthenium(II), 2707
ruthenium(IV), 2729
Tetraacetylethane complexes
platinum(II), 1983
Tetra(2-aminoethyl)ethanetetraamide complexes, Cu(II), 941
Tetraazaannulene complexes
nickel(II), 2089
silicon, tin(IV), 2805
Tetrabutylammonium salts, doped in platinum(II) complex, 1099
Tetrafluorobenzodithiadiazine, 1137
Tetrahydrofuran complexes
barium, 745,1995
calcium, 1995
cobalt(II), 3019
gallium, 477
lanthanides, 265,2873
lanthanum, 375
lithium, 1093,2863
molybdenum(III),(IV), 2585
nickel(II), 3019
ruthenium(II,III), 2209
sodium, 2873
strontium, 1995
tin(IV), 3019
uranium(IV), 3139
yttrium, 375
Tetrahydrofurfurylalkoxides, tetrahydropyran-2-methoxides, tetrahydro-4H-pyran-4-olates, molybdenum, tungsten, 655
Tetraketone complexes
iridium(I), 729
lanthanides, 1545
rhodium(I), 729
Tetrakis(di-t-butylphenyl)porphyrinates, iridium(III), 2703
Tetramethylethylenediamine complexes
magnesium, 389
molybdenum(VI), 2143
platinum(IV), 2187
tungsten(VI), 2143
Tetramethylheptanedionates
barium, 979,2877
nickel(II), 1285
2,4,4,9-Tetramethyl-1,5,9-triazacyclododec-1-ene complexes
Co(II), Cu(II), Ni(II), 453
Tetramine complexes
chromium(VI), 795
cobalt(II), 65
cobalt(III), 1269,1443,2441
copper(I), 65
copper(II), 85,1383
manganese(III), 581
molybdenum(VI), 795
nickel(II), 85,857
tungsten(VI), 795
zinc, 65
zirconium, 795
Tetraphenyl-3,6-dioxaoctanedioic diamide complexes, lanthanides, 1653
Tetraphenylporphyrinates
platinum(II), 1779
thallium(III), 3025
Tetraphosphaferrocenes, 601
Tetrasulfurtetranitride complexes
platinum(IV), 2605
Tetrathiafulvalene, doped in platinum(II) complex, 1099
3,6,9,12-Tetrathiatetradecane complexes, technetium(III), 1623
5,8,11,14-Tetrathiaoctadecane complexes, technetium(III), 1623
Tetra-*p*-tolylporphyrinates
tin(IV), 1647
Thallium(I)
cyclopentadienyl heterometallic complexes, 863
Thallium(III)
acetate porphyrin, 3025
dithiophosphinate methyl compound, 2889
methyl rhodanine compound, 2231
Thermal analysis
alkylammonium halides, 371

cadmium dithiocarbamate ethylenediamine complexes, 2951
cadmium molybdenum(V) dithiocarbamate hydroxyquinoline water complexes, 185
cadmium pyrimidine water complex, 2903
cobalt(II) acetonitrile chloride crown ether complexes, 1801
cobalt(II) diaminotetracarboxylate complex, 1965
cobalt(II) pyrimidine water complex, 2903
copper(I) phosphine siloxide complexes, 2459
copper(II) aminoalkylamide complex, 941
copper(II) chloride water magnesium complexes, 1929
copper(II) pyridaldoxime complexes, 2171
ferrocenyl Schiff base complexes, 2313
gallium butyl hydroxide, 477
lanthanide amide chloride ether tetradentate complexes, 1653
lanthanide dithiocarbamates, 1815
lanthanide oxyethylene glycol complexes, 2245
lanthanide quinoxaline derivative complexes, 1109, 1113
lanthanide tetraketonate complexes, 1545
magnesium acetonitrile chloride crown ether copper(II) complexes, 1929
manganese(II) azole pyridine sulfate complexes, 1909
molybdenum(II) cholesterolate nitrosyl octoxide pyrazolylborate complexes, 3007
molybdenum(V) dithiocarbamate thio complexes, 1387
molybdenum(VI) isopolyanion oxo triamine complexes, 2027
molybdenum(VI) oxo salicylaldehyde hydrazone complex, 415
nickel(II) carboxylate heterocyclic base complexes, 101
nickel(II) dithiooxalate complex, 1883
nickel(II) pyridoxaldimine complex, 2171
palladium(II) creatinine complexes, 2357
palladium(II) dithiooxalate complex, 1883
phosphazenes, 1671
platinum(II) azole chloride sulfoxide complexes, 2691
platinum(II) creatinine complexes, 2357
platinum(II) dithiooxalate complex, 1883
platinum(II,III) chloride creatinine complexes, 2357
polyvanadate, 3045
rhenium(V) diimine hydroxo oxo complexes, 1615
terbium(IV) hexaoxoiodate complex, 963
zinc adenosine chloride water complexes, 3147
zinc ethylenediamine complex, 2951
zinc ethylene glycol sulfate water complexes, 2975
zinc ferrocenyl thiosemicarbazone complex, 447
1-Thia-4,8-diazacyclododecanediacetic acid, 1305
1-Thia-4,7-diazacyclononane complexes, mercury, silver, 597
1-Thia-4,7-diazacyclononanediacetic acid, 1305
5-Thia-1,8-nonadiene complexes rhodium(I), 401
Thiazolidinecarboxylates manganese(II), nickel(II), 2237
Thiazolidinethione complexes copper(I), 2099,2947 thallium(III), 2231
Thio complexes cobalt(II,III), 361 copper(I), 109 iron, 591 iron(0), 127 iron(II), 957 molybdenum(0), 127 molybdenum(III,IV), 2395 molybdenum(IV), 2083 molybdenum(V), 957,1387 molybdenum(VI), 957,1201 platinum(II), 3091 silver(I), 109,1201 tin(IV), 2747 tungsten(0), 127 tungsten(IV), 853 tungsten(V), 957 tungsten(VI), 109,279,957,2939 vanadium(V), 957
Thiocarboxylates ruthenium(II), 947
Thiocarboxylate ester complexes Co, Cu, Ni, Zn, 347
Thiocatecholates molybdenum, 2557
Thiocyanates chromium(III), 71 cobalt(II), 65,1569,2657 cobalt(III), 2923 copper(I), 805 copper(II), 623 iron(IV), 1029 manganese(III), 581 mercury, 799 nickel(II), 573,2341 platinum(II), 2383 thorium, 1765 tungsten(IV), 2973
Thiodiaminocarboxylates, protonation, 1305
Thiodiketonates bismuth(III), 1219 nickel(II), 1285
Thioether complexes cadmium, cobalt(II), 2739,2989 copper(II), 691,1037,1855,2989 lead, 2989 mercury, 597 nickel(II), 617,2739,2989 platinum(II), 27,2363 rhodium(I), 401 rhodium(III), 2501,3165

ruthenium(II), 1053,2501
silver, 597,617
technetium(III), 1623
zinc, 2739,2989
Thioformates
ruthenium(II), 947
Thiols, reactions
chromate, 3211
gaseous Ag^+, Cu^+, 1125
Thiolates
cadmium, 607
cobalt(I), 2831
copper(I), 613,2495,2831
copper(II), 691,1037
gold(I), 3135
iron, 591,851,1075,2803
mercury, 607
molybdenum(II), 2115
molybdenum(IV), 2321
palladium(II), 1981
rhodium, 1007
silver, 2489,2831
technetium(III), 1623
technetium(V), 1145
tin(IV), 227,2651
uranium(IV), 1601
Thione complexes
cobalt(II), 423
copper(I), 2099,2947
copper(II), 423
gold(I), 893,2009
gold(III), 893
nickel(II), platinum(II), 423
thallium(III), 2231
zinc, 423
2-Thio-2,4-pentanedionates
nickel(II), 1285
Thiophene complexes
rhodium, 2575
Thiophene-2-carboxylates
rhodium(III), 1501
Thiophenoxides
mercury, 513
molybdenum, 1085
platinum(II), 27
rhenium(III), 2151
rhenium(V), 1085
rhenium(VII), 147
technetium(III), 1623,2151
technetium(V), 2151
1-Thio-2-phenyl-1,2-dicarbadodecaborate, 2717
Thiophosphates
platinum(II), zinc, 2125
Thiosemicarbazone complexes
cadmium, 447
cobalt(II), 271,447
copper(II), 447
iron(IV), 1029
molybdenum(VI), 1659
nickel(II), zinc(II), 447
Thiourea complexes
copper(I), 2099
platinum(II), 2363
Thorium
alkoxide alkyl chloride phenoxide pyrazolylborate thiolate complexes, 909
amide chloride thiocyanate complexes, 1765
carboxylate chloride cyclopentadienyl pyrazolylborate complexes, 501
Thulium
catechol pyrazoline sulphonate complexes, 937
cyclopentadienyl oxime complex, 355
dithiocarbamate, 1815
nitrate phosphine oxide water complex, 2983
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Tin(II)
chloride iodide rhodium(II) complex, 1007
citrate platinum(II) complex, 1403
in niobium titanium triphosphate, 1157
siloxide potassium complexes, 1369
Tin(IV)
alkoxide chloride heterometallic complexes, 341
alkyl aminoalkyl phenyl thio compounds, 2747
alkyl carboxylate oxo compounds, 1861
arylazopyridine chloride phenyl complexes, 2423
chloride dioxime cobalt(III) complexes, 1939
chloride methyl phenyl complexes, 2351
chloride methyl tetraazaannulene compounds, 2805
chloride nitrosobenzene complexes, 2781
chloride tetrahydrofuran complex, 3019
dithiolate halide complexes, 2223
fluoride methyl complex, 331
halide water complexes, 1531
heterometallic triphosphates, 2543
hydroxide methoxide porphyrins, 1647
oxide in laponite, 1001
salicylaldimine thiolate complexes, 227
triaminotrithiolate complex, 2651
Titanium(IV)
amine chloride phenoxide complexes, 2065
chloride, reactions with $MgCl_2$, 717
chloride cyclopentadienyl dithiocarbamate complexes, 1131
chloride nitrosobenzene complexes, 2781
cyclopentadienyl Jager - ligand ketoamine complexes, 123
heterometallic triphosphates, 1157,2543
p-Toluoyls
molybdenum, 1587
2-(*m*-Tolylazo)pyridine complexes
osmium(II), 1829
p-Tolylmethylidyne complexes
molybdenum, 1587
tungsten, 2841

Transfer chemical potentials
diketonates, 531
Triamine complexes
chromium(III), 2399
chromium(VI), 795
cobalt(II), copper(II), 453
molybdenum(VI), 795,2027
nickel(II), 453,857
Triaminotriethylamine complexes
cobalt(III), 1269
Triaminotripropylamine complexes
cobalt(III), 1443
Triaminotrithiolate complexes
tin(IV), 2651
Triazene-1-oxide complexes
cobalt(II), 2129,2591
1,3,5-triazine complexes
ruthenium(IV), 2729
Tri-*t*-butoxysilanethiolates
cadmium, 607
copper(I), 613
mercury, 607
Tri-*t*-butylphenoxides
barium, calcium, strontium, 1995
Tri-*t*-butylphenylthiolates
gold(I), 3135
Tri-*n*-butylphosphate, solvent
extraction of isopolymolybdates,
141
Tri-*n*-butylphosphine complexes
chromium(0), 323
molybdenum(III), 2301
nickel(II), 1285
palladium(II), 2415
platinum(II), 27,1551,2415
rhodium(I), 323
ruthenium(II), 3173
tungsten(II), 1319
2,4,6-Tri-*t*-butylthiophenoxides
mercury, 513
Trichloroacetates
cobalt(III), 1443
Tricyclohexylphosphine complexes
mercury, 2265
Triethylamine complexes
tantalum(V), 1177
Triethylenetetramine complexes
chromium(VI), 795
cobalt(III), 2441
Mo(VI), W(VI), 795
Triethylphosphate complexes
uranium(IV), 3139
Triethylphosphine complexes
copper(I), 2459
molybdenum(0), 2713
molybdenum(II), 2115
molybdenum(III), 2301
platinum(II), 27
ruthenium(II), 3173
tungsten(0), 2713
Triethylphosphite complexes
ruthenium(II), 3173
vanadium(I), 1319
Triethylphosphonoacetates
lanthanides, 2983
Triethylsiloxides
copper(I), 2459
Trifluoroacetates
cobalt(III), 1443
Trifluoro-*t*-butoxides
praseodymium, yttrium, 375
Trifluoroethoxides
iron(III), 1923
Trifluoromethanesulphonates
iron(II), 635
Pd(II), Pt(II), 2415
1,1,1-Trifluoropentanedionates
uranium(VI), 531
Trimethylacetates
barium, 2877
Trimethylethylenediamine complexes
platinum(IV), 2187
Trimethylphenoxides
thorium, 909
Trimethylphosphine complexes
iridium(I), 2917
molybdenum, 1587
molybdenum(III), 2301
palladium(II), 1981
platinum(II), 2125
ruthenium(IV), 2961
tungsten, 1419
Trimethylphosphite complexes
cobalt(III), 1637
molybdenum(0), 2713
rhodium(I),(II),(III), 1007
tungsten(II), vanadium(I), 1319
Trimethylsiloxides
aluminium, 177
copper(II), 177
Trimethylsilylcyclopentadienyls
niobium(V), tantalum(V), 1023
Trimethylsilylmethyls
molybdenum(III), 2825
niobium(V), tantalum(V), 1023
thorium, 909
Trimethylsilylmethylidene
complexes, Nb(V), Ta(V), 1023
Trimethylsilylmethylidyne
complexes, tantalum(V), 1559
2,4,4-Trimethyl-1,5,9-triazacyclo-
dodec-1-ene complexes
cobalt(II), copper(II), 453
nickel(II), 453,857
Triol complexes
boron, 889
cadmium, copper(II), 1195
Triphenylarsine complexes
copper(I), 947
ruthenium(II), 1117
ruthenium(III), 523
Triphenylmethyls
barium, 745
Triphenylphosphine complexes
chromium(0), 323
cobalt(I), 947,2831
cobalt(II,III), 361
copper(I), 947,1187,2099,2459,
2495,2831
gold, 1563,2841
gold(I), 2409,3135
iridium(III), 993
mercury, molybdenum(0), 2265
molybdenum(III), 2301
osmium(II), 993
palladium(II), 871,2415,2997
platinum(II), 871,2415
rhenium(V), 871,2997
rhenium(VII), 147
rhodium, 2841
rhodium(I), 1007
rhodium(III), 1501
ruthenium(0), 947
ruthenium(II), 431,781,947,993,
1053,1117,2501,3173
ruthenium(III), 335

silver, 109,1201,1783,2489,2831
tungsten, 3095
tungsten(II), 1043,1319
Triphenylphosphine oxide complexes
silicon, 1789
zinc, 1795
Triphenylphosphite complexes
cobalt(I), 947
Triphenylporphyrinylphenoxides
molybdenum, 217
Triphenylsiloxides
copper(I), 2459
potassium, tin(II), 1369
Triphenylstibine complexes
copper(I), 947
ruthenium(II), 1117
Triphosphates
heterometallic, 1157,2543
Triphosphazenes, 1671
Triphosphine complexes
iridium(I), 2917
Tri-*i*-propylphenylthiolates
gold(I), 3135
Tri-*n*-propylphosphine complexes
molybdenum(III), 2301
platinum(II), 27
2,4,6-Tri-*i*-propylselenophen-oxides, Cd, Hg, Zn, 507
Tris(2-benzimidazolylmethyl)amine complexes, copper(II), 2631
Tris(4-chlorophenyl)phosphine complexes, rhodium(III), 2679
Tris(4-fluorophenyl)phosphine complexes, rhodium(III), 2679
1,1,1-Tris(hydroxymethyl)ethane complex, boron, 889
Trisilanol complexes
tungsten(VI), 1575
Tris(4-methoxyphenyl)phosphine complexes, rhodium(III), 2679
Tris(piperidino)phosphine oxide complexes, silicon, 1789
Tris(trifluoromethyl)cyclohexane-triol complexes, Cd,Cu, 1195
Trithiomolybdates
silver, 1201
Tritolylphosphine complexes
copper(I), 2947
rhodium(III), 2679
Tropolone complexes
silicon, 567
Tungstates
mercury, silver, 2775
Tungsten
alkoxide chloride nitrosyl pyrazolylborate complex, 655
alkylamide chloride nitrosyl pyrazolylborate complexes, 217
alkylidene alkylidyne carbaborane carbonyl cyclopentadienyl iodide complexes, 1607
alkylidyne carbonyl cyclopenta-dienyl gold complexes, 2841
alkyne arylimido chloride phosphine complexes, 1419
carbonyl cyclopentadienyl dienyl iron complexes, 1075
carbonyl phosphine metallaborane complex, 3095
dinitrogen diphosphine hydride complexes, 2383
Tungsten(0)
carbonyl diimine complexes, 1771
carbonyl dithioate phosphine ruthenium(II) complex, 2713
carbonyl dithiocarbamate thio iron(0) complex, 127
Tungsten(II)
alkyne diphosphine dithiocarbamate iodide nitrile phosphine complexes, 1043
carbohydrate chloride pyrazol-ylborate complexes, 3129
carbonyl cyclopentadienyl iodide phosphine complexes, 1319
carbonyl phosphine salicylal-dimine complexes, 1181
chloride nitrosyl phenoxide pyrazolylborate ruthenium(II) complexes, 2119
Tungsten(III)
alkoxide pyridine complex, 2813
alkylamide allyl complexes, 3197
Tungsten(IV)
oxalate thio water complex, 853
diselenide dithiophosphate selenide complex, 3159
selenide thiocyanate complexes, 2973
Tungsten(V)
chloride ether oxo complexes, 847
chloride oxide, 847
chloride phenylenediimide phosphine complex, 381
diselenide dithiocarbamate complexes, 1959
hydroxide hydrosulfide thio heterometallic complexes, 957
Tungsten(VI)
alkylamide siloxide complex, 1575
catecholate chloride oxo complexes, 2039
catecholate oxo complex, 871
chloride, 3123
chloride diamine oxo complex, 2143
dicarboxylate diimine oxo peroxo complexes, 2913
disulfide dithiocarbamate halide thio complexes, 279
disulfide oxo thio complexes, 2939
heteropolyanion complexes, 2645
hydroxypyridone oxo complexes, 2997
isopolyanion, 1959
oxo peroxide polyamine complexes, 795
thio copper(I) silver(I) complex, 109
thio heterometallic complexes, 957

U

Understanding inorganic chemistry, book review, 1839
Uranium(III)
pyrazolylborates, 1481
Uranium(IV)
arylamide ether phosphine oxide

pyridine complexes, 3139
borohydride, 2783
butoxide chloride pyrazolylborates, 1481
carboxylate chloride cyclopentadienyl pyrazolylborate complexes, 501
chloride hypophosphite water complex, 817
chloride oxo pyrazolylborate complexes, 2021
ethoxide pyrazolylborate thiolate complexes, 1601
Uranium(V)
carboxylate oxo complexes, 845
Uranium(VI)
azooxime oxo complexes, 1733
catechol methanol oxo complex, 871
diketonate oxo compounds, 531
hydroxypyridone oxo complexes, 2997
oxo salicylaldimine water complexes, 523
Urea complexes
silver, 49
Uridine-5'-phosphate complexes
copper(II), 2823

V

Valine complexes
cobalt(III), 773
platinum(II), 1359
Vanadium(I)
carbonyl cyclopentadienyl phosphine complexes, 1319
Vanadium(II)
diketonate, 531
picolinate pyridine pyridinesulfonate water complexes, 2767
Vanadium(IV)
glutamate oxo water complexes, 1449
malate oxo complexes, 697
oxo phenoxide salicylaldimine complexes, 3083
Vanadium(V)
isopolyanion, 3045
oxide, promotion of organic brominations, 2817
thio heterometallic complexes, 957
Vinyl complexes
iridium, 677
ruthenium(II), 781
2-Vinylpyridine complexes
rhodium, 2575

W

Water complexes
cadmium, 185,2903
chromium(II), 2475
chromium(III), 2069,2313
cobalt(II), 101,271,419,423, 1523,2507,2657,2849,2903
cobalt(III), 2069
copper(II), 423,631,923,973, 1471,1973,2217,2507,2819,2823, 2849
holmium, 2897,2983
indium, 1067
lanthanides, 1581,2051,2897,2983
manganese(II), 2137
manganese(II,III), 251
molybdenum(VI), 141
nickel(II), 101,423,1261,1949, 2341,2849
platinum(II), 2363
rhodium(III), 1737
ruthenium(II), 1053,2837
ruthenium(III), 687,1059,2389, 3075
samarium, 1581,2051,2983
tin(IV), 1531
tungsten(IV), 853
uranium(IV), 817
uranium(VI), 523
vanadium(II), 2767
vanadium(IV), 1449
zinc, 423,2975,3147

X

Xanthates
ruthenium(II), 3173
tellurium(II), 1225
Xanthosine complexes
chromium(V), 1
Xα calculations
tungsten alkyne arylimido chloride phosphine complexes, 1419
XPE spectra
platinum(II) chloride creatinine complex, 365
tin(IV) oxide in laponite, 1001
X-ray crystal structures
aluminium alkoxide chloride lithium complex, 1093
aluminium alkyl arylamides, 967
aluminium alkylamide hydride, 1295
aluminium siloxide copper(II) compounds, 177
antimony(III) citrate copper(II) complex, 631
arsenic selenide complexes, 1877
azathienes, 2787
barium carboxylate diketonates, 2877
barium diketonate ether complex, 979
benzodithiadiazine, 1137
bismuth(III) thiodiketonate, 1219
boron hydroxide triol complex, 889
cadmium alkoxide ether complex, 1331
cadmium diketonate triol copper(II) complex, 1195
cadmium diselenocarbamate, 45
cadmium dithiocarbamate ethylenediamine complexes, 2951
cadmium pyrimidine water

complex, 2903
cadmium thiolate, 607
carbaborane, 157
cerium(IV) alkoxide aminoalkoxide complex, 59
chromium(0) carbonyl diimine complex, 1771
chromium(III) chloride polypyridine complex, 1337
chromium(III) citrate complex, 1343
cobalt(II) acetonitrile chloride crown ether complexes, 1801,1809
cobalt(II) azole chloride methanol nitrate thiocyanate water complexes, 2657
cobalt(II) diaminetetracarboxylate complex, 1965
cobalt(II) imidazole water complex, saccharin salt, 419
cobalt(II) methazolamide pyridine water complex, 2849
cobalt(II) phosphinates, 2427
cobalt(II) pyrimidine water complex, 2903
cobalt(II) triazene-1-oxide complexes, 2591
cobalt(II,III) halide phosphine thio complex, 361
cobalt(III) alkyl oxime phosphine pyridine complexes, 1637
cobalt(III) aminoacid diamine nitrite complexes, 1169
cobalt(III) azide pyridine complexes, 829
cobalt(III) dioxime tin(IV) complex, 1939
cobalt(III) pyrrolate Schiff base complex, 235
copper(I) bromide phosphine complexes, 1251
copper(I) cyanide thio silver(I) tungsten(VI) complex, 109
copper(I) dithiophosphate phosphine complex, 1187
copper(I) phenanthroline thiolate complex, 613
copper(I) phosphine siloxide complexes, 2459
copper(I) phosphine thiolate molybdenum(VI) complex, 2495
copper(I) quaterpyridine complex, 2967
copper(II) acetate dipyridyl perchlorate water complexes, 1471
copper(II) alcohol alkoxide hydrazone phenoxide binucleating complex, 879
copper(II) alkoxide diketonate siloxide Al complexes, 177
copper(II) aminoalkylamide complex, 941
copper(II) aminonitrosouracil water complex, 2217
copper(II) azide pyridine complexes, 2537
copper(II) carboxylate dipyridyl hydroxide water complexes, 923
copper(II) carboxylate water complexes, 2507
copper(II) chloride water magnesium complex, 1929
copper(II) citrate water antimony(III) complex, 631
copper(II) diethylenetriamine-acetate imidazole zinc complex, 191
copper(II) dipyridyl hydroxide pyridoxine complex, 1397
copper(II) dipyridylamine thiocyanate complex, 623
copper(II) furosemide methanol water complex, 1973
copper(II) mepirizole complex, 647
copper(II) methazolamide pyridine water complex, 2849
copper(II) phenanthroline triol cadmium complex, 1195
copper(II) phenylphosphonate pyridine complexes, 3101
copper(II) pyridiniopropionate complex, 2567
copper(II) salicylaldimine squarate water complex, 2819
erbium chloride cyclopentadienyl tetrahydrofuran sodium complex, 2873
erbium cyclopentadienyl ether hydroxide, 2883
ferrocenyldiphosphine, 2611
ferrocenyl Schiff base, 1917
gadolinium oxyethylene glycol complex, 2245
gadolinium pyridinecarboxylate water silver complex, 1513
gadolinium pyridine Schiff base macrocyclic complex, 2571
gallium azole chloride complexes, 487
gallium butoxide butyl butylperoxide chloride compounds, 477
gallium butyl chloride dislylarsenide complexes, 839
gallium methyl pyrazolyl indium complex, 3013
gold phosphine molybdenum complex, 1563
gold(I) chloride pyridinethiol complex, 2009
gold(I),(III) chloride thione complexes, 893
holmium peptide water complex, 2897
indium chloride dipyridyl ethanol water complexes, 1067
indium iodide tripyrazolyl complexes, 3013
iridium carbonyl diphosphine hydride isocyanide vinyl complexes, 677
iridium(I) diene phosphine triphosphine complexes, 2917
iridium(III) carbonyl chloride porphyrin complex, 2703
iron carbonyl imine nitrosyl molybdenum complex, 1143
iron(0) carbonyl thio heterometallic complexes, 127
iron(II) carbonyl mercury complex, 799
iron(II) chloride diphosphine complex, 1213

iron(II) diazolylpyridine complex, 635
iron(II) phosphacyclopentadienyl, 601
iron(III) alkenylidyne carbonyl cyclopentadienyl complexes, 1429
iron(III) alkoxide diketonate, 1923
iron(III) chloride cyanide ketoimine nitrate oxo complexes, 2253
lanthanide chloride cyclopentadienyls, 2857
lanthanum alkoxide tetrahydrofuran complex, 375
lead(II) amine ether crown complexes, 1205
lithium alkoxide ether aluminium complex, 1093
lithium bromide ether neodymium complex, 2863
lithium guanidide sodium compound, 2809
lutetium pentamine - salicylaldehyde Schiff base water complex, 499
magnesium acetonitrile chloride crown ether copper(II) complex, 1929
manganese(I) bromide carbonyl diphosphite complex, 1743
manganese(I) alkoxycarbonyl carbonyl diphosphine isocyanate complexes, 2055
manganese(II) azide picolinate water complex, 2137
manganese(II) azole chloride pyridine complex, 1909
manganese(II,III) benzoate ethanol oxo water complex, 251
mercury azetidinone oxazolidone silver complexes, 1841
mercury diaminoether macrocyclic complex, 597
mercury methyl selenophenoxide, 507
mercury phenanthroline thiocyanate iron(II) complex, 799
mercury phosphine molybdenum(0) complex, 2265
mercury pyridine thiophenoxide complex, 513
mercury quinolonate, 1507
molybdenum alkylidyne carbaborane carbonyl diphosphine ketenyl phosphine phosphine-oxide complexes, 1587
molybdenum carbonyl cyclopentadienyl hydride phosphido gold complexes, 1563
molybdenum carbonyl cyclopentadienyl imine nitrosyl iron complex, 1143
molybdenum carbonyl monothiocatecholate complex, 2557
molybdenum(0) carbonyl cyclopentadienyl mercury complex, 2265
molybdenum(0) carbonyl diimine complex, 1771
molybdenum(0) carbonyl dithiocarbamate iron(0) complex, 127
molybdenum(II) acetate phosphine thiolate complex, 2115
molybdenum(III) alkyl iminoacyl, 2825
molybdenum(III) carbonyl cyclopentadienyl phosphadiene complex, 1281
molybdenum(III) chloride cyclopentadienyl phosphine complexes, 2301
molybdenum(IV) acetonitrile fluoride oxo complex, 541
molybdenum(IV) aminoethanethiolate diazenide compound, 2321
molybdenum(IV) aniline bromide disulfide thio complex, 2083
molybdenum(V) oxo thiolate silver complex, 2489
molybdenum(VI) catecholate nitrogen - sulfur complex, 995
molybdenum(VI) isopolyanions, 1423,2027
molybdenum(VI) methanol oxo pyridine salicylaldehyde thiosemicarbazone complexes, 1659
molybdenum(VI) oxo pyrazole complex, 115
molybdenum(VI) oxo salicylaldehyde hydrazone complex, 415
molybdenum(VI) oxo thio silver complex, 1201
molybdenum(VI) oxo thiolate copper(I) complex, 2495
neodymium bromide cyclopentadienyl lithium complex, 2863
nickel(II) amine perchlorate thioether macrocyclic complex, 617
nickel(II) aminopyrazole thiocyanate water complexes, 2321
nickel(II) chloride tetrahydrofuran complex, 3019
nickel(II) dipyridyl terephthalate complex, 885
nickel(II) dithiooxalate complex, 1883
nickel(II) methazolamide pyridine water complex, 2849
nickel(II) pyridoxaldimine complex, 2171
osmium(0,I) carbonyl thiolate complex, 1013
palladium(0) dithiolate zirconium complex, 765
palladium(II) bromazepam chloride complex, 2795
palladium(II) chloride peptide complex, 671
palladium(II) chloride phenanthrolinequinone complex, 243
palladium(II) chloride phosphine thiolate complex, 1981
palladium(II) chloride telluroether complex, 2165
palladium(II) dithiooxalate complex, 1883
phosphirane, 385
platinum(II) aryl chloride

silver complex, 1783
platinum(II) azole chloride sulfoxide complexes, 2691
platinum(II) chloride creatinine complex, 365
platinum(II) chloride phosphine telluroether complex, 1551
platinum(II) chloride phosphine thiophosphate zinc complex, 2125
platinum(II) diphosphine hydride thio complex, 3091
platinum(II) dithiooxalate complex, 1883
platinum(II) ethylenediamine complexes, 901
platinum(IV) ammonia chloride complex, 901
potassium ether tin(II) complexes, 1369
praseodymium alkoxide ammonia complexes, 375
pyrazabole, 711
rhenium(I) carbonyl chloride diphosphine complex, 2483
rhenium(II) carbonyl chloride diphosphine complex, 2431
rhenium(III) chloride hydroxypyridine complex, 811
rhenium(III) phosphinothio-phenoxide, 2151
rhenium(VII) chloride dithiocarbamate hydrazide oxo phosphine complexes, 147
rhodium(I) alkene chloride selenoether complex, 401
rhodium(III) aminooxime chloride complexes, 2447
rhodium(III) carbonyl iodide phosphine quinaldinate complexes, 2679
rhodium(III) chloride ketophosphine complex, 1987
ruthenium benzene carbide carbonyl complex, 2123
ruthenium(II) arene chloride complex, 2317
ruthenium(II) arene chloride pyridine Schiff base complex, 823
ruthenium(II) arene chloride dithioate tungsten(0) complex, 2713
ruthenium(II) arylamide cyclopentadienyl xomplex, 709
ruthenium(II) chloride dmso pyrazole complex, 431
ruthenium(II) phosphine polythuoether complex, 2501
ruthenium(II) phosphine xanthate complex, 3173
ruthenium(II,III) acetate amidopyridine chloride complex, 13
ruthenium(II,III) carboxylate chloride ether complexes, 2209
ruthenium(III) carboxylate nitrile oxo phosphine complex, 335
ruthenium(III) polyaminocarbox-ylate water complex, 1059
ruthenium(IV) arylimide phosphine complex, 2961
ruthenium(IV) chloride diallyl dipyridine complex, 2729
ruthenium(IV) chloride dicarboxylate dienediyl complex, 1849
samarium malonate water complex, 2051
samarium phosphoryl amide water complex, 1581
scandium alkoxide ammonia complex, 375
Schiff base, protonated, 2351
selenium pentasulfide complex, 1869
silicon catecholate methanol phosphine oxide complexes, 1789
silicon chloride pyrazolylborate, 711
silver amine thioether macrocyclic complex, 617
silver azetidinone nitrate oxazolidone mercury complexes, 1841
silver chloride diaminoether macrocyclic complex, 597
silver chloride phosphine platinum(II) complex, 1783
silver chloride phosphine trithiomolybdate complex, 1201
silver nitrate urea complex, 49
silver phosphine thio copper(I) tungsten(VI) complex, 109
silver phosphine thiolate molybdenum(V) complex, 2489
silver pyridinecarboxylate gadolinium complex, 1513
silver quaterpyridine complex, 2967
sodium chloride terahydrofuran erbium complex, 2873
sodium guanidide lithium compound, 2809
strontium phenoxide tetrahydro-furan complex, 1995
tantalum alkyl alkylidene cyclopentadienyl complex, 1023
tantalum(IV) carbazolate hydride phosphine complex, 1559
tantalum(V) alkylidyne carbazolate complex, 1559
technetium(III) phosphino-thiophenoxide, 2151
technetium(III) thioether thiophenoxide tetradentate complex, 1623
technetium(V) oxo thioamide tetradentate complexes, 1145
tellurium(II) pentasulfide complex, 1869
terbium benzophenone silylamide complex, 409
tetraphosphaferrocene, 601
thallium(III) acetate porphyrin, 3025
thallium(III) dithiophosphinate methyl complexes, 2889
thallium(III) methyl rhodanine compound, 2231
thiodicarbadodecaborate, 2717
thorium amide chloride thiocyanate complexes, 1765
thorium phenoxide

pyrazolylborate, 909
tin(II) siloxide potassium complexes, 1369
tin(IV) aminoalkyl thio complex, 2747
tin(IV) carboxylate ethyl oxo compounds, 1861
tin(IV) chloride dioxime cobalt(III) complex, 1939
tin(IV) chloride phenyl complex, 2351
tin(IV) chloride tetrahydrofuran complex, 3019
tin(IV) dithiolate iodide complex, 2223
tin(IV) fluoride methyl complex, 331
tin(IV) triaminotrithiolate complex, 2651
tungsten carbonyl phosphine metallaborane complex, 3095
tungsten(0) carbonyl diimine complex, 1771
tungsten(0) carbonyl dithioate phosphine ruthenium(II) complex, 2713
tungsten(0) carbonyl dithiocarbamate iron(0) complex, 127
tungsten(III) alkylamide allyl complexes, 3197
tungsten(IV) diselenide dithiophosphate selenide complex, 3159
tungsten(IV) oxalate thio water complex, 853
tungsten(IV) selenide thiocyanate complex, 2973
tungsten(V) chloride phenylenediimide phosphine complex, 381
tungsten(V) diselenide dithiocarbamate complex, 1959
tungsten(VI) alkylamide siloxide complex, 1575
tungsten(VI) catecholate chloride oxo complex, 2039
tungsten(VI) chloride diamine oxo complex, 2143
tungsten(VI) chloride dithiocarbamate thio complex, 279
tungsten(VI) disulfide oxo thio complexes, 2939
tungsten(VI) isopolyanion, 1959
tungsten(VI) thio copper(I) silver(I) complex, 109
uranium(III) pyrazolylborate, 1481
uranium(IV) acetate pyrazolylborate, 501
uranium(IV) chloride hypophosphite water complex, 817
uranium(IV) chloride pyrazolylborate, 1481
uranium(IV) hydropyrazolylborate thiolate complex, 1601
vanadium(II) picolinate pyridine pyridinesulfonate complexes, 2767
vanadium(V) isopolyanions, 3045
ytterbium alkoxide cyclopentadienyl, 2673
yttrium nitrate polypyridyl water complex, 2599
zinc alkylsilylamide, 1697
zinc chloride dipyridylethane complex, 65
zinc chloride thiophosphate platinum(II) complex, 2125
zinc diethylenetriamineacetate imidazole Cu(II) complex, 191
zinc ethylenediamine complex, 2951
zinc ethylene glycol sulfate water complexes, 2975
zinc phosphine oxide complex, 1795
zinc salicylaldimine tetradentate complexes, 53
zirconium chloride cyclopentadienyl dithiocarbamate complex, 1131
zirconium cyclopentadienyl dithiocarbamate, 39
zirconium cyclopentadienyl dithiolate palladium complex, 765
X-ray diffraction
copper(II) dicyanamide imidazole complexes, 2867
copper(II) thione water complex, 423
heterometallic triphosphates, 2543
mercury halides - silver tungstate reaction, 2775
tin(IV) oxide in laponite, 1001

Y

Ylide complexes
copper(II), 973
Ytterbium
alkoxide aluminium compound, 2421
alkoxide cyclopentadienyl, 2673
benzophenone silylamide complexes, 409
catechol pyrazoline sulphonate complex, 937
cyclopentadienyl oxime complex, 355
cyclopentadienyl pyrrolyl tetrahydrofuran complexes, 265
dithiocarbamate, 1815
nitrate phosphine oxide water complex, 2983
oxyethylene glycol complex, 2245
piperazine complex, 2273
pyrazolylborates, 1481
quinoxaline derivative complexes, 1109,1113
tetraketonate complex, 1545
Yttrium
alkoxide ammonia ether complexes, 375
benzophenone silylamide complexes, 409
catechol pyrazoline sulphonate complex, 937
chloride nitrate polypyridyl water complexes, 2599
cyclopentadienyl oxime complex, 355

dithiocarbamate, 1815
oxyethylene glycol complex, 2245
quinoxaline derivative complex, 1113
tetraketonate complex, 1545

Z

Zinc
adenosine chloride water complexes, 3147
alanine phenanthroline complexes, 1235
alkyl selenophenoxides, 507
alkylsilylamide, 1697
aminoacid hydroxide complexes, 563
azole ketoimine salicylaldimine thioether complexes, 2739
benzoxazolylaldehyde complexes, 2525
binucleating phenoxide Schiff base heterometallic complexes, 211
binucleating phenoxide Schiff base thiocarboxylate ester complexes, 347
carboxysalicylaldimine binucleating complex, 3041
chloride polypyridyl complexes, 65
chloride thione water complexes, 423
chloride thiophosphate platinum(II) complex, 2125
cystine dihydroxamate, 3069
diaminothioether complexes, 2989
diazolylpyridine complexes, 635
diethylenetriamineacetate imidazole copper(II) complexes, 191
diselenocarbamates, 45
ethylenediamine complex, 2951
ethylene glycol sulfate water complexes, 2975
ferrocenyl Schiff base complex, 2313
ferrocenyl thiosemicarbazone complex, 447
hydroxide water chromium(III) complexes, 517
iminodiacetate peptide complexes, 257
phosphine oxide complex, 1795
salicylaldimine tetradentate complexes, 53
Zirconium
alkoxide heterometallic complexes, 341
chloride cyclopentadienyl dithiocarbamate complexes, 1131
cyclopentadienyl dithiocarbamate, 39
cyclopentadienyl dithiolate heteropolymetallic complexes, 765
cyclopentadienyl Jaeger-ligand ketoamine complexes, 123
heterometallic triphosphates, 2543
oxo peroxide tetramine complex, 795

POLYHEDRON

Aims and Scope

Polyhedron will publish original, fundamental, experimental and theoretical work of the highest quality in the major areas of inorganic and organometallic chemistry. These areas include synthetic and reaction chemistry, kinetics and mechanisms of reaction, bioinorganic chemistry, photochemistry and the use of metal and organometallic compounds in stoichiometric and catalytic synthesis of organic compounds. Papers concerned solely with stability constants determined by potentiometric titration data unsupported by other e.g. spectroscopic techniques will not be acceptable nor will solvent extraction data unless supported by other data of interest to inorganic chemists.

Instructions to Contributors

1. CONTRIBUTIONS

Contributions will be rigorously refereed. They are to comprise full Papers and Communications to the Editor. Publication will be in English. Papers will be published within 4–5 months of acceptance and Communications within 2–3 months of acceptance. In addition, specially commissioned review articles **(Polyhedron Reports)** and collections of original research papers **(Polyhedron Symposia-in-Print)** of appropriate timeliness will be published. Every effort will be made to expedite publication and thus minimize the time delay between submission of an acceptable manuscript and its appearance in print. Authors are requested to include a note of their fax number when submitting a manuscript.

2. PAPERS

These are to be substantial completed pieces of original research in inorganic and organometallic chemistry which have special significance, general interest and which, in addition, are presented clearly and concisely. An abstract is to be provided. Polyhedron papers will be printed by conventional typesetting. There has been an increasing tendency for important advances in inorganic and organometallic chemistry to be reported in the form of preliminary communications, in which space restrictions do not allow experimental detail to be included: frequently these experimental details are published years later, if at all. Polyhedron now offers a medium for a rapid publication without rigid space limitations or any page charge.

3. COMMUNICATIONS

These are to be contributions of a preliminary nature and to be of length not normally exceeding 1000 words. They must contain novel and original findings which are of general interest and which will be of use to other workers in their field. This section will also provide a forum for advancing or exchanging significant new interpretations of published data for which normal papers would be inappropriate. Communications may be submitted by fax. Faxed submissions must be complete, including illustrations, and must be followed up by a complete hard-copy of the paper despatched the same day.

4. POLYHEDRON REPORTS

These will be specially commissioned critical reports reviewing research results of topical importance. Such articles will be commissioned by the Editorial Board from recognized authorities in the appropriate fields.

5. POLYHEDRON SYMPOSIA-IN-PRINT

These will comprise collections of original research papers (including experimental sections) covering timely areas of inorganic and organometallic chemistry. Topics for forthcoming Symposia are announced from time to time. For each, a Symposium Editor will invite authors active in the field to submit papers. These will be rapidly reviewed and processed for publication by the Symposium Editor under the usual refereeing system.

Authors not already invited who have recent, significant results in the area announced may also submit contributions within a 6-month deadline for Editorial consideration and possible inclusion.

6. PRESENTATION OF MANUSCRIPTS FOR TYPESETTING

Authors are requested to submit two copies of each manuscript. After the title of the paper and the authors' names prefixed by initials the following should be given: (i) establishment where the work was done; (ii) a space for insertion of the date the paper was received; (iii) an abstract of the paper. **The author to whom correspondence should be addressed by readers of the journal should be indicated by an asterisk.** The presentation of tables, graphs and formulae should be kept to an absolute minimum and where possible the results from a series of investigations should be in table form or as a graph. The same data should not be presented in both tables and figures or given in the Discussion as well as the Experimental section.

7. DEPOSITION OF CRYSTALLOGRAPHIC DATA

Manuscripts reporting crystallographic results must be accompanied by a list of refined coordinates for deposition at the Cambridge Crystallographic Data Centre (see detailed information and instructions in the preliminary pages of each issue).

8. TABLES

Tables should be submitted according to the following guidelines: (i) maximum page size should be 26.5 x 42 cm; (ii) large or long tables should be typed on continuing sheets; (iii) table headings should be typed on separate sheets but identifying numbers should be placed on the upper right-hand corner of each sheet of tabular material; (iv) **original typed tables are required.** It will be the author's responsibility to prepare his tables in accordance with this procedure as no facilities exist at the Editorial Office for retyping.

9. NOMENCLATURE

All nomenclature should be consistent, clear and unambiguous, and should conform as closely as possible to the rules established by IUPAC. The following IUPAC publications should be consulted: "*Nomenclature of Inorganic Chemistry*" and "*Nomenclature of Organic Chemistry*, 1979 edition" (available from Pergamon).

10. FIGURES, FORMULAE, SCHEMES, ETC.

These must all be carefully prepared line drawings on plain white drawing paper, suitable for direct photographic reproduction. Originals are preferable, but high-quality photographs are acceptable. Photocopies are not acceptable. Each illustration should be clearly marked on the back with the names of the authors. Where necessary, the top of the figure should be indicated. Figure captions should be typed on a separate sheet.

11. REFERENCES

Text references to the literature should be by superscript numbers. The references themselves should be collected in order at the end of the manuscript. Journal abbreviations should normally conform to the "Chemical Abstracts Service Source Index".

12. MAILING OF MANUSCRIPTS

Papers and Communications

All manuscripts should be sent (in duplicate) to:

For U.S.A. and Canada

Professor M. H. Chisholm, Department of Chemistry, Indiana University, Bloomington, IN 47405, U.S.A. Fax: (812) 855 7148.

For Rest of the World

Professor D. C. Bradley, Department of Chemistry, Queen Mary and Westfield College, University of London, Mile End Road, London E1 4NS, U.K. Fax: (081) 983 0625.

Polyhedron Symposia-in-Print

To the Symposium Editor as announced for the particular symposium.

Polyhedron Reports

Professor M. H. Chisholm (for North, Central and South America). Department of Chemistry, Indiana University, Bloomington, IN 47405, U.S.A.

Dr. E. C. Constable (for the Rest of the World), University Chemical Laboratory, Lensfield Road, Cambridge CB2 1EW, U.K.

13. REFEREEING OF PAPERS

All papers submitted are refereed by experts who advise the Executive Editor on the matter of acceptance in accordance with the high standards required and on the understanding that the subject matter has not been previously published and that the authors accept full responsibility for the factual accuracy of the data presented and have obtained any necessary authority to publish. The referees' names are not disclosed but their views are forwarded by the Executive Editor to the authors for consideration. All papers accepted are subject to editorial amendment if necessary.

14. PROOFS AND REPRINTS

Proofs together with reprint order forms are posted by air, direct from the printers to the chief author (indicated on the paper when submitted) for his approval and correction. These carefully corrected proofs should be returned by airmail (except for Europe and U.K.) without delay to **Journals Production Department, Pergamon Press Ltd** for inclusion in the next possible issue.

Authors are kindly requested when proof reading to correct only those errors introduced by the printer. Modification to the text at proof stage automatically causes a delay in publication and incurs additional costs which may have to be charged to the authors or their institutions. Authors should indicate the number of additional paid reprints required when returning their proofs, otherwise only 50 free reprints will be sent.

15. BOOK REVIEWS AND CONFERENCE ANNOUNCEMENTS

Appropriate books for review and full details of forthcoming meetings should be sent to the Executive Editor for possible inclusion.

Printed in Great Britain at BPCC-AUP Aberdeen Ltd.